For KCC Use:

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date July 24, 2007 month day year	Spot East
	<u>SW</u> _ NW Sec. 2 Twp. 23 S. R. 23 West
OPERATOR: License# 33428	2010 teet from VN / S Line of Section
Name. Fort Scott Methane Partners, LLC	leet from E / V W Line of Section
Address: 2329 West Main Street, #301	Is SECTION ✓ RegularIrregular?
City/State/Zip: Littleton, CO 80120	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Larry Wels	County: Linn
Phone: 303-895-7178	Lease Name: RussellWell #: 2-12
5831	Field Name: Wildcat
CONTRACTOR: License# 5831 Name: Mokat Drilling	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 630'
Oil Enh Rec Infield Mud Rotary •	Ground Surface Elevation: 1033 feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:
OWWO Disposal V Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic: # of Holes Other	Depth to bottom of fresh water: 100+
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2 20' minimum
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20' minimum
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 600'
Original Completion Date:Original Total Depth:	Pormation at loter Deptil.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
If Yes, true vertical depth:	Weil ✓ Farm Pond Other
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR
	If Yes, proposed zone: RECEIVED
AFF	FIDAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seg. 11 1 2 2007
It is agreed that the following minimum requirements will be met:	JUL 1 2 2007
1. Notify the appropriate district office prior to spudding of well;	CONSERVATION DIVISION
2. A copy of the approved notice of intent to drill shall be posted on ea	
2. The minimum amount of curtage also as escalibed heless at all the control of t	ef by circulating cement to the top; in all cases surface pipe shall be set
o. The manufacture amount of surface pipe as specified below shall be s	to a consideration of a consideration of the consid
through all unconsolidated materials plus a minimum of 20 feet into t	
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the	district office on plug length and placement is necessary prior to plugging;
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	district office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	district office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	district office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107-23868-0000	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the complete of the statements of the complete of the statement of the date of the statement of the statement of the statement of the statement of the date of the statement	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Date: - - - - - - - - -	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the complete of the statements of the complete of the complete of the spud date or the well shall be cement of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107-23868-0000 Conductor pipe required None feet per Alt. 12	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the second o	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the second o	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the second o	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Secologist
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the second o	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
through all unconsolidated materials plus a minimum of 20 feet into the second of the	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Cologistical States File Drill Pit Application (form CDP-1) with Intent to Drill;

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 107-23868-0000	Location of Well: County: Linn
Operator: Fort Scott Methane Partners, LLC	2010 feet from V N / S Line of Section
Lease: Russell	2010 feet from VN / S Line of Section 800 feet from E / V W Line of Section
Well Number: 2-12 Field: Wildcat	Sec. 2 Twp. 23 S. R. 23 ✓ East West
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:	if Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

÷	• •		
			· · · · · · · · · · · · · · · · · · ·
		:	• • •
2010			
	• • • • • • • • • • • • • • • • • • • •		•
-800-5	· · · · · · · · · · · · · · · · · · ·		
·		- <u>Z</u>	
· .			



NOTE: in all cases locate the spot of the proposed drilling locaton.

JUL 1 2 2007

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Fort Scott Methane	e Partners, LLC	2	License Number: 33428
Operator Address: 2329 West Mai	n Street, #30	1 Littleton,	CO 80120
Contact Person: Larry Weis			Phone Number: (303) 895 - 7178
Lease Name & Well No.: Russell 2-12	2		Pit Location (QQQQ):
Type of Pit: Burn Pit Burn P	Pit is:	Existing	CSWNW
Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	If Existing, date of Pit capacity:	constructed: (bbls)	2010 Feet from ✓ North / South Line of Section 800 Feet from East / ✓ West Line of Section Linn County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
s the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
	30' Length (fi		Width (feet) N/A: Steel Pits
Depth fifthe pit is lined give a brief description of the	rom ground level to de	eepest point: 4' Describe proce	Width (feet) N/A: Steel Pits (feet) dures for periodic maintenance and determining any special monitoring.
Depth fi f the pit is lined give a brief description of the naterial, thickness and installation procedure	rom ground level to de tiner e.	Describe proce liner integrity, in Depth to shallor Source of information.	dures for periodic maintenance and determining including any special monitoring.
Depth fi f the pit is lined give a brief description of the naterial, thickness and installation procedure Distance to nearest water well within one-mike MA feet Depth of water well Emergency, Settling and Burn Pits ONLY:	rom ground level to de liner e	Describe proce liner integrity, in Depth to shallo Source of informassu	dures for periodic maintenance and determining and special monitoring. west fresh waterfeet.
Depth for the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mike the process of the producing and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	rom ground level to de tiner e.	Describe proce liner integrity, in Depth to shallor Source of informassu Drilling, Worker Type of material Number of work	west fresh water feet. mation: med well owner electric log KDWR
Depth fi f the pit is lined give a brief description of the naterial, thickness and installation procedure Distance to nearest water well within one-mile Depth of water well Troducing Formation: Compared to the pit is linear procedure Compared to the pit is linear procedure Depth of water well Depth fi Depth of water well Depth of water well Depth of water well Depth fi Depth fi	rom ground level to de tiner e.	Describe proce liner integrity, in Depth to shallo Source of informeasu Drilling, Works Type of materia Number of work Abandonment	west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Air mist, fresh water ting pits to be utilized: One