For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	Spot √ E		
Expected Spud Date July 18, 2007 month day year	SE NE NE Sec. 6 Twp. 33 S. R. 16 W		
OPERATOR: License# 33365	985 feet from VN/S Line of Section		
Name: Layne Energy Operating, LLC	383feet from VE / W Line of Section		
1900 Shawnee Mission Parkway	Is SECTION ✓ Regular Irregular?		
Oity/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)		
Contact Person: M. Brent Nattrass	County: Montgomery		
Phone: 913-748-3960	Lease Name: Shepherd Well #: 1-6		
	Field Name: Cherokee Basin Coal		
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?		
Name: Thomton Air	Target Formation(s): Cherokee Coals		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 383'		
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation: 750' feet M		
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:		
CWWO Disposal Wildcat Cable	Public water supply well within one mile:		
Seismic: # of Holes Other	Depth to bottom of fresh water: 150'		
Other	Depth to bottom of usable water: 150'		
	Surface Pipe by Alternate: 1 2 20		
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20' Length of Conductor Pipe required: None		
Operator:	Projected Total Depth: 1200 Feet		
Well Name:	Formation at Total Depth: Mississippian		
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X		
f Yes, true vertical depth:	DWR Permit #:		
Bottom Hole Location:	(Note: Apply for Permit with DWR)		
KCC DKT #:	Will Cores be taken? Yes ✓		
	If Yes, proposed zone:		
	RECEIVED		
ACI			
	FIDAVIT KANSAS CORPORATION COM		
The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq.		
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:			
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e: 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 2 2007 ach drilling rig; conservation division of the top; in all cases surface pipe with the underlying formation. district office on plug length and placement is necessary prior to plugging.		
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e: 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 2 2007 ach drilling rig; CONSERVATION DIVISION DIVISIONI DI UNI DIVISIONI DI UNI DIVISIONI DIVISIONI DI UNI DIVISIO		
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> such through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	CONSERVATION DIVISION and district office prior to any cementing. Conservation division and placement is necessary prior to plugging and or production casing is cemented in; and the form below any usable water to surface within 120 days of spud date. It is plugged. In all cases, NOTIFY district office prior to any cementing.		
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> such through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 2 2007 ach drilling rig; CONSERVATION DIVISION DIVISIONI DI UNI DIVISIONI DI UNI DIVISIONI DIVISIONI DI UNI DIVISIO		
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> such through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	CONSERVATION DIVISION and district office prior to any cementing. Conservation division and placement is necessary prior to plugging and or production casing is cemented in; and the form below any usable water to surface within 120 days of spud date. It is plugged. In all cases, NOTIFY district office prior to any cementing.		
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: July 11, 2007 Signature of Operator or Agent: For KCC Use ONLY	DUL 1 2 2007 CONSERVATION DIVISION ach drilling rig; consert by circulating cement to the top; in all cases surface pipe Conservation Division ach drilling rig; conservation division by circulating cement to the top; in all cases surface pipe Conservation Division district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cement I be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;		
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: July 11, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3/4//- ODDOO	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 2 2007 ach drilling rig; conservation division by circulating cement to the top; in all cases surface pipe with the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. In the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;		
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: July 11, 2007 Signature of Operator or Agent: For KCC Use ONLY	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 2 2007 ach drilling rig; conservation division by circulating cement to the top; in all cases surface pipe with business the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate It cement be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;		
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: July 11, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3/4//- ODDO Conductor pipe required feet Minimum surface pipe required feet per Alt.	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 2 2007 ach drilling rig; conservation division by circulating cement to the top; in all cases surface pipe with the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. In the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;		
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: July 11, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3/4//- ODDO Conductor pipe required feet Minimum surface pipe required feet per Alt.	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 2 2007 ach drilling rig; CONSERVATION DIVISION ach drilling rig; cet by circulating cement to the top; in all cases surface pipe Ship by Set the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. In the plugged. In all cases, NOTIFY district office prior to any cementing, of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;		
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: July 11, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3/4//- ODDO Conductor pipe required Minimum surface pipe required Approved by: Appro	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 2 2007 ach drilling rig; CONSERVATION DIVISION district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;		
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: July 11, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3/4//- ODDO Conductor pipe required Minimum surface pipe required Approved by: 1-12-07 This authorization expires: 1-12-08	CONSERVATION DIVISION and district office on plug length and placement is necessary prior to plugging upged or production casing is comented in; and of ormation in the district office on plug length and placement is necessary prior to plugging upged or production casing is comented in; and of form below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any comenting. In the plugged. In all cases, NOTIFY district office prior to any comenting. In the plugged and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.		
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: July 11, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3/4//- ODDO Conductor pipe required Minimum surface pipe required Approved by: 27 - 12 - 07	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 2 2007 ach drilling rig; conservation division by circulating cement to the top; in all cases surface pipe with the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. If the prill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please		
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: July 11, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3/4//- ODDO Conductor pipe required Minimum surface pipe required Approved by: 1-12-08 This authorization expires: 1-12-08	CONSERVATION DIVISION and drilling rig; ach drilli		

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31411-0000	Location of Well: County: Montgomery
Operator: Layne Energy Operating, LLC	985 feet from VN/ S Line of Section
Lease: Shepherd	
Well Number: 1-6	Sec. 6 Twp. 33 S. R. 16 ✓ East Wes
Field: Cherokee Basin Coal	
Number of Acres attributable to well:	Is Section: Pegular or Irregular Irregular
QTR / QTR / QTR of acreage: NE NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		 935
	· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·	
•	•	 · · · · · · · · · · · · · · · · · · ·
	: 	 :
	· · · · · · · · · · · · · · · · · · ·	
		•
		:



NOTE: In all cases locate the spot of the proposed drilling locaton.

JUL 1 2 2007

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365			
Operator Address: 1900 Shawnee Mission Parkway, Mission Woods, KS 66205					
Contact Person: M. Brent Nattrass		Phone Number: (913) 748 - 3960			
Lease Name & Well No.: Shepherd 1-6			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE</u> <u>NE</u>	_	
Emergency Pit Burn Pit	✓ Proposed		Sec. 6 Twp. 33 R. 16	✓ East West	
Settling Pit	If Existing, date constructed:		985 Feet from 🗸 North /	/ South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		383 Feet from 🗸 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Montgomery	County	
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes	No	Chloride concentration:	mg/l	
	<u> </u>		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	N.	How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓	NO	Self-Sealing		
Pit dimensions (all but working pits):3	O' Length (fe	eet)20'	Width (feet)	N/A: Steel Pits	
Depth fr	om ground level to d	eepest point: 3'	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and dincluding any special monitoring.	etermining	
		west fresh water			
1962feetDepth of water well	40 feet	Source of information: JP - KGS measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
		Type of materia	al utilized in drilling/workover: Fresh Water Mud		
		rking pits to be utilized: Two			
Barrels of fluid produced daily: Abandonment procedure: Let evaporate until dry, then backfill				then backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		and restore			
		Drill pits must be closed within 365 days of spud date. RECEIVED			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSI					
July 11, 2007 Date		B Walty	ignature of Applicant or Agent	JUL 1 2 2007 CONSERVATION DIVISION WICHITA, KS	
KCC OFFICE USE ONLY					
Date Received: 1/12-/01 Permit Num	ber:	Permi	t Date: 7/12/07 Lease Inspe	ection: Yes No	