## For KCC Use: Effective Date: SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date	Spot	East
month day year	SW NE Sec. 28 Twp. 29 S. R. 18	West
33344	1980 feet from VN / S Line of Sec	tion
OPERATOR: License# 33344	1980feet from VE / W Line of Sec	tion
Name: _Quest Cherokee LLC Address:	Is SECTION ✓ RegularIrregular?	
Address: Oklahoma City, Oklahoma 73120  City/State/Zip: Oklahoma City, Oklahoma 73120	- ·	
City/State/Zip: Dishard Markin	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Neosho  Lease Name: Woolery, Delmer Well #: 28-3	
Phone: (405) 463-6880	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC	·	[2].
Name: Will advise on the ACO-1		<b>√</b> No
Name,	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660	
Oil Enh Rec / Infield Mud Rotary		et MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	V No .
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	<b>√</b> No
Seismic;# of Holes Other	Depth to bottom of fresh water: 100	
✓ Other Coalbed Methane	Depth to bottom of usable water:	<del></del>
V Other	Surface Pipe by Alternate:  1	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1300	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken? Yes	<b>√</b> No
	If Yes, proposed zone:	
APP	"IDA\/IT	
	FIDAVIT  RECE	VED
The undersigned hereby affirms that the drilling, completion and eventual p	UEI.P	IVED
The undersigned hereby affirms that the drilling, completion and eventual plats agreed that the following minimum requirements will be met:	NECE  Slugging of this well will comply with K.S.A. 55 et. seq	ON COM
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	NECE Slugging of this well will comply with K.S.A. 55 et. seq	ON COM
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A capy of the approved notice of intent to drill shall be nosted on ea	Dlugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATED TO THE C	тон сом 2 <b>2007</b>
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> .	Dlugging of this well will comply with K.S.A. 55 et. seq KANSAS CORPORATE And Arilling rig;  et by circulating cement to the top; in all cases surface pipe shall be CONSERVAN	'ION COM <b>2 2007</b> 1614 DIVISH
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the	Dlugging of this well will comply with K.S.A. 55 et. seq KANSAS CORPORATE AND ACT OF THE CONSERVANT CONSERVANT CONSERVANT CONSERVANT WICH CONSERVANT CONSE	'ION COM <b>2 2007</b> 1614 DIVISH
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus	Dlugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATE AND ACT OF THE PROPERTY OF THE PROP	TION COMP 2 2007 TA KS TA KS ging;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	Ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; all cases within 120 days of spud district office any usable water to surface within 120 days of spud district office any usable water to surface within 120 days of spud district office any usable water to surface within 120 days of spud district office any usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office and usable water to surface within 120 days of spud district office water to surface within 120 days of spud district office water to surface within 120 days of spud district office water to surface within 120 days of spud district office water w	TION COMP 2 2007 TA NS TA NS TA NS TA NS TA NS TA NS TA NS
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be su</i> through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be conserved.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II cei	TION COMP 2 2007 TA KS ging; ate. menting
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be constructed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II cerbe be plugged. In all cases, NOTIFY district office prior to any cement	TION COMP 2 2007 TA KS ging; ate. menting
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen' Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be constructed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II cerbe be plugged. In all cases, NOTIFY district office prior to any cement	TION COMP 2 2007 TA KS ging; ate. menting
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; ited from below any usable water to surface within 120 days of spud or #133,891-C, which applies to the KCC District 3 area, alternate II ceibe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.	TION COMP 2 2007 TA KS ging; ate. menting
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; ited from below any usable water to surface within 120 days of spud or #133,891-C, which applies to the KCC District 3 area, alternate II ceibe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.	TION COMP 2 2007 TA KS ging; ate. menting
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; ited from below any usable water to surface within 120 days of spud or #133,891-C, which applies to the KCC District 3 area, alternate II ceibe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.	TION COMP 2 2007 TA KS ging; ate. menting
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the description of the	Ach drilling rig;  ach drilling rig;  at by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ceibe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: VP	TION COMP 2 2007 TA KS ging; ate. menting
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constant of the surface of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order must be completed within 30 days of the spud date or the well shall be the surface of the statements made herein are true and to the best of the surface of	Ach drilling rig;  ach drilling rig;  ath per by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ceibe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	TION COMP 2 2007 TA KS ging; ate. menting
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the control of the surface of the surface of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of the s	Ach drilling rig;  ach drilling rig;  ath underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in;  ated from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ceibe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	2 2007 ON DIVISION TA, KS TA, KS THE MENTING THE ME
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the vell is dry hole, an agreement between the operator and the constitution of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the interest of the complete of the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the well shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27030-0000  Conductor pipe required feet	Ach drilling rig;  ach drilling rig;  ach drilling rig;  ach polymer is all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in;  atted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ceibe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-ent	2 2007 ON DIVISION TA, KS TA, KS THE MENTING THE ME
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall.  For KCC Use ONLY  API # 15 - 133 - 27030-0000  Conductor pipe required feet per Alt. 12	Ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ceibe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ent.  Submit plugging report (CP-4) after plugging is completed;	2 2007 ON DIVISION TA, KS TA, KS THE MENTING THE ME
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the vell is dry hole, an agreement between the operator and the control of the well is either plus an appropriate district office will be notified before well is either plus an alternate in Completion, production pipe shall be deemed. If an ALTERNATE II COMPLETION, production pipe shall be deemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus	Ach drilling rig;  ach drilling rig;  ach drilling rig;  ath per by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ceibe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: VP  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-ent.  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	2 2007 ON DIVISION TA, KS TA, KS THE MENTING THE ME
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plus of the plus of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plus of the	Ach drilling rig;  ach drilling rig;  ath period of the top; in all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ceibe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: VP  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-ent.  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	2 2007 ON DIVISION TA, KS TA, KS THE MENTING THE ME
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into to the determinant of the continuous of the surface pipe as specified below shall be surfaced in the continuous of the surface price into the continuous of the surface of the surface pipe as specified below shall be surfaced in the continuous of the surface pipe shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the pipe state of the surface pipe required to the pipe shall be completed.  For KCC Use ONLY  API # 15 - 133 - 27030 - OOO  Conductor pipe required to the pipe required feet per Alt. (2)  Approved by: 1-12-07	Ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud dor #133,891-C, which applies to the KCC District 3 area, alternate II cerebe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entered substitution approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	2 2007 ON DIVISION TA, KS TA, KS THE MENTING THE ME
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into to the determinant of the continuous of the end of the determinant of the control of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the determinant of the control of the plus of the appropriate of the well shall hereby certify that the statements made herein are true and to the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the plus of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of	Ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud dor #133,891-C, which applies to the KCC District 3 area, alternate II cerebe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entered submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	2 2007 ON DIVISION TA, KS TA, KS THE MENTING THE ME
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into to the determinant of the continuous of the end of the determinant of the control of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the determinant of the control of the plus of the appropriate of the well shall hereby certify that the statements made herein are true and to the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the plus of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of	Ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be the underlying formation.  district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud dor #133,891-C, which applies to the KCC District 3 area, alternate II cerebe plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entered substitution approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	2 2007 ON DIVISION TA, KS TA, KS THE MENTING THE ME


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27030-0000	Location of Well: County: Neosho		
Operator: Quest Cherokee LLC	1980 feet from V N / S Line of Section		
Lease: Woolery, Delmer	1980 feet from VE / W Line of Section		
Well Number: 28-3	Sec. 28 Twp. 29 S. R. 18 ✓ East Wes		
Field: Cherokee Basin CBM	<del>-</del>		
Number of Acres attributable to well:  OTR / OTR / OTR of payage;  NE	Is Section: 📝 Regular or 🗌 Irregular		
QTR / QTR / QTR of acreage:SWNE	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344	
Operator Address: 9520 North May	/ Avenue, Su	ite 300 Ok	dahoma City, Oklahoma 73120	
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880		
Lease Name & Well No.: Woolery, Delmer #28-3		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW NE</u>	
Emergency Pit Burn Pit	✓ Proposed		Sec. 28 Twp. 29 R. 18 ✓ East West	
Settling Pit	If Existing, date constructed:		1980 Feet from 🗸 North / South Line of Section	
Workover Pit Haul-Off Pit			1980 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbis)	Neosho	
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	/ No	Chloride concentration:mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):30 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point:10(feet)				
material, thickness and installation procedure.		liner integrity in	edures for periodic maintenance and determining nocluding any special monitoring.  Operation lasting approx 3 days  RECEIVED	
		All Dillillig	RECEIVED KANSAS CORPORATION COMMI	
			JUL 1 2 2007	
Distance to nearest water well within one-mile of pit  Depth to shallo Source of info		west fresh waterfeet.		
feet Depth of water wellfeet			iredwell owner electric logWICHITADWISION	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Air Drilled		
			Number of working pits to be utilized: One	
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must l		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
July 11, 2007  Date  July 11, 2007  Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 7//2/07 Permit Nun			it Date: 7//2/07 Lease Inspection: Tyes 4 No	
Data Danahadi ///2/// Darmit Num	har.	Daves	it Data: ///siz /// Lease Inspection:   Ves 4 No	