For KCC Use: 7-/7-07 Effective Date: 3 District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

wust be approved by Noo mo	,-,-,-,-,-
Expected Spud Date July 18, 2007	Spot ✓ East
month day year	SW - NE Sec. 3 Twp. 30 S. R. 18 West
33344	1980feet from VN / S Line of Section
OPERATOR: License# 33344 Name: Quest Cherokee LLC	1980feet from VE / W Line of Section
9520 North May Avenue, Suite 300	Is SECTION RegularIrregular?
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Martin	County: Neosho
Phone: (405) 463-6880	l ease, Name. Woolery, DelmerWell #: 3-2
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	ls this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation: 1000 feet MSI
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Salemic: # of Holes Other	Depth to bottom of fresh water: 100
✓ Other Coalbed Methane	Depth to bottom of usable water: 200 / Surface Pipe by Alternate: 1 / 2
	Surface Pipe by Alternate: 1 2 Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1300
Well Name:	Formation at Total Depth: Cherokee Coals
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes √No
	If Yes, proposed zone:
AFFI	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plants	ugging of this well will comply with K.S.A. 55 etasses CORPORATION COMMISS
It is agreed that the following minimum requirements will be met:	MINORO CO. II CO.
Notify the appropriate district office <i>prior</i> to spudding of well;	JUL 1 2 2007
2. A copy of the approved notice of intent to drill shall be posted on each	ch drilling rig;
3. The minimum amount of surface pipe as specified below shall be se	t by circulating cement to the top; in all cases surface pipe station of the state
through all unconsolidated materials plus a minimum of 20 feet into the	istrict office on plug length and placement is necessary <i>prior to plugging</i> ;
5. The appropriate district office will be notified before well is either plug	ged or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	ed from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
•	
I hereby certify that the statements made herein are true and to the best of) >
Date: July 11, 2007 Signature of Operator or Agent:	Title: VP
	l Remember to:
	nemember to.
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
API # 15 - 133-27031-0000	, ,
API # 15 - 133 - 27031 - 000 Conductor pipe required None feet	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
API # 15 - 133-27031-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 12	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
API # 15 - 133-27031-000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: Lut 7-12-07	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
API # 15 - 133-27031-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 12	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
API # 15 - 133-27031-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 2 Approved by: Lut 7-12-07	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
API # 15 - 133-27031-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. Approved by: 1-12-07 This authorization expires: 1-12-08 (This authorization void if drilling not started within 6 months of approval date.)	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
API # 15 - 133-27031-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: 1-12-07 This authorization expires: 1-12-08	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - /33-2703/-DODO	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1980 feet from VN / S Line of Section
Lease: Woolery, Delmer	1980 feet from VE / W Line of Section
Well Number: 3-2	Sec. 3 Twp. 30 S. R. 18 ✓ East Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	ls Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;
 CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344		
Operator Address: 9520 North May	y Avenue, Su	ite 300 Ok	lahoma City, Oklah	noma 7312	0
Contact Person: Richard Marlin		Phone Number: (405) 463 -6880			
Lease Name & Well No.: Woolery, Delmer #3-2			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	Sec. 3 Twp. 30 R.		☐ West
Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	If Existing, date of Pit capacity:	onstructed: (bbls)	1980 Feet from ✓	North / South	Line of Section
is the pit located in a Sensitive Ground Water	r Area? Yes Artificial Liner?	No No	Chloride concentration: (For Emergency if How is the pit lined if a plast	Pits and Settling Pits	only)
Берин	from ground level to de		10 (feet)		
If the pit is lined give a brief description of the material, thickness and installation procedur	e liner re.	liner integrity, i	edures for periodic maintenance notations and notations and special monitoring opportunity apportunity	g. Drox 3kadkaays sco	RECEIVED
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mi	re.	liner integrity, i	ncluding any special monitoring Operation lasting app	g. F Drox 3kalkaaa sco JU	RECEIVED RPORATION COMMI
material, thickness and installation procedur	re. ile of pit	liner integrity, i Air Drilling Depth to shallo Source of infor	ncluding any special monitoring Operation lasting app	g. F Drox 3katkaaas co Ji. cons feet.	RECEIVED RPORATION COMM JL 1 2 2007 SERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mile MA feet Depth of water well Emergency, Settling and Burn Pits ONLY	re. ile of pit feet	Depth to shalld Source of informal measuring.	Operation lasting approperation lasting appr	g. F Drox 3katkaysco JL CONS feet. electric log	RECEIVED RPORATION COMM JL 1 2 2007 SERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mi MA feet	re. le of pit feet f:	Depth to shalld Source of informeast Drilling, Work Type of material Number of wor	Operation lasting approvest fresh water mation: west fresh water well owner cover and Haul-Off Pits ONLY al utilized in drilling/workover:	g. F Drox 3katkeaasco JL CONS L Gent. L electric log Y: Air Drilled	RECEIVED RPORATION COMMI JL 1 2 2007 SERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mil MA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation:	ile of pit feet	Depth to shalld Source of informeast Type of material Number of work Abandonment	Operation lasting approves fresh water mation: ured well owner over and Haul-Off Pits ONLY	GONS GONS GONS GONS GONS GONS GONS Air Drilled and Cover	RECEIVED RPORATION COMM JL 1 2 2007 SERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mil /// feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a	re. ile of pit feet f: all spilled fluids to	Depth to shalld Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	Operation lasting approvest fresh water mation: ured well owner ever and Haul-Off Pits ONLY al utilized in drilling/workover: rking pits to be utilized: One procedure: Air Dry, Back Fill a	GONS GONS GONS GONS GONS GONS GONS Air Drilled and Cover	RECEIVED RPORATION COMM JL 1 2 2007 SERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mil MA	re. ile of pit feet f: all spilled fluids to	Depth to shalle Source of informease Drilling, Work Type of materia Number of work Abandonment Drill pits must	Operation lasting approvest fresh water mation: ured well owner ever and Haul-Off Pits ONLY al utilized in drilling/workover: rking pits to be utilized: One procedure: Air Dry, Back Fill a	g. Forox 3katkays.co Ji. CONS feet. electric log Y: Air Drilled and Cover pud date.	RECEIVED RPORATION COMM JL 1 2 2007 SERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mil ———————————————————————————————————	re. ile of pit feet f: all spilled fluids to tements are true and	Depth to shalle Source of informease Drilling, Work Type of materia Number of work Abandonment Drill pits must	Operation lasting approvest fresh water mation: ured well owner ever and Haul-Off Pits ONLY al utilized in drilling/workover: crking pits to be utilized: One procedure: Air Dry, Back Fill a be closed within 365 days of s at of my knowledge and belief.	g. Forox 3katkays.co Ji. CONS feet. electric log Y: Air Drilled and Cover pud date.	RECEIVED RPORATION COMM JL 1 2 2007 SERVATION DIVISION WICHITA, KS