

For KCC Use:	7 21-07
Effective Date:	7-21-07
District #4	
SGA? Yes	No

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected South Date: 07/24/2007	Spot Description:
Expected Spud Date:	SE _ SW _ SW _ Sec. 9 Twp. 14 _ S. R. 16 E XW
30717	
OPERATOR: License#	430 feet from N / X S Line of Section 1,010 feet from E / X W Line of Section
Name: Downing-Nelson Oil Co Inc	
Address 1: PO BOX 372	ls SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: HAYS State: KS Zip: 67601 + 0372	County: Ellis
Contact Person: Ron Nelson Phone: 785-621-2610	Lease Name: Alexia Well #: 1-9
Phone:	Field Name: Wildcat
CONTRACTOR: License#31548	Is this a Prorated / Spaced Field?
Name: Discovery Drilling	Target Formation(s): LKC & Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 430
	Ground Surface Elevation: 1892 feet MSL
☐ Enh Rec Infield	Water welt within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic: # of Holes Other	Depth to bottom of fresh water: 180
Other:	Depth to bottom of usable water: 400
	Surface Pipe by Alternate: I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): 0
Well Name:	Projected Total Depth: 3500
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
Original Completion Date Original Total Dopin,	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	
	will Cores be taken?
AFF	Will Cores be taken? If Yes, proposed zone: FIDAVIT RECEIVED Igging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMIS
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone: FIDAVIT RECEIVED Igging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMIS JUL 1 6 2007 In drilling rig; by circulating cement to the top; in all cases surface pipe shallnsessation DIVISION with WICHITA, KS in the underlying formation. WICHITA, KS in the complete on plug length and placement is necessary prior to plugging; and or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMIS JUL 16 2007 Individual of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMIS JUL 16 2007 Individual of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMIS JUL 16 2007 Individual of this well will comply with K.S.A. 55 et. seq. WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION COMMIS WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION COMMIS WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION COMMIS WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION COMMIS WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION COMMIS WANSAS CORPORATION COMMIS WANSAS CORPORATION COMMIS WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WICHITA, KS WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WICHITA, KS WICHITA, KS WICHITA, KS Individual of this well will comply with K.S.A. 55 et. seq. WICHITA, KS WICHITA
AFF The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the statements are true and to the statem	If Yes, proposed zone: FIDAVIT RECEIVED RANSAS CORPORATION COMMIS JUL 16 2007 In drilling rig; by circulating cement to the top; in all cases surface pipe shading EnvaTion Division a underlying formation. WICHITA, KS rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; do from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. The proposed zone: ACCEIVED KANSAS CORPORATION COMMIS WICHITA, KS WICHITA, KS The plugging of this well will comply with K.S.A. 55 et. seq. WICHITA, KS The plugging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION COMMIS ACCEIVED KANSAS CORPORATION COMMIS ACCEIVED KANSAS CORPORATION COMMIS WICHITA, KS THE CEIVED THE CEIVED THE COMMISSION COMMISSION WICHITA, KS THE CEIVED THE CEIVED THE COMMISSION COMMISSION WICHITA, KS THE CEIVED THE CEIVED THE COMMISSION THE COMMISSION THE COMMISSION THE CEIVED THE COMMISSION THE COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FIDAVIT RECEIVED Ingging of this well will comply with K.S.A. 55 et. seq. RANSAS CORPORATION COMMITTED A drilling rig; by circulating cement to the top; in all cases surface pipe shallness at the North DIVISION WICHITA, KS rict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Title:
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of materials. Date: 141 12 100 3 Signature of Operator or Agent: 141 100 3	If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMITTED A drilling rig; by circulating cement to the top; in all cases surface pipe shaundeswation Division WICHITA, KS rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing of plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "8" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials. For KCC Use ONLY	If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMIT JUL 16 2007 Indrilling rig; Indrilling
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of more part of the complete of the complete of the spud date of the spud to the best of more part of the spud to the best of more part of the spud to the best of more part of the spud to the spud to the best of more part of the spud to the best of more part of the spud to the spud to the best of more part of the spud to the spud to the spud to the best of more part of the spud to the sp	If Yes, proposed zone: FIDAVIT RECEIVED RECEIVED RECEIVED RECEIVED And a drilling rig; by circulating cement to the top; in all cases surface pipe shaunses surface pipe shaunses surface on plug length and placement is necessary prior to plugging; red or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing of plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of more placed in the plant of the pla	If Yes, proposed zone: FIDAVIT RECEIVED Regging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMI JUL 16 2007 In drilling rig; by circulating cement to the top; in all cases surface pipe shallnees wation Division with Michita, KS rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; do from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of more placed in the plant of the pla	If Yes, proposed zone: FIDAVIT RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMI JUL 16 2007 In drilling rig; by circulating cement to the top; in all cases surface pipe shallnees wation Division with Michita, KS rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; do from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing or plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of more part of the complete of the conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. III	If Yes, proposed zone: FIDAVIT RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMIT A drilling rig; by circulating cement to the top; in all cases surface pipe shallneese ATION DIVISION By circulating cement to the top; in all cases surface pipe shallneese ATION DIVISION WICHITA, KS rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing Polugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of more placed in the statements of the placed of the spud date or the well shall be conductor pipe required 0 feet Minimum surface pipe required 0 feet Minimum surface pipe required 200 feet per ALT. I I I I I I I I I I I I I I I I I I I	FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. RECEIVED RECEIVED ANNSAS CORPORATION COMMISSION For drilling rig; By circulating cement to the top; in all cases surface pipe shading Envation Division For underlying formation. WICHITA, KS First office on plug length and placement is necessary prior to plugging; Find or production casing is cemented in; For office on plug length and placement is necessary prior to plugging; For office on plug length and placement in necessary prior to plugging; For office on plug length and placement in necessary prior to plugging; For office on plug length and placement in necessary prior to plugging; For office on plug length and placement in necessary prior to plugging; For office on plug length and placement in necessary prior to plugging. For office on plug length and placement in necessary prior to plugging. For office on plug length and placement in necessary prior to plugging. For office on plug length and placement in necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior to plugging. For office on plug length and placement is necessary prior
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of more part of the complete of the conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. III	FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. RECEIVED RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMIS JUL 16 2007 Indrilling rig; by circulating cement to the top; in all cases surface pipe shading EnvaTion Division with which is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "8" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of module of the statements of the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of module of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of module of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of module of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of module of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of module of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of module of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of module of the spud date or the well shall be 1 hereby certified the spud date or the well shall be 1 hereby certified the sum of the spud date or the spud date or the well shall be 1 hereby certified the spud date or the spud date or the spud date or the spud date or the spud da	FIDAVIT RECEIVED RECEIVED And this well will comply with K.S.A. 55 et. seq. RECEIVED And this well will comply with K.S.A. 55 et. seq. RECEIVED And this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION COMMIS JUL 16 2007 Addilling rig; By circulating cement to the top; in all cases surface pipe shading EnvaTion Division WICHITA, KS WICHITA, KS WICHITA, KS WICHITA, KS And from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 0.57-25662-0000		
Operator: Downing-Nelson Oil Co Inc	Location of Well: County: Ellis	
Lease: Alexia		ine of Section
Well Number: 1-9	1,010 feet from E / 🔀 W L	ine of Section
Field: Wildcat	Sec. 9 Twp. 14 S. R. 16 E	⊠ w
Number of Acres attributable to well:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner bo Section corner used: NE NW SE SW	undary.

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:	:					:	
		.,						
				9	! 			
						: 		
	,	: :		:				
1010 ft		- 		:		:	: : :	:
	NOTE: In	all cases	locate th	e spot of	the propo	: sed drillin	: ig locaton	:



430 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1010422

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Downing-Nelson Oil Co Inc			License Number: 30717
Operator Address: PO BOX 372			HAYS KS 67601
Contact Person: Ron Nelson			Phone Number: 785-621-2610
Lease Name & Well No.: Alexia	1-9		Pit Location (QQQQ):
Type of Pit: Emergency Pit	Artificial Liner? Yes \(\sum \) Tom ground level to de liner	No No Peepest point:	SE_SW_SW_ Sec9_Twp14_R16East
Source 3475 feet Depth of water well 24 feet Emergency, Settling and Burn Pits ONLY: Drilling Producing Formation: Type Number of producing wells on lease: Number of fluid produced daily: Aban Does the slope from the tank battery allow all spilled fluids to			powest fresh water
Tuly 12, 7007 March Date Signature of Applicant of Agent Wildrag Ka			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 7/16/07 Permit Number: Permit Date: 7/16/07 Lease Inspection: Yes X No			