# For KCC Use: 7-21-07 Effective Date: 3

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed
Form must be Signed

Expected Spud Date July 18, 2007	Spot P	East
monin day year		Nest
PERATOR: License# 33640	1146 feet from V N / S Line of Section	
ame: Haas Petroleum, LLC	reet from V E / WY Line of Section	n
drage: 800 West 47th, Suite 409	ls SECTION <u>✓ Regular</u> Irregular?	
ty/State/Zip: Kansas City, MO 64112	(Note: Locate well on the Section Plat on reverse side)	
ontact Person. Mark L. Haas	County: Woodson	
hone: (816) 531-5922	Lease Name: Smith JobeWell #: 13	
33557	Field Name: Winterscheid	
ONTRACTOR: License# 33557	Is this a Prorated / Spaced Field?  Target Formation(s): Mississippian  Yes	/ No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1010'	
	Ground Surface Elevation: 1182 feet	MSL
✓ Oil ☐ Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes   ✓	No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No
OWWO Disposal Wildcat Cable  Seismic: # of Holes Other	Depth to bottom of fresh water:	
	Depth to bottom of usable water: 150'	
Other	Surface Pipe by Alternate: 1 2	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1,750'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
rectional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:	
· — —	Well ✓ Farm Pond Other	
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DWR	-
CC DKT #:		/ ht.
	Will Cores be taken? Yes   ✓	INO
	If Voc. proposed topo:	
	If Yes, proposed zone:	_
AFI	If Yes, proposed zone:  RECEIVED  FIDAVIT  KANSAS CORPORATION COMMIT	_
AFI he undersigned hereby affirms that the drilling, completion and eventual	If Yes, proposed zone:  RECEIVED  FIDAVIT  KANSAS CORPORATION COMM!  Dlugging of this well will comply with K.S.A. 55 et. seq.	_
AFI he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  FIDAVIT  KANSAS CORPORATION COMMIT	_
AFI  The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone:  RECEIVED  FIDAVIT  KANSAS CORPORATION COMMIT  colugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007	SSIO
AFI  the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:  RECEIVED  FIDAVIT  KANSAS CORPORATION COMMIT  Colugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION	SSIO
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into	If Yes, proposed zone:  RECEIVED  RECEIVED  KANSAS CORPORATION COMM!  Colugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  Let by circulating cement to the top; in all cases surface pure introduction.	SSIO
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> an affective through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the	If Yes, proposed zone:  RECEIVED  RECEIVED  KANSAS CORPORATION COMMIT  clugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  that by circulating cement to the top; in all cases surface public introduction.  district office on plug length and placement is necessary prior to plugging.	SSIO
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e:  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plus.	FIDAVIT  KANSAS CORPORATION COMMIT  Clugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  The property of the control of the cont	ssiO
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e:  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be cemen	FIDAVIT  KANSAS CORPORATION COMMITTON OF THE PROPERTY OF THE P	SSIO
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e:  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	RECEIVED  RECEIVED  KANSAS CORPORATION COMMIT  Clugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  The end of the control of th	SSIO
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer  Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	RECEIVED  RECEIVED  KANSAS CORPORATION COMMIT  Clugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  Conservation Divi	SSIO
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e:  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	RECEIVED  RECEIVED  KANSAS CORPORATION COMMIT  Clugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  Conservation Divi	SSIO
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e:  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer  Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	RECEIVED  KANSAS CORPORATION COMMIT  Clugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  CONS	SSIO
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e:  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either pluce.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud to the statements of the spud to the specific statements.	RECEIVED  KANSAS CORPORATION COMMIT  Clugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  CONS	SSIO
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:    July 13,2007	RECEIVED  KANSAS CORPORATION COMMIT  Clugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  CONS	SSIO
The undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the the statements district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best parts:    July 13,2007	RECEIVED  KANSAS CORPORATION COMMIS  Conservation Division  Conservation Conservation  Conservation Conse	SSIO
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et.  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:    July 13,2007	RECEIVED  KANSAS CORPORATION COMMIT  Clugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  CONS	SSIC
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate:    July 13,2007	RECEIVED  KANSAS CORPORATION COMMIT  Clugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  CONS	SSIO
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et.  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best state:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 207 - 27201-0000  Conductor pipe required  None feet	RECEIVED  KANSAS CORPORATION COMMIT  Clugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  CONS	SSIC
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best mate:    July 13,2007	RECEIVED  KANSAS CORPORATION COMMIT  County of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  Conservation division  ach drilling rig;  Conservation division  district office on plug length and placement is necessary prior to pluggling of production casing is cemented in;  and the different prior to any usable water to surface within 120 days of spud date ar #133,891-C, which applies to the KCC district 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Title:  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	SSIC
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on et a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the Dest pate:    July 13,2007	RECEIVED  KANSAS CORPORATION COMMIT  Countries of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  Conservation division  ach drilling rig;  Conservation division  district office on plug length and placement is necessary prior to pluggling  agged or production casing is cemented in;  attended from below any usable water to surface within 120 days of spud date  attended from below any usable water to surface within 120 days of spud date  attended from below any usable water to surface within 120 days of spud date  attended from below any usable water to surface within 120 days of spud date  attended from below any usable water to surface within 120 days of spud date  attended from below any usable water to surface within 120 days of spud date;  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	SSIC
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on et a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:    July 13,2007	RECEIVED  RANSAS CORPORATION COMMIT  Colleging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  Conservation division of the top; in all cases surface physiciafial/K6e set the underlying formation.  district office on plug length and placement is necessary prior to pluggling or production casing is cemented in; the from below any usable water to surface within 120 days of spud date in #133,891-C, which applies to the KCC District 3 area, alternate II cement is be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;	SSIO
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on et a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the Dest pate:    July 13,2007	RECEIVED  KANSAS CORPORATION COMMITTO  CONSERVATION DIVISION  CONSERVATION  CONSERVATION DIVISION  CONSERVATION DIVISION  CONSERVATION DI	SSIO
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on et a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:    July 13,2007	RECEIVED  KANSAS CORPORATION COMMIT  Colugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 3 2007  CONSERVATION DIVISION  CON	SSIC

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 207-27201-0000	Location of Well: County: Woodson	
Operator: Haas Petroleum, LLC	1146 feet from VN/ S Line of Section	
Lease: Smith Jobe	1010 feet from  E / W Line of Section	
Well Number: 13 Field: Winterscheid	Sec. 7 Twp. 24 S. R. 14 ✓ East Wes	
Number of Acres attributable to well:	Is Section: Fegular or Irregular	
QTR / QTR / QTR of acreage: SWSW - NE - NE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

r				
				•
				•
ł.				•
			l	
Ì		•		•
i	• • • • • • •			Ţ
			• • • • • • •	• • • • • • •
1			٠,	•
		•		•
			l	
ł				
[			· .	•
ļ			٠.	•
		· ·		•
		<del></del>		
				•
				•
				•
				•
			·	
				•
Î				•
			· · ·	•
			• • • • • •	
			· • •	•
			• •	•
				•



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Haas Petroleum, LLC			License Number: 33640		
Operator Address: 800 West 47th, Suite 409, Kansas City, MO 64112					
Contact Person: Mark L. Haas			Phone Number: ( 816 ) 531 - 5922		
Lease Name & Well No.: Smith Jobe #13			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW _ SW _ NE _ NE		
Emergency Pit Burn Pit	✓ Proposed  Existing		Sec. 7 Twp. 24 R. 14 ✓ East West		
Settling Pit	If Existing, date constructed:		Feet from 🗸 North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	120	(bbls)	Woodson County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l		
	1 4 175 1 4 1 2 5		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  ✓ Yes No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?  native clay		
Pit dimensions (all but working pits):4	!5	8			
	om ground level to d	_			
I , , , , , , , , , , , , , , , , , , ,		Depth to shallo Source of infor	lowest fresh waterfeet.		
feet Depth of water wellfeet		measuredwell owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type		Type of materia	Type of material utilized in drilling/workover: drilling mud		
			Number of working pits to be utilized: 2		
Barrels of fluid produced daily: Ab		Abandonment procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pit		Drill pits must b	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  RECEIVED  KANSAS CORPORATION COMMISSION					
July 13, 2007 Date	(N	inna s	Thanda JUL 1 3 2007 gnature of Applicant or Agent CONSERVATION DIVISION		
KCC OFFICE USE ONLY					
Date Received: 7/13/07 Permit Num	ber:	Permi	t Date: 7//3/0) Lease Inspection: Yes +No		