For KCC Use: Effective Date:	7-22-07
District #	X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

pected Spud Date July 18	month da			Spot NE	NW	SE	Sec. 28	Twp. 23	_ S. R. <u>16</u>	<u> </u>	West
		, ,	· · ·	2465	·		feet from	_	√s Lin	ne of Secti	ion
PERATOR: License# 31280	<u> </u>		<del></del>	1535		· 	feet from	<b></b> ✓E/	W Lir	ne of Secti	ion
				Is SECT	ION ✓	Regula	rIrre				
97/ 12th DASW				13 020.			veil on the Sec		roverse si	ide)	
Wester /7in: Durnington, Nan-	sas 66839				(Note	e: Locate I	vell on the Set	uon riai on	7646136 51	,00,	
TARRED DAYSON, DITAIT L. DIIK				County:	Woodsor	ke			Wall	#:21	-
one: 620-364-5875				Lease 1	vame: Bla	חח			1461	т	
	10				ame: Verr		. =			Ves	✓ No
NTRACTOR: License# 82				Is this a	Prorated	/ Spaced Miss	issinni				.,,
me: Edward E. Birk				Target I	Formation(	(S):	175				
Well Drilled For:	Well Class:	Type Equip	ment:	Nearest	Lease or Surface E	unit bou	ndary: <u>175'</u> NA		,	te	et MSL
V Oil ☐ Enh Rec	✓ Infleld ✓	✓ Mud Re	otary /								<b>V</b> No
Gas Storage	Pool Ext.	Air Rot	•		well within		er mile: thin one mile:				✓ No
OWWO Disposal	Wildcat	Cable	•	Public \	water supp	ny wen wi	inin one mile.		_		1
Seismic; # of Hol	<b>=</b>			Depth t	to bottom	of upopul-	water: 150'		<i></i>		, , , , , ,
Other					to bottom ( Pipe by A		water:	2	/		
								401			
OWWO: old well information	n as follows:			Length	of Cond.	eter Biss	anned to be required: NA				
Operator:				Length	of Condu ed Total D	Nooth, 15	184uneu				
Well Name:					ion at Tota			i /	<u> </u>		
Original Completion Date:	Origi	inal Total Dept	:h:				Operations:				
rectional, Deviated or Horize	ontal wellbore?		Yes No		Well						
Yes, true vertical depth:		La.			vven 🛂 Permit #:		nu One				
				DAAH	'emii #:		Apply for Peri	nit with DW	, (		
ottom Hole Location:											
				MOH O-	waa ba tal		Apply for 1 en	na morore	🗀 /	Yes	✓ No
					pres be tak	en?					<b>√</b> No
				If Yes,		en?	Apply for 1 en				<b>√</b> No
CC DKT #:			AFF	If Yes, IDAVIT	proposed	en? zone:					<b>√</b> N¢
CC DKT #:	rms that the drilling	j, completion	AFF and eventual p	If Yes, IDAVIT	proposed	en? zone:					<b>√</b> No
the undersigned hereby affire is agreed that the following	rms that the drilling g minimum requirer dietrict office <i>prior</i>	i, completion ments will be r to spudding	AFF and eventual p met: of well;	If Yes,  IDAVIT  lugging of	proposed this well w	en? zone:					<b>√</b> No
the undersigned hereby affii is agreed that the following  1. Notify the appropriate  2. A copy of the approve	rms that the drilling g minimum requirer dietrict office <i>prior</i> d notice of intent to	i, completion ments will be r to apudding o drill <b>shall b</b> e	AFF and eventual p met: of well; of well	If Yes,  IDAVIT  lugging of  ch drilling	proposed this well w rig;	en? zone: vill compl	y with K.S.A.	55 et. sec	<b>]</b> ,		
the undersigned hereby affii is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount	rms that the drilling g minimum requirer dietrict office <i>prior</i> d notice of intent to of surface pipe as	i, completion ments will be r to spudding o drill <b>shall b</b> e specified bel	AFF and eventual p met: of weil; of posted on ea low shall be se	If Yes,  IDAVIT  lugging of  ch drilling a	proposed this well w rig; ating cem	en? zone: vill compl	y with K.S.A.	55 et. sec	<b>]</b> ,		
the undersigned hereby affii is agreed that the following  1. Notify the appropriate 2. A copy of the approve	rms that the drilling g minimum requirer dietrict office <i>prior</i> d notice of intent to of surface pipe as ated materials plus	i, completion ments will be r to spudding o drill <b>shall b</b> specified bel a minimum o	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into ti	If Yes,  IDAVIT lugging of  ch drilling a  of by circul  he underly	proposed this well w rig; ating cem ing format	en? zone: vill comply ent to the	y with K.S.A.	55 et. sec	i. ace pipe a	shall be s	set
the undersigned hereby affii is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid	rms that the drilling minimum requirer district office <i>prior</i> d notice of intent to of surface pipe as ated materials plus an agreement beto	i, completion ments will be r to epudding o drill <b>shell b</b> e specified bel a minimum o ween the ope	AFF and eventual p met: of well; e posted on ea low shall be se of 20 feet into tierator and the c	If Yes,  IDAVIT  lugging of  ch drilling a  of by circul  he underly  district office	proposed this well wing; ating ceming formative on plug	en? zone: vill comply ent to the tion. length a	y with K.S.A. e top; in all c nd placemer	55 et. sec	i. ace pipe a	shall be s	set
the undersigned hereby affilis agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C	rms that the drilling minimum requirer district office <i>prior</i> d notice of intent to of surface pipe as ated materials plus an agreement beto toffice will be noticed.	i, completion ments will be to spudding o drill shall be specified belone we duction pipe s	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into ti erator and the c ell is either plug	If Yes,  IDAVIT  lugging of  ch drilling a  ef by circul  he underly  district office  gged or protect  ted from be	proposed this well wing; ating ceming formative on plug oduction coelow any temporary	zone: vill comply ent to the tion. length a asing is o	y with K.S.A. e top; in all c nd placemer emented in; ater to surface	55 et. sec ases surfa it is neces e within 1.	ace pipe s sary <i>prid</i>	shall be to plug	set gging; ate.
ne undersigned hereby affii is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II of Or pursuant to Appen-	rms that the drilling minimum requirer district office prior d notice of intent to of surface pipe as ated materials plus an agreement beto toffice will be notificompletion, proodix "B" - Eastern K	i, completion ments will be to spudding of drill shall be specified belowen the oper field before with duction pipe stansas surfac	AFF and eventual p met: of well; of well; of posted on ea low shall be se of 20 feet into to eall is either plug shall be cement te casing order	If Yes,  IDAVIT  lugging of  ch drilling a  pt by circul  the underly  district office  gged or pro  ted from be  #133,891-	proposed  this well well  rig; ating cem ing format ise on plug beduction could below any to	zone: vill comply ent to the tion. length a asing is our usable wa applies to	y with K.S.A.  e top; in all country and placement cemented in; ater to surface to the KCC D	55 et. sec ases surfa t is neces e within 1.	ace pipe a sary <i>prio</i> 20 days ea, alterr	shall be to plug of spud d	set gging; ate. mentin
he undersigned hereby affii is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appen- must be completed with	rms that the drilling minimum requirer district office prior of notice of intent to of surface pipe as ated materials plus an agreement beto office will be notificed. "B" - Eastern Kthin 30 days of the	i, completion ments will be recognition to spudding or drill shall be specified belone ween the ope fied before we duction pipe stansas surfacts spud date or	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into the crator and the ce ell is either plug shall be cement be casing order or the well shall	If Yes,  IDAVIT  lugging of  ch drilling a  ef by circul  he underly  district offic  gged or pro  ted from be  #133,891-  be plugged	proposed this well w rig; ating cem ing format te on plug oduction c elow any t C, which d. In all of	ent to the cion. length a asing is cusable we applies to cases, No.	y with K.S.A.  e top; in all country and placement cemented in; ater to surface to the KCC D	55 et. sec ases surfa t is neces e within 1.	ace pipe a sary <i>prio</i> 20 days ea, alterr	shall be to plug of spud donate II ce	set gging; ate. mentin
he undersigned hereby affii is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II COr pursuant to Appenmust be completed with	rms that the drilling minimum requirer district office prior of notice of intent to of surface pipe as ated materials plus an agreement beto office will be notificed. "B" - Eastern Kthin 30 days of the	i, completion ments will be recognition to spudding or drill shall be specified belone ween the ope fied before we duction pipe stansas surfacts spud date or	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into the crator and the ce ell is either plug shall be cement be casing order or the well shall	If Yes,  IDAVIT  lugging of  ch drilling a  ef by circul  he underly  district offic  gged or pro  ted from be  #133,891-  be plugged	proposed this well w rig; ating cem ing format te on plug oduction c elow any t C, which d. In all of	ent to the cion. length a asing is cusable we applies to cases, No.	y with K.S.A.  e top; in all country and placemented in; atter to surface to the KCC D	55 et. sec ases surfa t is neces e within 1.	ace pipe a sary <i>prio</i> 20 days ea, alterr	shall be to plug of spud donate II ce	set ging; ate
the undersigned hereby affilis agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II COr pursuant to Appenmust be completed with the reby certify that the state	rms that the drilling minimum requirer district office <i>prior</i> d notice of intent to of surface pipe as ated materials plus an agreement betoffice will be notifice will be notificed. "B" - Eastern K thin 30 days of the ements made herel	i, completion ments will be to epudding of drill shall be specified belore we duction pipe stansas surfact spud date on the are true and mare true and ments will be spudding and spudding are true and ments will be spudding are true and will be spudding	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into ti erator and the c ell is either plug shall be cement ee casing order or the well shall and to the best o	If Yes,  IDAVIT  lugging of  ch drilling a  ef by circul  he underly  district offic  gged or pro  ted from be  #133,891-  be plugged	proposed this well w rig; ating cem ing format te on plug oduction c elow any t C, which d. In all of	ent to the cion. length a asing is cusable we applies to cases, No.	y with K.S.A.  e top; in all of  nd placemented in; ater to surface the KCC D  OTIFY district	ases surfa it is neces e within 1. istrict 3 ar	ace pipe a sary <i>prio</i> 20 days ea, alterr	shall be to plug of spud donate II ce	set ging; ate
the undersigned hereby affilis agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II COr pursuant to Appenmust be completed with the reby certify that the state	rms that the drilling minimum requirer district office prior of notice of intent to of surface pipe as ated materials plus an agreement beto office will be notificed. "B" - Eastern Kthin 30 days of the	i, completion ments will be to epudding of drill shall be specified belore we duction pipe stansas surfact spud date on the are true and mare true and ments will be spudding and spudding are true and ments will be spudding are true and will be spudding	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into ti erator and the c ell is either plug shall be cement ee casing order or the well shall and to the best o	If Yes,  IDAVIT  lugging of  ch drilling a  ef by circul  he underly  district offic  gged or pro  ted from be  #133,891-  be plugged	proposed this well w rig; ating cem ing format te on plug oduction c elow any t C, which d. In all of	ent to the cion. length a asing is cusable we applies to cases, No.	y with K.S.A.  e top; in all of  nd placemented in; ater to surface the KCC D  OTIFY district	55 et. sec ases surfa t is neces e within 1.	ace pipe a sary <i>prio</i> 20 days ea, alterr	shall be to plug of spud donate II ce	set ging; ate
he undersigned hereby affii is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed with the completed with the certify that the state pate:  July 12, 2007	rms that the drilling minimum requirer district office <i>prior</i> d notice of intent to of surface pipe as ated materials plus an agreement betoffice will be notifice will be notificed. "B" - Eastern K thin 30 days of the ements made herel	i, completion ments will be to epudding of drill shall be specified belore we duction pipe stansas surfact spud date on the are true and mare true and ments will be spudding and spudding are true and ments will be spudding are true and will be spudding	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into ti erator and the c ell is either plug shall be cement ee casing order or the well shall and to the best o	If Yes,  IDAVIT  lugging of  ch drilling a  et by circula  he underly  district office  gged or pro  ted from be  #133,891-  be plugged  f my know	proposed this well w rig; ating cem ing format te on plug oduction c elow any t C, which d. In all of	ent to the cion. length a asing is cusable we applies to cases, No.	y with K.S.A.  e top; in all of  nd placemented in; ater to surface the KCC D  OTIFY district	ases surfa it is neces e within 1. istrict 3 ar	ace pipe a sary <i>prio</i> 20 days ea, alterr	shall be to plug of spud donate II ce	set gging; ate. mentin
the undersigned hereby affilis agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed withereby certify that the state ate: July 12, 2007	rms that the drilling minimum requirer district office <i>prior</i> d notice of intent to of surface pipe as ated materials plus an agreement beto office will be notifice will be notifice. The completion of the ements made herely signature of Open	g, completion ments will be repudding of drill shall be specified belos a minimum of ween the operation pipe seans as surface spud date of a return an aretrue an rator or Agentical spud spud spud spud spud spud spud spud	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into ti erator and the c ell is either plug shall be cement ee casing order or the well shall and to the best o	If Yes,  IDAVIT  lugging of  ch drilling a  et by circuit he underly district office gged or pro ted from be #133,891- be plugged f my know  Remen - File D	this well wing; ating ceming formative on plug oduction color and to the color and the	ent to the cion. I length a asing is cusable we applies to cases, Note the collication (in the collication	y with K.S.A.  e top; in all cond placemented in; ater to surface the KCC DOTIFY distriction.  Title	ases surfa it is neces e within 1. istrict 3 ar et office p	sary <i>prio</i> sary <i>prio</i> 20 days ea, alterr rior to an	shall be a or to plug of spud d nate II ce ny cement	set gging; ate. mentin
he undersigned hereby affii is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appendict of the properties of the completed with the state of the properties of the complete of the properties of the properties of the complete of the properties of the propert	rms that the drilling minimum requirer district office <i>prior</i> d notice of intent to of surface pipe as ated materials plus an agreement beto office will be notifice office will be notificed. "B" - Eastern K thin 30 days of the ements made herely Signature of Operation of the complete of the ements of the eme	g, completion ments will be repudding of drill shall be specified belos a minimum of ween the operation pipe seans as surface spud date of a return an aretrue an rator or Agentical spud spud spud spud spud spud spud spud	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into ti erator and the c ell is either plug shall be cement ee casing order or the well shall and to the best o	If Yes,  IDAVIT  lugging of  ch drilling a  ef by circuit he underly district office gged or protect ted from bo #133,891- be plugged if my know  Remen  - File C  - File C	this well wing; ating ceming formative on plug oduction coelow any to the coelow and the coelow	ent to the ion. length a asing is cusable we applies to belief.	y with K.S.A.  e top; in all cond placemented in; atter to surface the KCC D  OTIFY distriction  Title  form CDP-1): CO-1 within 1:	ases surfa it is neces e within 1. istrict 3 ar ct office p	sary <i>prio</i> 20 days ea, alterr rior to an	shall be a or to plug of spud d nate II ce ny cement	set gging; ate. mentin
the undersigned hereby affilis agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed withereby certify that the state ate: July 12, 2007	rms that the drilling minimum requirer district office <i>prior</i> d notice of intent to of surface pipe as ated materials plus an agreement beto office will be notifice will be notifice. The completion of the ements made herely signature of Open	g, completion ments will be repudding of drill shall be specified belos a minimum of ween the operation pipe seans as surface spud date of a return an aretrue an rator or Agentical spud spud spud spud spud spud spud spud	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into ti erator and the c ell is either plug shall be cement ee casing order or the well shall and to the best o	If Yes,  IDAVIT  lugging of  ch drilling a  st by circul  the underly  district office  gged or pro  ted from be  #133,891-  be plugged  f my know  Remen  - File C  - File c  - File c	rig; ating ceming format te on plug oduction celow any to the complete of the certain terms o	ent to the tion.  length a asing is cusable we applies to cases, Note the tion.  blication (if Form AC tribution parts and the tion).	y with K.S.A.  e top; in all cond placemented in; ater to surface the KCC DOTIFY distriction Title  form CDP-1): CO-1 within 1: clat according	ases surfatis neces e within 1. istrict 3 ar et office p  Agent with Intent	sary <i>prio</i> 20 days ea, alterr rior to an	shall be some to plug of spud do nate II central to coment of the central to the	set nging; ate. mentin ting.
he undersigned hereby affii is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed withereby certify that the state rate: July 12, 2007  For KCC Use ONLY  API # 15 - 207 2	rms that the drilling minimum requirer district office prior d notice of intent to of surface pipe as ated materials plus an agreement behat office will be notifice will be notifice made and the completion of the ements made here. Signature of Open Norle	i, completion ments will be repudding of drill shall be specified bels a minimum of ween the operation pipe stansas surfact spud date of a nare true an rator or Agentes.	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into the erator and the ce ell is either plug shall be cement ee casing order or the well shall and to the best of est.	If Yes,  IDAVIT  lugging of  ch drilling a  st by circul  the underly  district office  gged or pro  ted from be  #133,891-  be plugged  if my know  Remen  - File D  - File C  - File a  - Notify	rig; ating ceming format te on plug oduction celow any to the complete of the celow and the celow an	ent to the tion.  length a asing is cusable we applies to cases, Note the tion of tion of the tion of tion of tion of the tion of tion	y with K.S.A.  e top; in all cond placemented in; ater to surface the KCC DOTIFY distriction CDP-1); CO-1 within 1: plat according office 48 hor	ases surfatis neces e within 1. istrict 3 arect office p Agent with Intent is 20 days of to field prins prior to	sary <i>prio</i> 20 days ea, alterr rior to an	shall be so or to plug of spud denate II cerent or re-ent	set nging; ate. mentin ting.
he undersigned hereby affii is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed withereby certify that the state ate: July 12, 2007  For KCC Use ONLY  API # 15 - 207 - 2  Conductor pipe required	rms that the drilling minimum requirer district office prior d notice of intent to of surface pipe as ated materials plus an agreement beto office will be notifice will be notifice may be not office will be notificed. "B" - Eastern K thin 30 days of the ements made here!  Signature of Operation of Opera	i, completion ments will be repudding of drill shall be specified bels a minimum of ween the operation pipe stansas surfact spud date of a return an aretrue an rator or Agentation.	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into the erator and the ce ell is either plug shall be cement ee casing order or the well shall and to the best of est.	If Yes,  IDAVIT  lugging of the underly district office ged or protected from be #133,891-be plugged of my know  Rement - File C - File C - File C - Notify - Subm	proposed  this well well  rig; ating ceming format the on plug poduction could any to C, which d. In all delege and  mber to: Orill Pit App Completion to reage att or appropria att plugging	ent to the tion. length a asing is cusable we applies to cases, Note belief.  blication (I Form AC tribution parent (i report	e top; in all cond placemented in; ater to surface the KCC DOTIFY distriction CDP-1).	ases surfatis is neces e within 1. istrict 3 aret office p  Agent with Intent is 20 days of to field prus prior to ugging is cougging is co	sary <i>prio</i> 20 days ea, alterr  rior to an  to Drill;  spud date oration or workover	shall be a or to plug of spud d nate II ce ny cement e; e; rders; or re-ent	set nging; ate. mentin ting.
he undersigned hereby affilis agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II COr pursuant to Appenmust be completed withereby certify that the state ate: July 12, 2007  For KCC Use ONLY API # 15 - 207 - 2 Conductor pipe required Minimum surface pipe required Approved by: Luly 7-77	rms that the drilling minimum requirer district office prior d notice of intent to of surface pipe as ated materials plus an agreement beto office will be notifice will be notifice will be notifice will be notifice made and a surface of the ements made here. Signature of Open None of the prior of the ements made here.	i, completion ments will be repudding of drill shall be specified bels a minimum of ween the operation pipe stansas surfact spud date of a nare true an rator or Agentes.	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into the erator and the ce ell is either plug shall be cement ee casing order or the well shall and to the best of est.	If Yes,  IDAVIT  lugging of  ch drilling a  et by circul  he underly  district office  gged or pro  ted from be  #133,891-  be plugged  f my know  Remen  - File C  - File a  - Notify  - Subm  - Obtai	rig; ating ceming formative on plug oduction celow any to the completion delege and the completion acreage ative appropria it plugging n written a	ent to the complete to the com	y with K.S.A.  e top; in all come placements in; atter to surface the KCC DOTIFY distriction of the KCC DOTIFY distriction CDP-1); and according office 48 horocopy office 48 horocopy office 48 horocopy office dispositions.	ases surfate is necesses within 1. istrict 3 are to office possible. Agent with Intention 120 days of to field prurs prior to ugging is cong or injection.	sary <i>prio</i> 20 days  ea, alterr  rior to an  to Drill;  spud date  oration or  workover  completed  tting salt	e; ror re-ent	set nging; ate. mentin ting.
he undersigned hereby affii is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenmust be completed withereby certify that the state pate: July 12, 2007  For KCC Use ONLY  API # 15 - 207 - 2  Conductor pipe required Minimum surface pipe required Approved by: July 7-77  This authorization expires:	rms that the drilling minimum requirer dietrict office prior d notice of intent to of surface pipe as ated materials plus an agreement betot office will be notifice will be notifice will be notifice will be notifice made and a days of the ements made herel signature of Open Norle (17209-000) Norle (177-08)	i, completion ments will be reposition to spudding of drill shall be specified belore we duction pipe sansas surface spud date or in are true an rator or Agenfect feet per feet per result of the per section of the spudding are true and result of	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into the crator and the ce ell is either plug shall be cernen the casing order or the well shall and to the best of the casing order or the well shall or Alt.	If Yes,  IDAVIT  lugging of  ch drilling a  et by circul  he underly  district office  gged or pro  ted from be  #133,891-  be plugged  if my know  Remen  - File C  - File a  - Notify  - Subm  - Obtai  - If this	rig; ating ceming format te on plug oduction celow any to the completion delege and the completion acreage ating appropria it plugging in written as permit has	ent to the complete to the com	e top; in all come placemented in; ater to surface the KCC DOTIFY distriction of the KCC DOTIFY distriction CDP-1); in all the according office 48 horocopies of the KCC DOTIFY distriction of the KCC DOTIFY districtio	ases surfatt is neceste within 1. istrict 3 arest office post in the control of t	sary prio 20 days ea, alterr rior to an to Drill; spud date oration or workover completed ting salt tion date)	e; ror re-ent	set aging; ate. menting.
he undersigned hereby affilis agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II COr pursuant to Appenmust be completed withereby certify that the state pate:  July 12, 2007  For KCC Use ONLY  API # 15 - 207 - 2  Conductor pipe required  Minimum surface pipe required  Approved by: Luly 7-77	rms that the drilling minimum requirer dietrict office prior d notice of intent to of surface pipe as ated materials plus an agreement betot office will be notifice will be notifice will be notifice will be notifice made and a days of the ements made herel signature of Open Norle (17209-000) Norle (177-08)	i, completion ments will be reposition to spudding of drill shall be specified belore we duction pipe sansas surface spud date or in are true an rator or Agenfect feet per feet per result of the per section of the spudding are true and result of	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into the crator and the ce ell is either plug shall be cernen the casing order or the well shall and to the best of the casing order or the well shall or Alt.	If Yes,  IDAVIT  lugging of  ch drilling set by circul he underly district office ged or proceed from be #133,891- be plugged f my know  Remen  - File C  - File a  - Notify  - Subm  - Obtai  If this check	this well waring; ating cerning formative on plug oduction color and the	ent to the cion.  length a asing is cusable we applies to asses, No belief.  blication (if Form AC tribution puts district greport (if approval the as expired pellow and color of the colo	y with K.S.A.  e top; in all country discountry distribution  Title  form CDP-1):  CO-1 within 1:  lat according office 48 hor  CP-4) after player disposed in (See: author) in the country to the countr	ases surfa it is neces e within 1. istrict 3 ar et office p  Agent  With Intent is 20 days of to field pr irs prior to ugging is cong or inject ized expira a address to	sary prio 20 days ea, alterr rior to an to Drill; spud date oration or workover completed ting salt tion date)	e; ror re-ent	set aging; ate. menting.
The undersigned hereby affiit is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II CO or pursuant to Appenmust be completed withereby certify that the state pate:  July 12, 2007  For KCC Use ONLY  API # 15 - 207 - 2  Conductor pipe required  Minimum surface pipe required  Approved by: With 7-17  This authorization expires:	rms that the drilling minimum requirer dietrict office prior d notice of intent to of surface pipe as ated materials plus an agreement betot office will be notifice will be notifice will be notifice will be notifice made and a days of the ements made herel signature of Open Norle (17209-000) Norle (177-08)	i, completion ments will be reposition to spudding of drill shall be specified belore we duction pipe sansas surface spud date or in are true an rator or Agenfect feet per feet per result of the per section of the spudding are true and result of	AFF and eventual p met: of well; of posted on ea low shall be se of 20 feet into the crator and the ce ell is either plug shall be cernen the casing order or the well shall and to the best of the casing order or the well shall or Alt.	If Yes,  IDAVIT  lugging of  ch drilling set by circul he underly district office ged or proceed from be #133,891- be plugged f my know  Remen  - File C  - File a  - Notify  - Subm  - Obtai  If this check	this well waring; ating cerning formative on plug oduction color and the	ent to the cion.  length a asing is cusable we applies to asses, No belief.  blication (if Form AC tribution puts district greport (if approval the as expired pellow and color of the colo	e top; in all come placemented in; ater to surface the KCC DOTIFY distriction of the KCC DOTIFY distriction CDP-1); in all the according office 48 horocopies of the KCC DOTIFY distriction of the KCC DOTIFY districtio	ases surfa it is neces e within 1. istrict 3 ar et office p  Agent  With Intent is 20 days of to field pr irs prior to ugging is cong or inject ized expira a address to	sary prio 20 days ea, alterr rior to an to Drill; spud date oration or workover completed ting salt tion date)	e; ror re-ent	set ging; ate. mentii

JUL 16 2007

**KCC WICHITA** 

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Operator: Birk Petroleum  Lease: Blake  Well Number: 21  Field: Vernon  Number of Acres attributable to well:  Number of Acres attributable to well:  Number of Acres attributable to well:	Location of Well: County: Woodson  2465
---	---

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

					•		SEWA	RD CO.
						·		· · · · · · · · · · · · · · · · · · ·
								3390'
								1980
		•		: 1		•		[TT] - 1000
	· ·	•	·	-	-		1535 EXAME	PLE
					•	•		
			· ·					
			,					
-		• • •						

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 3. The distance to the nearest lease of unit boundary line.
   4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;
   CC-8 for gas wells) CG-8 for gas wells).

JUL 16 2007

KCC WICHITA

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Birk Petroleum		License Number: 31280					
Operator Address: 874 12th Rd S	SW, Burlingto	as 66839					
Contact Person: Brian L. Birk		Phone Number: ( 620 ) 364 - 5875					
Lease Name & Well No.: Blake #21		Pit Location (QQQQ):					
Type of Pit:	Pit is:	· · ·	<u>NE_NW_SE</u>				
Emergency Pit Burn Pit	✓ Proposed   Existing		Sec. 28 <sub>Twp.</sub> 23 <sub>R.</sub> 16				
Settling Pit	If Existing, date constructed:		2465 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ☑ East / ☐ West Line of Section				
(If WP Supply API No. or Year Drilled)	240	(bbls)	Woodson County				
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?				
Yes No	Yes V	10	Native Mud/Clay				
Pit dimensions (all but working pits):4	0' Length (fee	et) 8'	Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de						
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	edures for periodic maintenance and RECEIVED notuding any special monitoring.  JUL 1 6 2007				
			KCC WICHITA				
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh waterfeet.				
Distance to nearest water well within one-mile		Source of infor	west fresh waterfeet.				
	feet	Source of informeasu Drilling, Work	west fresh waterfeet. mation: iredwell ownerelectric logKDWR over and Haul-Off Pits ONLY:				
NA feet Depth of water well	feet	Source of informeasu Drilling, Work	west fresh waterfeet. mation: iredwell owner electric logKDWR				
NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:	feet	Source of informeasu  Drilling, Work  Type of materia  Number of wor	west fresh waterfeet. mation:  iredwell owner electric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Drilling Mud  king pits to be utilized: 2				
NA feet Depth of water well	feet	Source of informeasu  Drilling, Work  Type of materia  Number of wor	west fresh waterfeet. mation:  tredwell owner electric logKDWR  over and Hauf-Off Pits ONLY:  al utilized in drilling/workover:Drilling Mud				
NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	feet	Drilling, Work Type of materi Number of wor Abandonment	west fresh waterfeet. mation:  iredwell owner electric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Drilling Mud  king pits to be utilized: 2				
NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	feet spilled fluids to	Drilling, Work Type of materi Number of wor Abandonment Drill pits must	west fresh waterfeet. mation:  liredwell owner electric logKDWR  lover and Haul-Off Pits ONLY:  al utilized in drilling/workover: Drilling Mud  king pits to be utilized: 2  procedure: Back-Fill  be closed within 365 days of spud date.				
NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	feet spilled fluids to	Drilling, Work Type of materia Number of work Abandonment Drill pits must	west fresh waterfeet. mation:  liredwell owner electric logKDWR  lover and Haul-Off Pits ONLY:  al utilized in drilling/workover: Drilling Mud  king pits to be utilized: 2  procedure: Back-Fill  be closed within 365 days of spud date.				
NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  7/121/07	spilled fluids to	Drilling, Work Type of materia Number of work Abandonment Drill pits must	west fresh waterfeet. mation:  ured well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Drilling Mud  king pits to be utilized: 2  procedure: Back-Fill  be closed within 365 days of spud date.  t of my knowledge and belief.				