# RECEIVED

-			• •	
11	11	1	5	2007

For KCC Use:	7-22-07
Effective Date:	7
District #	<u> </u>
SGA2 Yes	X No

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NCC WICHITA Form must be Typed Form must be Signed

Form C-1

	ENT TO DRILL All blanks must be Filled
GA? Yes X No  Must be approved by KCC five (5)	i) days prior to commencing well
7	<b>√</b> East
xpected Spud Date 7-23-07	Spot C SE NW NE Sec. 29 Twp. 34 S. R. 2 West
	4290feet fromN / V S Line of Section
PERATOR: License# 9501	1650feet from/ E /W Line of Section
Fam Petroleum, IIIC	Is SECTION Regular Irregular?
	(Note: Locate well on the Section Plat on reverse side)
Pentant Person: James E. Wallell	County: Sumner Lease Name: Chapman A Well #: 5
Phone: 620-442-5665	
	Field Name: Ashton SE  Field Name: Ashton SE  Yes  No
CONTRACTOR: License# 5892 V	Is this a Profated / Spaced Field:
Name: Berentz Drilling Company, Inc.	Target Formation(s): Mississippi Nearest Lease or unit boundary: 669 3 30 Per operator 7-10-07
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary:
Well Dillet 1 on	Ground Surface Elevation:
Air Detart	Water wen within one-quarter nine.
Gas Galla	Public water supply well within the
	Depth to bottom of fresh water: 180
Seismic;# of Holes Other	Depth to bottom of usable water: <sup>230</sup> Surface Pipe by Alternate:
Other	Surface Pipe by Alternate:  2 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 3550  Formation at Total Depth: Mississippi
Original Completion Date:Original Total Depth:	Politiation at lotal beptin
	Water Source for Drilling Operations:
Directional Deviated of Horizontal Manager	Tann one
If Yes, true vertical depth:	DWR Permit #:(Note: Apply for Permit with DWR )
The state of the s	
Bottom Hole Location:	Voc. / No.
Bottom Hole Location:KCC DKT #:	Will Cores be taken? Yes ✓ No
Bottom Hole Location:	Voc. / No.
KCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFFI  The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.
AFFI  The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.
AFFI  The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be see</i>	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cernent to the top; in all cases surface pipe shall be set
AFFI  The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Rugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the underlying formation.  In the underlying formation.  In the underlying formation.  In the underlying formation and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of the prior of the prior of the prior of the province of the prior of	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the thing of the well is dry hole, an agreement between the operator and the control of the surface plus the surface plus that the surface plus the surface plus the surface plus that the surface plus	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the thing of the well is dry hole, an agreement between the operator and the control of the surface plus the surface plus that the surface plus the surface plus the surface plus that the surface plus	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the completed district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.   *#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the completion of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the completion of the well is dry hole, an agreement between the operator and the completion of the completion of the completion of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the spud date.	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Rugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  □ #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  □ from when the top is t
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the sum of the completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the spud care.	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.   *#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the completion of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the completion of the well is dry hole, an agreement between the operator and the completion of the completion of the completion of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the spud date.	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Rugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the underlying formation.  In the underlying formation.  In the underlying formation.  In the underlying formation is cemented in;  If yes ✓ No  If Yes ✓ No  If Yes ✓ No  If Yes, proposed zone:  If Yes ✓ No  If Yes ✓ No  If Yes, proposed zone:  If Yes, proposed zone:  If Yes ✓ No  If Yes ✓ No  If Yes ✓ No  If Yes, proposed zone:  If Yes ✓ No  If Yes ✓ No  If Yes ✓ No  If Yes, proposed zone:  If Yes ✓ No  If Yes, proposed zone:  If Yes ✓ No  If Yes, proposed zone:  If Yes ✓ No  If Yes ✓ No  If Yes, proposed zone:  If Yes ✓ No  If Yes, proposed zone:  If Yes ✓ No  If Yes ✓ No  If Yes, proposed zone:  If Yes, proposed zone:  If Yes ✓ No  If Yes, proposed zone:  If Yes ✓ No  If Yes, proposed zone:  If Yes, proposed zone:  If Yes, proposed zone:  If Yes, proposed zone:  If Yes ✓ No  If Yes ✓ No  If Yes, proposed zone:  If Yes ✓ No  If Yes ✓ No  If Yes ✓ No  If Yes ✓ No  If Yes, proposed zone:  If Yes, pro
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the sum of the completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the spud care.	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  ■ #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  ■ Title: Agent  ■ Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of the seco	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.    Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each standard amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud state of the spud date or the well shall be completed.  To the constant of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  Signature of Operator or Agent:  The constant of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  The constant of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  The constant of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of t	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; geed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.    Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constraint of the set of the appropriate district office will be notified before well is either plus of the set	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If It is in the interval is the interval is necessary prior to any cementing.  If It is in the interval is the interval is necessary prior to any cementing.  If It is in the interval is necessary prior to any cementing.  If It is in the interval is necessary prior to any cementing.  If It is in the interval is necessary prior to any cementing.  If It is in the interval is necessary prior to any cementing.  If It is in the interval is necessary prior to any cementing.  If It is in the interval is necessary prior to any cementing.  If It is in the interval is necessary prior to any cementing is necessary prior to any cementing.  If It is in the interval is necessary prior to any cementing is necessary prior to any cementing.  If It is in the interval is necessary prior to plugging;  If it is in the interval is necessary prior to plugging;  If it is in the interval is necessary prior to plugging;  If it is in the interval is necessary prior to plugging;  If it is in the interval is necessary prior to plugging;  If it is in the interval is necessary prior to plugging;  If it is in the interval is necessary prior to plugging;  If it is in the interval is necessary prior to plugging;  If it is in the interval is necessary prior to plugging;  If it is in the interval is necessary prior to plugging;  If it is in the interval is necessary prior to plugging;  If it is in the interval is necessary prior to plugging;  If it is in the interval is necessary
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of approved notice of intent to drill <i>shall be</i> posted on each and the complete of the province of intent to drill <i>shall be</i> posted on each and the complete of the province of intent to drill <i>shall be</i> posted on each and the complete of the province of the province of the province of the spud defense of the spud date of the plus of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the province o	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If It is in the completion form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plut of an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the conductor pipe required.  For KCC Use ONLY  API # 15	If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the construction of the state of the well is dry hole, an agreement between the operator and the construction of the state of the well is either plug to the state of the well is either plug to the state of the s	If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.    Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the composition of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the composition of the well is dry hole, an agreement between the operator and the composition of the surface of the well is either plus of the superopriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the composition of the surface of the surface of the surface of the spud date or the well shall be conductor pipe required  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 191 - 22513 - OOOO feet per Alt 1 Monomorphic feet per Alt 1 Monomorp	If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.    File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the construction of the state of the well is dry hole, an agreement between the operator and the construction of the state of the well is either plug to the state of the well is either plug to the state of the s	If Yes, proposed zone:  IDAVIT  Illugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.    File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;   Notify appropriate district office 48 hours prior to workover or re-entry;   Submit plugging report (CP-4) after plugging is completed;   Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.    Well Not Drilled - Permit Expired   Well Not Drilled - Permit
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the composition of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the composition of the well is dry hole, an agreement between the operator and the composition of the surface of the well is either plus of the superopriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the composition of the surface of the surface of the surface of the spud date or the well shall be conductor pipe required  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 191 - 22513 - OOOO feet per Alt 1 Monomorphic feet per Alt 1 Monomorp	If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.    File Completion Form ACO-1 within 120 days of spud date;

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in felationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 191-22513-0000  Operator: Faith Petroleum, Inc.  Lease: Chapman A  Well Number: 5  Field: Ashton SE	Location of Well: County: Sumner  4290
Number of Acres attributable to well: NW _ NE QTR / QTR / QTR of acreage: C SE _ NW _ NE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

**PLAT** (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	<del></del>			• .			
							•
						-165	s*
					<i>[</i> ]	/95	·
			` ·		- 1		
					:	•	:
:		,			.	•	. !
					. 'l'		
Ĺ					429	<u>්</u> ව	
			. 1	9	·	•	•
				,		•	•
					.	•	•
	•			İ	.	i	
		•	•			•	
					. '[		
					.	•	
	•				· . [		
					: 1		•
1					. ]	•	•

RECEIVED JL 16 2007 **KCC WICHITA** 



NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

			License Number: OFO4			
Operator Name: Faith Petroleum, Inc.			License Number: 9501			
Operator Address: PO Box 1182 Arkansas City KS 67005-1182						
Contact Person: James E. Warren			Phone Number: ( 620 ) 442 - 5665			
Lease Name & Well No.: Chapman A	 .#5		Pit Location (QQQQ):			
Type of Pit:	Pit is:		_C _ SE _ NW _ NE			
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 29 Twp. 34S R. 2 Fast West			
Settling Pit	If Existing, date co	nstructed:	4290 Feet from North / 🗸 South Line of Section			
Workover Pit Haul-Off Pit	Dia sensaita:		1650 Feet from ✓ East / West_Line of Section			
(if WP Supply API No. or Year Drilled)	Pit capacity: 500 (bbls)		Sumner County			
Is the pit located in a Sensitive Ground Water Area? ☐ Yes ✓ No  Is the bottom below ground level? Artificial Liner?			Chloride concentration:mg/l  (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?  Coated with Bentonite			
	00 Length (fe	<sub>set)</sub> 100	Width (feet) N/A: Steel Pits			
Fit differiatoria (dir pat working pro).	from ground level to de	-	(feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure	ə liner re.	Describe proce liner integrity, i	edures for periodic maintenance an ECE MED ncluding any special monitoring.  JUL 1 6 2007  KCC WICHITA			
Distance to nearest water well within one-m	4 .	Depth to shallowest fresh water				
2353 feet Depth of water well		measuredwen owner closure by				
Emergency, Settling and Burn Pits ONL		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Chemical mud				
Producing Formation:		Number of working pits to be utilized: 4				
Number of producing wells on lease:		Abandonment procedure: Let dry and backfill				
Does the slope from the tank battery allow a flow into the pit? Yes No	all spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
7-16-07			Signature of Applicant or Agent			
KCC OFFICE USE ONLY						
Date Received: 2/16/07 Permit Number: Permit Date: 7/16/07 Lease Inspection: Yes & No						