## **RECEIVED** JUL 16 2007

For KCC Use: Effective Date: _	7-22-07		
District #	3		
SGA? Yes	X No		

# Kansas Corporation Commission Oil & Gas Conservation Division

## KCC WICHITA

Form C-1

## NOTICE OF INTENT TO DRILL

WICHE	ΤΔ	December 2002
THOIN	Form	must be Typed
	Form n	nust be Signed
All	blanks	must be Filled
		*****
		[37] ⊑act

Expected Spud Date July 23 2007  month day yeaSW Cor	Spot  ner NE SE NW Sec. 4 Twp. 21 S. R. 21 West
OPERATOR: License# 09267 V	1980 Line of Section
Name: JRC Oil Company, Inc.	1980 teet from E / X W Line of Section
Address: 25558 NE XXXXXXX Road Wilson	Is SECTIONRegular / X   irregular?
City/State/Zip: Garnett, Kansas 66032-9622	-
Contact Person: Mike Colvin	(Note: Locate well on the Section Plat on reverse side) County: Anderson
Phone: 785-448-5833	County: Atterson  Lease Name: Daniel Well #: DM-5
	Field Name: Bush City Shoestring
CONTRACTOR: License# 31708 33977	
Name: Ensminger-Kimzey, a Gen. Par	Is this a Prorated / Spaced Field?  Target Information(s): Cherokee
EK Energy, LLC	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	905
Oil X Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	
CMWO Disposal Wildcat Cable	Public water supply well within one mile:  Depth to bottom of fresh water: 50'
Seismic;# of Holes Other	Depth to bottom of usable water: 125'
Other	
If OWWO: old well information as follows:	Surface Pipe by Alternate: 1 1 X 2  Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: 0'
Well Name:	Projected Total Depth: 805'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee
Original Completion DateOriginal Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hore Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	EIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	
The undersigned hereby affirms that the drilling, completion and eventual $\mu$ it is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the intent and the second all unconsolidated materials plus a minimum of 20 feet into a strough all unconsolidated materials plus a minimum of 20 feet into a second and the second	charging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of th	changing of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.   district office on plug length and placement is necessary prior to plugging;  agged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.   #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.   If my knowledge and belief.  Title: Vice President
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plu first an ALTERNATE II COMPLETION, production pipe shall be demonstrated by the completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the completed within 30 days of Operator or Agent:    The completed within 30 days of Operator or Agent:   The completed within 30 days of Operator	ich drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Vice President  Remember to:
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the strong of the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first office will be notified before well is either plush. The appropriate district office will be notified before well is either plush. If an ALTERNATE II COMPLETION, production pipe shall be deemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the statements of the operator of Agent:  1. Notify the appropriate district office of the prior to the spud file of the spud file of the spud file of the spud date or the well shall be completed.  2. A copy of the appropriate district office of the spud date or the well shall be set of the spud date or the well shall be completed.  3. The minimum amount of surface prior to spudding of the spud file	ich drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Vice President  Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be significant through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the well is dry hole, an agreement between the operator and the set of the well is dry hole, an agreement between the operator and the set of the well is dry hole, an agreement between the operator and the set of the well is dry hole, an agreement between the operator and the set of the well is dry hole, an agreement between the operator and the set of the well shall in the sum of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set of the set of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Vice President  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders:
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into:  4. If the well is dry hole, an agreement between the operator and the strongh all unconsolidated materials plus a minimum of 20 feet into:  5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the production of the production of the production of the production of the plant.  For KCC Use ONLY  API # 15 - OO3 - 244444-OODD  Conductor pipe required	check drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  **Title: Vice President**  **Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders:  - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the intention of the shall be sufficient of the shall be sufficient of the well is dry hole, an agreement between the operator and the state of the well is dry hole, an agreement between the operator and the state of the well is either plu of the sufficient of the well is either plu of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the state of the well shall hereby certify that the statements made herein are true and to the best of the plus of the state of the well shall be the state of the well shall be the state of the state of the well shall be the state of the well shall be the state of the state of the state of the state of the well shall be the state of the state of the well shall be the state of	check drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, atternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders:  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the S. The appropriate district office will be notified before well is either plu for a pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the property of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the property of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the property of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the property of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the property of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the property of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the property of the spud date of the well shall be the property of the spud date of the well shall be statements as a surface casing order of the spud date of the well shall be statement of the property of the spud date of the spud date of the spud date of the spud date of the surface property of the spud date of the spud da	chidding rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  **Title: Vice President**  **Remember to:*  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders:  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the sum of the well is dry hole, an agreement between the operator and the sum of the well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be demended or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production of the	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  **Title: Vice President**  **Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders:  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be sufficiently through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the second strict office will be notified before well is either plu for appropriate district office will be notified before well is either plu for appropriate district office will be notified before well is either plu for appropriate district office will be notified before well is either plu for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the prior that the statements made herein are true and to the best of the prior to the prior of the	check drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  **Title:** Vice President**  **Remember to:*  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders:  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the second strict office will be notified before well is either plus for appropriate district office will be notified before well is either plus for appropriate district office will be notified before well is either plus for appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the property of the statements and between the property for KCC Use CNLY  API # 15 - OO3 - 244444-OODD  Conductor pipe required	che drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders:  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the second of the well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be demensed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production of	check drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  **Title:** Vice President**  **Remember to:*  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders:  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 003-24444-0000	Location of Well: County: Anderson	
Operator: JRC Oil Company, Inc.	feet from N / S Line of Section	
Lease: Daniel	feet from E / X W Line of Section	
Well Number:	Sec. 4 Twp. 21 S. R. 21 X East West	
Field: Bush City Shoestring		
Number of Acres attributable to well: 2.5	Is Section: Regular or X Irregular	
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE XNW SE SW	

#### PI AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

_	10	Acres	in the	Northwest	Fractional	Quarter	of Section 4-T21S-R21E
		•			•		
,					· · · · · · · · · · · · · · · · · · ·		
					·		
							[SVAND 5
		· ·					EXAMPLE
							1980
			· · · · ·				3390'
	•	· ·	· ·	· · · · · · · · · · · · · · · · · · ·			
	• •						
į				i			SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

VECEIVED JUL 16, 2007

## Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

## KCC WICHITA


Form CDP-1

April 2004
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

· · · · · · · · · · · · · · · · · · ·				
Operator Name: JRC Oil Company, Inc.			License Number: 09267	
Operator Address: 25558 NE XX	Wilson			
Contact Person: Mike Colvin			Phone Number: ( 785 ) 448-5833	
Lease Name & Well No.: Daniel DM-5			Pit Location (QQQQ);	
Type of Pit:	T		SW Cor. NE SE NW	
Emergency Pit Burn Pit	X Proposed Existing		Sec. 4 Twp. 21 R. 21 X East West	
Settling Pit X Drilling Pit	If Existing, date constructed:			
Workover Pit Haul-Off Pit			1980 Feet from East / X West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(sidd)	Anderson	
Is the pit located in a Sensitive Ground Water	Area? Yes 🕅	→ No	Chloride concentration:mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
X Yes No	Yes X	No	Surface Clay	
Pit dimensions (all but working pits):	20 Length (f	eet)10	Width (feet)N/A: Steel Pits	
Depth fro	om ground level to d	eepest point:	4 (feet)	
material, thickness and installation procedure		liner integrity, i	edures for periodic maintenance and determining notuding any special monitoring.  None	
Distance to nearest water well within one-mile of pit		Depth to shallo	west fresh water 50 feet.	
None feet Depth of water wellfeet			redwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover: Fresh H20	
Number of producing wells on lease:		Number of working pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment	procedure: Backfill with bulldozer.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
! hereby certify that the above states	ments are true and o	correct to the best	of my knowledge and belief.	
7/12/2007 Date	M	iihaD s	J. Color, Vice President  gnature of Applicant or Agent	
	KCC	OFFICE USE OI	NI Y	
, .			,	
Date Received: 7/16/07 Permit Numb	er:	Permi	t Date: 7/16/07 Lease Inspection: Yes No	





### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.