For KCC Use: Effective Date: District #_

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5	5) days prior to commencing well
Expected Spud Date	Spot ✓ East
month day year	ne se ne Sec. 29 Twp. 23 S. R. 16 West
OPERATOR: License# 32710	3355 feet from N / ✓ S Line of Section 495 feet from✓ E / W Line of Section
Laymon Oli II, ELC	Is SECTION _✓RegularIrregular?
Address: 1998 Squirrel Road Address: Neosho Falls, KS 66758 City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Kenneth Laymon	County: Woodson
Contact Person: Kenneth Laymon Phone: 620-963-2495	Lease Name: Robison Well #: 31-07
	Field Name: Vernon
CONTRACTOR: License# 32710 Vame: company tools	Is this a Prorated / Spaced Field? Target Formation(s): Squirrel Yes V No
	Nearest Lease or unit boundary: 165
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet MSL
✓ Oil Enh Rec ✓ Infield ✓ ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150
Seismic; # of Holes Other	Depth to bottom of usable water: 150
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1200
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel
	Water Source for Drilling Operations:
Birothornar, Borranta and an analysis and an a	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:(Note: Apply for Permit with DWR)
Bottom Hole Location:	
KCC DKT #:	
	If Yes, proposed zone: RECEIVED
AFFI	DAVIT UU 4 0 2007
The undersigned hereby affirms that the drilling, completion and eventual plants	ugging of this well will comply with K.S.A. 55 et. seq. JUL 1 b 2007
It is agreed that the following minimum requirements will be met:	
1 Notify the appropriate district office prior to spudding of well;	KCC WICHITA
2. A copy of the approved notice of intent to drill shall be posted on each	ch drilling rig:
3. The minimum amount of surface pipe as specified below shall be se	t by circulating cement to the top; in all cases surface pipe snail be set
through all unconsolidated materials plus a minimum of 20 feet into the	istrict office on plug length and placement is necessary <i>prior to plugging</i> ;
5. The appropriate district office will be notified before well is either DIJO	ged or production casing is cemented in;
A 15 ALTERNATE II COMPLETION production nine shall be cement	ed from below any usable water to surface within 120 days of spud date.
Or pursuant to Appondix "R" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	r my knowledge and belief.
Date: 1/14/6 7 Signature of Operator or Agent: + Square	Faymen Title: Chist.
Date:	
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
API # 15 . 207-27212-0000	- File acreage attribution plat according to field proration orders;
Conductor pipe required	 Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required	Submit plugging report (CP-4) after plugging is completed;
Approved by: Kut 7-17-07	- Obtain written approval before disposing or injecting salt water.
Approved by.	
This such asimalian avaisable $1-17-0X$	If this permit has expired (See: authorized expiration date) please
This authorization expires: 1-1 1-08	
This authorization expires: 1-17-08 (This authorization void if drilling not started within 6 months of effective date.)	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. - Well Not Drilled - Permit Expired
This authorization expires: 1-1 1-08	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207-27212-0000	Location of Well: County: Woodson
Operator: Laymon Oil II, LLC	feet from N / S Line of Section 495 feet from Z E / W Line of Section
Lease Robison	
Well Number: 31-07	Sec. 29 Twp. 23 S. R. 16 ✓ East Wes
Field: Vernon Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: ne se ne	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show location of the well and shade attributable acreage for prorated or spaced wells.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Laymon Oll II, LLC		License Number: 32710	
		Falls KS	
Operator Address: 1998 Squirrel R	toad, Neosilo	rails, No	
Contact Person: Kenneth Laymon		Phone Number: (620) 963 - 2495	
Lease Name & Well No.: Robison #31-07		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE SE NE NE
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 29 Twp. 23 R. 16
Settling Pit	If Existing, date constructed:		3355 Feet from North / South Line of Section
Workover Pit Haul-Off Pit			495 Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Woodson County
Is the pit located in a Sensitive Ground Water			Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
✓ Yes No	☐ Yes ✓	No 	Native Clay
Pit dimensions (all but working pits):	50 Length (fe	eet) 8	Width (feet) N/A: Steel Pits
	from ground level to de		
			KCC WICHITA
Distance to hearest water well within one-rin	le of pit	Depth to shalk Source of info	owest fresh waterfeet.
N/A feet Depth of water well		Source of info	owest fresh waterfeet.
	feet	Source of info meas Drilling, Work	owest fresh waterfeet. rmation: uredwell ownerelectric logKDWR
N/A feet Depth of water well	feet	Source of info meas Drilling, Work Type of materi	owest fresh waterfeet. rmation: uredwell ownerelectric logKDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling gel
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY	feet	Source of info meas Drilling, Work Type of materi Number of wo	owest fresh waterfeet. rmation: uredwell owner electric logKDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling gel rking pits to be utilized: one
N/A feet Depth of water well. Emergency, Settling and Burn Pits ONLY Producing Formation:	feet	Source of info meas Drilling, Work Type of materi Number of wo	owest fresh waterfeet. rmation: uredwell owner electric logKDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling gel
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	feet	Source of info meas Drilling, Work Type of mater Number of wo Abandonment	owest fresh waterfeet. rmation: uredwell owner electric logKDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling gel rking pits to be utilized: one
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a	feet f: all spilled fluids to	Source of info meas Drilling, Work Type of mater Number of wo Abandonment Drill pits must	owest fresh waterfeet. rmation: uredwell owner electric logKDWR tover and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling gel rking pits to be utilized: one procedure: backfill with dirt be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	feet f: all spilled fluids to	Source of info meas Drilling, Work Type of mater Number of wo Abandonment Drill pits must	owest fresh waterfeet. rmation: uredwell owner electric logKDWR tover and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling gel rking pits to be utilized: one procedure: backfill with dirt be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above stated the product of the pits of the pit	feet f: all spilled fluids to	Source of info meas Drilling, Work Type of mater Number of wo Abandonment Drill pits must	owest fresh waterfeet. rmation: uredwell ownerelectric logKDWR cover and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling gel rking pits to be utilized: one procedure: backfill with dirt be closed within 365 days of spud date. st of my knowledge and belief.
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above states.	feet f: all spilled fluids to	Source of info meas Drilling, Work Type of mater Number of wo Abandonment Drill pits must	owest fresh waterfeet. rmation: uredwell owner electric logKDWR tover and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling gel rking pits to be utilized: one procedure: backfill with dirt be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above stated the pits of the pits o	feet f: all spilled fluids to tements are true and	Source of info meas Drilling, Work Type of mater Number of wo Abandonment Drill pits must	owest fresh waterfeet. rmation: uredwell owner electric logKDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling gel rking pits to be utilized: one procedure: backfill with dirt be closed within 365 days of spud date. st of my knowledge and belief.
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above stated the policy of the pits	feet f: all spilled fluids to tements are true and	Source of info meas Drilling, Work Type of mater Number of wo Abandonment Drill pits must correct to the bes	owest fresh waterfeet. rmation: uredwell owner electric logKDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling gel rking pits to be utilized: one procedure: backfill with dirt be closed within 365 days of spud date. st of my knowledge and belief.