For KCC Use: 7-23-07

Effective Date: 3

SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

M

| 710.4/07 | |
|---|---|
| Expected Spud Date 7/24/07 | Spot ✓ East |
| month day year | C - N/2 - NW - NE Sec. 12 Twp. 28 S. R. 13 West |
| OPERATOR: License# 33539 | 1980 teet from N / S Line of Section |
| Name: Cherokee Wells, LLC | teet from [V] E / [W Line of Section |
| Address: 4916 Camp Bowle Blvd., Suite 204 | ls SECTION RegularIrregular? |
| City/State/Zip: Fort Worth, TX 76107 | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person. Tracy Miller | County: Wilson |
| Phone: 620-378-3650 | Lease Name: Brown Well #: A-1 |
| CONTRACTOR: License# 33072 | Field Name: Cherokee Basin Coal Gas Area |
| Name: Well Refined Drilling | Is this a Prorated / Spaced Field? |
| TYGINO; | Target Formation(s): Mississippian |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 330' |
| Oil Enh Rec 🗸 Infield Mud Rotary | Ground Surface Elevation: Unknown feet MSL |
| ✓ Gas Storage Pool Ext. ✓ Air Rotary | Water well within one-quarter mile: Yes No |
| OWWO Disposal Wildcat Cable | Public water supply well within one mile: Depth to bottom of fresh water: 100+ |
| Seismic; # of Holes Other | Depth to bottom of usable water: 200+ |
| Other | Surface Pipe by Alternate: 1 2 |
| If OMANO and well before a full and | Length of Surface Pipe Planned to be set: 40' Minimum |
| If OWWO: old well information as follows: | Length of Conductor Pipe required: None |
| Operator: Well Name: | Projected Total Depth: 1350' |
| Original Completion Date:Original Total Depth: | Formation at Total Depth: Mississippian |
| | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No | Well ✓ Farm Pond Other |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Made Apple Co Decolo Mile DMD |
| Dottom Tion Location. | (Note: Apply for Permit with DWR) |
| KCC DKT #: | (Note: Apply for Permit with DWH) Will Cores be taken?Yes ✓ No |
| | Will Cores be taken? Yes ✓ No |
| KCC DKT #: | Will Cores be taken?Yes ✓No If Yes, proposed zone: |
| KCC DKT #: | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq. |
| KCC DKT #: | Will Cores be taken? If Yes, proposed zone: RECEIVED COMMISSIO |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq. JUL 1 8 2007 |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION BY SERVATION DIVISION Yes ✓ No RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall</i> be set | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSIO JUL 1 8 2007 In drilling rig; The drilling rig; The drilling comment to the top; in all cases surface pipe share 12.55 |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq. JUL 1 8 2007 In drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe share between the conservation. |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discontinuation. | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSIO agging of this well will comply with K.S.A. 55 et. seq. JUL 1 8 2007 CONSERVATION DIVISION the drilling rig; to y circulating cement to the top; in all cases surface pipe stilling formation. strict office on plug length and placement is necessary prior to plugging; |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difficulty of the appropriate district office will be notified before well is either pluggent of the appropriate district office will be notified before well is either pluggent. | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq. JUL 1 8 2007 CONSERVATION DIVISION the drilling rig; conservation division the driving formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difficulty of the appropriate district office will be notified before well is either pluggent of the appropriate district office will be notified before as surface casing order and the difficulty of the appropriate district office will be notified before well is either pluggent. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the difficulty of the appropriate district of th | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSIO agging of this well will comply with K.S.A. 55 et. seq. JUL 1 8 2007 CONSERVATION DIVISION the drilling rig; conservation division to be underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugs. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED KANSAS CORPORATION COMMISSIO Ugging of this well will comply with K.S.A. 55 et. seq. JUL 1 8 2007 CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe share been all complying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difficulty of the appropriate district office will be notified before well is either pluggent of the appropriate district office will be notified before as surface casing order and the difficulty of the appropriate district office will be notified before well is either pluggent. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the difficulty of the appropriate district of th | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Ungging of this well will comply with K.S.A. 55 et. seq. JUL 1 8 2007 CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe share the sep e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. |
| AFFILE The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the shall unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall be the shall be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the shall be completed within 30 days of the spud date or the well shall be sh | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED KANSAS CORPORATION COMMISSION Ugging of this well will comply with K.S.A. 55 et. seq. JUL 1 8 2007 CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe strain to the seq. e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the diffusion of the surface propriate district office will be notified before well is either pluggent of the surface casing order at must be completed within 30 days of the spud date or the well shall be | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSIO Underlying of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe small before the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difficulty is a propriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 7/17/07 Signature of Operator or Agent: | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION Augging of this well will comply with K.S.A. 55 et. seq. JUL 18 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe share HASSE e underlying formation. In strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: Total | Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED MANSAS CORPORATION COMMISSION Regging of this well will comply with K.S.A. 55 et. seq. JUL 18 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe share the strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 7/17/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-27252-0000 | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION Regging of this well will comply with K.S.A. 55 et. seq. JUL 18 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe share before a underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: Total | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION regging of this well will comply with K.S.A. 55 et. seq. JUL 18 2007 CONSERVATION DIVISION the drilling rig; conservation division the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall be conductor pipe required. For KCC Use ONLY API # 15 - 205-27252-0000 Conductor pipe required. Minimum surface pipe required. feet per Alt. (2) | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Regging of this well will comply with K.S.A. 55 et. seq. JUL 18 2007 In drilling rig; CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe site of the production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disc. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: For KCC Use ONLY | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION RECGIVED RECEIVED RANSAS CORPORATION COMMISSION CONSERVATION DIVISION Report of the top; in all cases surface pipe shalf be as a construct office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. Replugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order through the completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 7/17/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-27252-0000 Conductor pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt. (2) | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RECIVED KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION Reproduction production cases surface pipe sit and placement is necessary prior to plugging; red from below any usable water to surface within 120 days of spud date. Reproduction casing is cemented in; red from below any usable water to surface within 120 days of spud date. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disc. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: For KCC Use ONLY | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Regging of this well will comply with K.S.A. 55 et. seq. JUL 18 2007 CONSERVATION DIVISION If by circulating cement to the top; in all cases surface pipe strate be a underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order through that the statements made herein are true and to the best of Date: 7/17/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-27252-0000 Conductor pipe required. Minimum surface pipe required. Approved by: 47-18-07 This authorization expires: 1-18-08 | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSIO agging of this well will comply with K.S.A. 55 et. seq. JUL 18 2007 CONSERVATION DIVISION the drilling rig; CONSERVATION DIVISION the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing for plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 205-27252-000 Operator: Cherokee Wells, LLC | Location of Well: County: Wilson 330 feet from | | |
|---|--|--|--|
| Lease: Brown | 1980 feet from ✓ E / W Line of Section | | |
| Well Number: A-1 Field: Cherokee Basin Coal Gas Area | Sec. 12 Twp. 28 S. R. 13 ZEast West | | |
| Number of Acres attributable to well: QTR / QTR of acreage: C - N/2 - NW - NE | Is Section: Regular or Irregular If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW | | |
| PL. (Show location of the well and shade attribut (Show footage to the nearest 330 FNV | itable acreage for prorated or spaced wells.) t lease or unit boundary line.) | | |
| | 1980' FEL 1 | | |
| Brown 4 | 1-1 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | EXAMPLE | | |
| | | | |
| | 1980 | | |
| | | | |
| | 10 | | |
| | 3390' | | |
| | | | |
| | | | |
| | DECENTED. | | |

NOTE: In all cases locate the spot of the proposed drilling locaton.

JUL 18 2007

KANSAS CORPORATION COMMISSION

SEWARD CO.

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHITA, KS

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Cherokee Wells, LLC | | License Number: 33539 | | |
|--|--|---|--|--|
| Operator Address: 4916 Camp Bowie Blvd., Suite 204 Fort Worth, TX 76107 | | | | |
| Contact Person: Tracy Miller | | Phone Number: (620) 378 - 3650 | | |
| Lease Name & Well No.: Brown A-1 | | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | <u>C _ N/2 _ NW _ NE</u> | |
| Emergency Pit Burn Pit | Proposed Existing | | Sec. 12 Twp. 28 R. 13 Fast West | |
| Settling Pit | If Existing, date constructed: | | 330 Feet from 🗸 North / South Line of Section | |
| Workover Pit Haul-Off Pit | Pla ih. | | | |
| (If WP Supply API No. or Year Drilled) | Pit capacity: | (bbls) | Wilson | |
| Is the pit located in a Sensitive Ground Water | ne pit located in a Sensitive Ground Water Area? Yes Ano | | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | |
| is the bottom below ground level? Yes No | Artificial Liner? | | How is the pit lined if a plastic liner is not used? Natural Clay & Earth | |
| Pit dimensions (all but working pits): 30 Length (feet) 40 Width (feet) N/A: Steel Pits | | | | |
| Depth from ground level to deepest point: 6(feet) | | | | |
| | | | | |
| Distance to nearest water well within one-mile of pit Depth to shallo | | west fresh water est. 100+ 32 feet. | | |
| Source of info | | Source of infor | mation: ıredwell owner✓ electric logCKDWR | |
| Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: | | | | |
| , · · · · · · · · · · · · · · · · · · · | | n, Workover and Haut-Off Pits ONLY: material utilized in drilling/workover: Fresh Water | | |
| | | king pits to be utilized: One | | |
| Barrels of fluid produced daily: Abandonment | | procedure: Remove Fluids, Allow to Dry and Level Surface | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. | | RECEIVED | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISS | | | | |
| JUL 1 8 2007 Date JUL 1 8 2007 Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS | | | | |
| KCC OFFICE USE ONLY | | | | |
| Date Received: 7/18/07 Permit Num | ber: | Perm | it Date: 7/18/07 Lease Inspection: Yes K No | |