For KCC Use: Effective Date District # ☐ Yes ☑ No SGA?

### Kansas Corporation Commission Oil & Gas Conservation Division

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

July 26, 2007	Snot ✓ East
Expected Spud Date July 26, 2007 month day year	Spot
,	Sec. Twp. S. H. West
OPERATOR: License#	1980 feet from VE / W Line of Section
Name: Quest Cherokee LLC	Is SECTION ✓ RegularIrregular?
Address: 9520 North May Avenue, Suite 300	
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 463-6880	Lease Name: George, Shyrel A. Well #: 11-1
CONTRACTOR: License# Will be licensed by the KCC	Field Name: Cherokee Basin CBM
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?
Name: This database of the Control o	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
Oil Enh Rec / Infield / Mud Rotary	Ground Surface Elevation: 913feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water:
✓ Other Coalbed Methane	Depth to bottom of usable water: 200 /50
[V] Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR 🔲 )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
- <del></del> -	RECEIVED
A E E I	DAVIT
	DAVIT KANSAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT  KANSAS CORPORATION COMMISSIO  ugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	DAVIT KANSAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plots agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug to the first appropriate district office will be notified before shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order	wansas corporation commission ugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 0 2007  The drilling rig;  CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pip was interested in the underlying formation.  The interest office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be described.	was a corporation commission upging of this well will comply with K.S.A. 55 et. seq.  JUL 2 0 2007  The drilling rig;  CONSERVATION DIVISION to by circulating cement to the top; in all cases surface piper the property of the underlying formation. In the interest of the underlying formation. In the interest of the underlying formation is recessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plots agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug to the first appropriate district office will be notified before shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order	was a corporation commission ugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 0 2007  The drilling rig;  Conservation division by circulating cement to the top; in all cases surface pip well the set to enderlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the spropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plus of the spud that the statements made herein are true and to the best of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the spud date or the well shall be the statements made herein are true and to the best of the spud date or the well shall be the statements made herein are true and to the best of the spud date or the well shall be the statements made herein are true and the statements are true and the s	was a corporation commission ugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 0 2007  The drilling rig;  CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipewrint beset to underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the spud state of the set of the spud state of the spud sta	wansas corporation commission ugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 0 2007  The drilling rig;  Conservation division by circulating cement to the top; in all cases surface piper the baset to enderlying formation. In the interest office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC district 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging in a hard to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spudidate or the well shall be the following that the statements made herein are true and to the best of the pluging in the plugin	Example 1 (a) Section 12. Section 2007  Conservation Division 1. Section 2007  Conservation Division 1. Section 2007  Conservation Division 1. Section 2007  Conservation Division 2007  The drilling rig;  Conservation Division 2007  Conservation Division 120 days of spud date.  Title: VP  Conservation Division 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the spud state of the set of the spud state of the spud sta	ugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 0 2007  The drilling rig;  CONSERVATION DIVISION to by circulating cement to the top; in all cases surface piper the passet the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the search of the well is either plug for the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug of the spud date or the well shall be posted by that the statements made herein are true and to the best of the plug of the spud date or the well shall be posted by the spud date or the spud date or the spud dat	Example 1 (a) September 1 (a) September 1 (b) Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to water.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through a feet must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be removed by:    I hereby certify that the statements made herein are true and to the best of the spud date or the well shall be provided by:   I hereby certify that the statements made herein are true and to the best of the spud date or the well shall be provided by the statements of the spud date or the well shall be provided by the statements of the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the search through the spud date or the spud date or the well shall be provided by the spud date or the spud date or the well shall be provided by the spud date or the spud d	ugging of this well will comply with K.S.A. 55 et. seq.  JUL 2 0 2007  The drilling rig;  CONSERVATION DIVISION to by circulating cement to the top; in all cases surface piper the baset ne underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  **P  **Remember to:*  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27051-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	feet fromN / 🗸 S Line of Section
Lease: George, Shyrel A.	1980 feet from ✓ E / W Line of Section
Well Number: 11-1	Sec. 11 Twp. 28 S. R. 19 Fast Wes
Field: Cherokee Basin CBM	_
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: SW SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	: : : : : I	EXAMPLE
. , ,		1980
		3390'
		1990 : : : : : : : : : : : : : : : : : :

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880		
Lease Name & Well No.: George, Shyrel #11-1			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 11 Twp. 28 R. 19	
Settling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ✓ East / ☐ West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No No	Chloride concentration: mg/l	
Is the bottom below ground level?	Artificial Liner?	<del>1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.</del>	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
Yes ✓ No	☐ Yes 🗸 l	No		
Pit dimensions (all but working pits):	0 Length (fe	et) 10	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	epest point:	10 (feet)	
I want part of more given a transfer of the m		edures for periodic maintenance and determining nocluding any special monitoring.		
		Operation lasting approx 3 days		
		operation is approximately		
		west fresh waterfeet.		
Source of infor		rriation.  Iredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:	,, <u>, , , , , , , , , , , , , , , , , ,</u>		over and Haul-Off Pits ONLY:	
,		al utilized in drilling/workover: Air Drilled		
		rking pits to be utilized: One		
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must I		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED  KANSAS CORPORATION COMMISSION				
	(V	1011	101	
July 19, 2007 Date		· Kand K	Waria JUL 2 0 2007 ignature of Applicant or Agent	
			CONSERVATION DIVISION WICHTIA, KS	
KCC OFFICE USE ONLY				
Date Received: 7/20/07 Permit Num	ber:	Perm	it Date: 7/30/07 Lease Inspection: Yes No	