For KCC Use:
Effective Date:
District #
SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

| lulu 26, 2007 | |
|--|--|
| Expected Spud Date July 26, 2007 | Spot ✓ East |
| month day year | <u>SW</u> - <u>SW</u> Sec. 11 Twp. 28 S. R. 19 West |
| OPERATOR: License# 33344 | 660 feet from N / V S Line of Section |
| Name: Quest Cherokee LLC | teet from E / V W Line of Section |
| Address: 9520 North May Avenue, Suite 300 | ls SECTION Regular Irregular? |
| Address: Oklahoma City, Oklahoma 73120 | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person, Richard Marlin | County: Neosho |
| Phone: (405) 463-6880 | Lease Name: George, Shyrel A. Well #: 11-2 |
| CONTRACTOR: License# Will be licensed by the KCC | Field Name: Cherokee Basin CBM |
| Name: Will advise on the ACO-1 | Is this a Prorated / Spaced Field? |
| Name: This advise of the Add 1 | Target Formation(s): Cherokee Coals |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 660 |
| Oil / Enh Rec / Infield / Mud Rotary | Ground Surface Elevation: 935 feet MSL |
| | Water well within one-quarter mile:YesYes |
| ✓ Gas Storage Pool Ext. ✓ Air Rotary OWWO Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic;# of Holes Other | Depth to bottom of fresh water: 100 |
| ✓ Other Coalbed Methane | Depth to bottom of usable water: 200 |
| y]Other | Surface Pipe by Alternate: 1 2 |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 25 |
| Operator: | Length of Conductor Pipe required: |
| Well Name: | Projected Total Depth: 1300 |
| Original Completion Date:Original Total Depth: | Formation at Total Depth: Cherokee Coals |
| | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other Air |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR 🗍) |
| KCC DKT #: | Will Cores be taken? Yes ✓ No |
| | If Yes, proposed zone: |
| AFFI | DAVIT RECEIVED |
| | ugging of this well will comply with K.S.A. 55 et. #GANSAS CORPORATION COMM |
| It is agreed that the following minimum requirements will be met: | |
| Notify the appropriate district office <i>prior</i> to spudding of well; | JUL 2 0 2007 |
| | JOE E 0 5001 |
| | |
| 2. A copy of the approved notice of intent to drill shall be posted on eac | th drilling rig; they circulating cement to the top; in all cases surface pipe strain to the top; in all cases surface pipes strain to the top; in all cases surface |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th | th drilling rig; f by circulating cement to the top; in all cases surface pipessing the service of the service |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di | th drilling rig; If by circulating cement to the top; in all cases surface prosessing the second of the control of the contro |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugg | th drilling rig; If by circulating cement to the top; in all cases surface prosessment to the top; in all cases surface prosessment to the top; in all cases surface prosessment to michita KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented | th drilling rig; If by circulating cement to the top; in all cases surface presentations with the service underlying formation. MICHITA KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # | th drilling rig; If by circulating cement to the top; in all cases surface prosessment to the top; in all cases surface prosessment to the top; in all cases surface prosessment to michita KS istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be | th drilling rig; If by circulating cement to the top; in all cases surface prosecutions to the top; in all cases surface professory prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the production of the shall be shall be as to the best of | th drilling rig; If by circulating cement to the top; in all cases surface prosecutions witcher to be underlying formation. In the underlying formation and underlying formation and underlying formation. In the underlying formation and underlying formation and underlying formation. In the underlying formation. In the underlying formation and underlying formation and underlying formation. In the underlying formation. |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be | th drilling rig; If by circulating cement to the top; in all cases surface prosecutions to the top; in all cases surface professory prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the production of the shall be shall be as to the best of | th drilling rig; If by circulating cement to the top; in all cases surface prosecutions. In the underlying formation. In the underlying formation is necessary prior to plugging; In the underlying formation. In t |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of Date: July 19, 2007 Signature of Operator or Agent: July 19, 2007 | th drilling rig; If by circulating cement to the top; in all cases surface prosecutions. In the underlying formation. In the underlying formation is necessary prior to plugging; In the underlying formation. In th |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: Date: July 19, 2007 Signature of Operator or Agent: For KCC Use ONLY | th drilling rig; If by circulating cement to the top; in all cases surface prosecutions witcher to be underlying formation. In the underlying formation casing is cemented in; in the underlying ged or production casing is cemented in; in the underlying ged or production casing is cemented in; in the underlying ged or production casing is cemented in; in the underlying ged or production casing is cemented in; in the underlying ged or production as underlying |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugs If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a complete within 30 days of the spud date or the well shall be a complete within 30 days of the spud date or the well shall be a complete within 30 days of the spud date or the well shall be a complete within 30 days of the spud date or the well shall be a complete within 30 days of the spud date or the well shall be a complete within 30 days of the spud date or the well shall be a complete within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be complet | th drilling rig; If by circulating cement to the top; in all cases surface prosecutions. In the underlying formation. In the underlying formation casing is cemented in; is necessary prior to plugging; ged or production casing is cemented in; is necessary prior to plugging; ged or production casing is cemented in; is necessary prior to plugging; ged or production as underlying ged or production to a plugging; ged or production to a plugging; ged or production to a plugging; ged or production to pl |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: July 19, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27052 - DOO Conductor pipe required Feet | th drilling rig; If by circulating cement to the top; in all cases surface prosecutions. In the underlying formation. In the underlying formation casing is cemented in; are underlying to production casing is cemented in; and form below any usable water to surface within 120 days of spud date. In the underlying formation in the underlying to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In the underlying formation in the underlying to the under |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: July 19, 2007 Signature of Operator or Agent: 10 July 19, 2007 For KCC Use ONLY API # 15 - 133 - 27052 - DOO Conductor pipe required None feet Minimum surface pipe required feet per Alt. 12 | th drilling rig; If by circulating cement to the top; in all cases surface prosecutions. In the underlying formation. In the underlying formation is necessary prior to plugging; In the u |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: July 19, 2007 Signature of Operator or Agent: 10 July 19, 2007 For KCC Use ONLY API # 15 - 133 - 27052 - DOO Conductor pipe required None feet Minimum surface pipe required feet per Alt. 12 | th drilling rig; If by circulating cement to the top; in all cases surface prosecutions. In the underlying formation. In the underlying formation casing is cemented in; are underlying to production casing is cemented in; and form below any usable water to surface within 120 days of spud date. In the underlying formation in the underlying to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In the underlying formation in the underlying to the under |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b I hereby certify that the statements made herein are true and to the best of Date: July 19, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27052 - DOD Conductor pipe required feet Minimum surface pipe required feet per Alt. X 2 Approved by: Alt 7 2007 | th drilling rig; If by circulating cement to the top; in all cases surface prosecutions. In the underlying formation. In the underlying formation casing is cemented in; are underlying of spud date. In the underlying formation is necessary prior to plugging; are underlying of spud date. In the underlying formation is necessary prior to plugging; are underlying of spud date. In the underlying formation is necessary prior to plugging is completed; In the underlying formation is necessary prior to plugging is completed; In the underlying formation is necessary prior to plugging is completed; |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: July 19, 2007 Signature of Operator or Agent: The Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: Ass. 7-2007 This authorization expires: 1-2008 | th drilling rig; If by circulating cement to the top; in all cases surface presentations. In the underlying formation. In the underlying formation casing is cemented in; are underlying of spud date. In the underlying formation casing is cemented in; are underlying of spud date. In the underlying formation to surface within 120 days of spud date. In the underlying formation to underlying formation orders; In the underlying formation format |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b I hereby certify that the statements made herein are true and to the best of Date: July 19, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27052 - DOD Conductor pipe required feet Minimum surface pipe required feet per Alt. X 2 Approved by: Alt 7 2007 | th drilling rig; If by circulating cement to the top; in all cases surface presentations. In the underlying formation. In the underlying formation in all cases and place and underlying formation. In the underlying formation in all cases are underlying formation. In the underlying formation in all cases are underlying formation. In the underlying formation in all cases are underlying formation. In the underlying formation in the underlying formation in the underlying formation. In this permit has expired (See: authorized expiration date) please |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: July 19, 2007 Signature of Operator or Agent: The Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: Ass. 7-2007 This authorization expires: 1-2008 | th drilling rig; If by circulating cement to the top; in all cases surface prosecutions. If by circulating cement to the top; in all cases surface prosecutions. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: July 19, 2007 | th drilling rig; If by circulating cement to the top; in all cases surface presentations. If by circulating cement to the top; in all cases surface presentations. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. In all cases please surface within 120 days of spud date. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 133-27052-0000 | Location of Well: County: Neosho |
|---|--|
| Operator: Quest Cherokee LLC | 660feet fromN / ✓ S Line of Section |
| Lease: George, Shyrel A. | |
| Well Number: 11-2 | Sec. 11 Twp. 28 S. R. 19 ✓ East Wes |
| Field: Cherokee Basin CBM | |
| Number of Acres attributable to well: SW _ SW | If Section is Irregular, locate well from nearest corner boundary. |
| | Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| _ | | | | | | | | | | | | |
|------|---|------------|---|---|---|------|-----|----|---|---|-------|-------|
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | |
| | | | | • | | | | | | | • | |
| ١. | | | | | | | | ١. | | | | |
| 1 | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | - | | | | |
| . | | | | | | | | | | | | · |
| | | | | | | | | | | | | |
| | | • | | | • | | | | | | | - |
| | | | | | • | | | | | | | |
| | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | |
| 1 ' | | • | | | | | | | | | • | |
| | | | | • | | | | | | | • | |
| | | • | | | • | | | | | • | | • |
| | | | | | | | | I | | | | |
| | | | , | , | | | | | | | | |
| _ | | | | | | **** | — 1 | | | | | |
| 11 | | • | | | | | - 1 | , | | • | | • |
| -16 | | | | | | | | | | | | , |
| 1 | | | | | | | | 1 | | | | |
| 1 | | | | | | | | ĺ | | | | |
| ∦ | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | |
| Į. | | • | | | | | | ĺ | | • | • | |
| 1 | | | | | - | | | | | | | , |
| ! | | | | | | | | | | | | |
| · · | | | | | • | | | | • | | | |
| 1 | | | | | | | | i | | | | |
| Ji . | | | | | | | | İ | | • | • | • |
| 1 | | • | • | | • | | | f | | • | | • |
| li. | | • | | | | | | ĺ | | • | | • |
| 11/ | | ∡ . | | | | | | | | | | |
| _ | | 1 | | | | | | ĺ | | | | |
| | , | | | | | | | ĺ | | | | |
| | , | i | | | | | | | | | | |
| | , | | • | | | | | l | | | | |
| | • | | • | | | | | | | | | |



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| | | | | | | | |
|---|---------------------------|--|--|--|--|--|--|
| Operator Name: Quest Cherokee Ll | .C | License Number: 33344 | | | | | |
| Operator Address: 9520 North May | Avenue, Su | ite 300 Ok | dahoma City, Oklahoma 73120 | | | | |
| Contact Person: Richard Marlin | | | Phone Number: (405) 463 - 6880 | | | | |
| Lease Name & Well No.: George, Shyrel #11-2 | | | Pit Location (QQQQ): | | | | |
| Type of Pit: | Pit is: | | | | | | |
| Emergency Pit Burn Pit | ✓ Proposed | Existing | Sec. 11 Twp. 28 R. 19 🗸 East 🗌 West | | | | |
| Settling Pit | If Existing, date of | onstructed: | Feet from North / 🗸 South Line of Section | | | | |
| Workover Pit Haul-Off Pit | Pit capacity: | | Feet from East / 🗸 West Line of Sectio | | | | |
| (If WP Supply API No. or Year Drilled) | 300 | (bbls) | Neosho Count | | | | |
| Is the pit located in a Sensitive Ground Water | Area? ☐ Yes ✓ | No No | Chloride concentration:mg/l | | | | |
| | | | (For Emergency Pits and Settling Pits only) | | | | |
| is the bottom below ground level? ☐ Yes ✓ No | Artificial Liner? Yes Vo | | How is the pit lined if a plastic liner is not used? | | | | |
| Pit dimensions (all but working pits): | 30 Length (fe | eet)10 | Width (feet) N/A: Steel Pits | | | | |
| Depth for | rom ground level to de | eepest point: | 10 (feet) | | | | |
| | | Air Drilling | Operation lasting approx 3 days | | | | |
| Distance to nearest water well within one-mil | e of pit | Depth to shallowest fresh waterfeet. Source of information: | | | | | |
| | | measuredwell owner electric log KDWR | | | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haut-Off Pits ONLY: | | | | | |
| Producing Formation: | | Type of material utilized in drilling/workover: Air Drilled | | | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: One Air Dry, Back Fill and Cover | | | | | |
| Barrels of fluid produced daily: | | Abandonment procedure: Air Dry, Back Fill and Cover | | | | | |
| Does the slope from the tank battery allow allow into the pit? Yes No | l spilled fluids to | Drill pits must be closed within 365 days of spud date. | | | | | |
| I hereby certify that the above state | ements are true and | correct to the bes | st of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMISSION | | | | |
| July 19, 2007 Date | <u> </u> |) i Gar | JUL 2 0 2007 Signature of Applicant or Agent | | | | |
| | ксс | OFFICE USE O | WICHITA, KS | | | | |
| Date Received: 7/30/07 Permit Nun | nber: | Perm | nit Date: 7/00/07 Lease Inspection: Yes No | | | | |