For KCC Use:

Effective Date:

District #

SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Soud Date	Spot	√ East
Expected Spud Date July 24, 2007 month day year	, <u>NE</u> - <u>NE</u> Sec. 18 Twp. 2	7 S. R. 20 West
33344	660feet from ✓ N	
OPERATOR: License# 33344	660feet from 🗸 E	/ W Line of Section
9520 North May Avenue, Suite 300	ls SECTIONRegularIrregular?	
Address: Oklahoma City, Oklahoma 73120 City/State/Zip:	(Note: Locate well on the Section Pla	t on reverse side)
Contact Person: Richard Marlin	County: Neosho	
Phone: (405) 463-6880	Lassa Name: Mih, Alexander D.	Well #: 18-1
	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660	
	Ground Surface Elevation: 1032	feet MSL
Oil Enh Rec Infield	Water well within one-quarter mile:	Yes ✓ No
	Public water supply well within one mile:	Yes 🗸 No
OWO Disposal Wildcat Cable	Depth to bottom of fresh water:	
Seismic; # of Holes Other Other Coalbed Methane	Depth to bottom of usable water: 200/25	
✓ Other	Surface Pine by Alternate: 1 / 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1300	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals	
/	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with I	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	RECEIVED
AEC	IDAVIT	
		CANSAS CORPORATION COMMISS
The undersigned hereby affirms that the drilling, completion and eventual p		(ANSAS CORPORATION COMMISS seq.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:		CANSAS CORPORATION COMMISS
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of	ch drilling rig; the by circulating cement to the top; in all cases such a underlying formation. district office on plug length and placement is necessed or production casing is cemented in; ed from below any usable water to surface within #133,891-C, which applies to the KCC District 3 be plugged. In all cases, NOTIFY district office	JUL 1 9 2007 ONSERVATION DIVISION race pipe shall be set essary prior to plugging; 120 days of spud date. area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the construction of the set of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	ch drilling rig; the by circulating cement to the top; in all cases substitute of the top of the t	JUL 1 9 2007 ONSERVATION DIVISION race pipe shall be set essary prior to plugging; 120 days of spud date. area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the constant of the set of the s	ch drilling rig; the by circulating cement to the top; in all cases such a underlying formation. district office on plug length and placement is necessed or production casing is cemented in; ed from below any usable water to surface within #133,891-C, which applies to the KCC District 3 be plugged. In all cases, NOTIFY district office	JUL 1 9 2007 ONSERVATION DIVISION rface pipe stian be set essary prior to plugging; 1 120 days of spud date, area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of the specified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the specific price of the specific price of the statements.	ch drilling rig; the by circulating cement to the top; in all cases substitute of the top of the t	JUL 1 9 2007 ONSERVATION DIVISION race pipe shall be set essary prior to plugging; 120 days of spud date. area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the state of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the shall be common or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements are true and to the spud that the statements are true and to the spud that the statements are true and to the spud that the statements are true and to the spud that the statements are true and to the spud that the statements are true and to the spud that the statements are true and the spud that the statements are true and to the spud that the statements are true and the spud that the s	ch drilling rig; th by circulating cement to the top; in all cases such the underlying formation. Illistrict office on plug length and placement is necessary and the surface within the placement of the surface within the plugged. In all cases, NOTIFY district office of the plugged. In all cases, NOTIFY district office of the surface within the plugged. In all cases, NOTIFY district office of the surface within the plugged. In all cases, NOTIFY district office of the surface within the plugged. In all cases, NOTIFY district office of the surface within the plugged. Title: VP	JUL 1 9 2007 ONSERVATION DIVISION race pipe shart to plugging; a 120 days of spud date. area, alternate II cementing prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the state of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the shall be common or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements made herein are true and to the best of the spud that the statements are true and to the spud that the statements are true and to the spud that the statements are true and to the spud that the statements are true and to the spud that the statements are true and to the spud that the statements are true and to the spud that the statements are true and the spud that the statements are true and to the spud that the statements are true and the spud that the s	ch drilling rig: at by circulating cement to the top; in all cases substitute of the complex of the circulating cement to the top; in all cases substitute of the complex of the underlying formation. district office on plug length and placement is necessary of the complex of	JUL 1 9 2007 CONSERVATION DIVISION of ace pipe shiall be set essary prior to plugging; a 120 days of spud date, area, alternate II cementing prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the se	ch drilling rig; the by circulating cement to the top; in all cases such the underlying formation. Illistrict office on plug length and placement is necessary to the surface within #133,891-C, which applies to the KCC District 3 be plugged. In all cases, NOTIFY district office from knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Interested to the CO-1 within 120 days File acreage attribution plat according to field	JUL 1 9 2007 CONSERVATION DIVISION And a pipe shight be set essary prior to plugging; 1 120 days of spud date. area, alternate II cementing prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be sufficient to the surface pipe as specified below shall be second to the surface pipe as specified below shall be second to the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be coment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface case of the surface case of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27041 - DODO Conductor pipe required feet	ch drilling rig; at by circulating cement to the top; in all cases such drilling rig; at by circulating cement to the top; in all cases such the underlying formation. district office on plug length and placement is necessary to the follow any usable water to surface within #133,891-C, which applies to the KCC District 3 be plugged. In all cases, NOTIFY district office from knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Interested Completion Form ACO-1 within 120 days File acreage attribution plat according to field Notify appropriate district office 48 hours prior	JUL 1 9 2007 CONSERVATION DIVISION And a pipe shift to set essary prior to plugging; 1 120 days of spud date. area, alternate II cementing prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be sufficient to the surface pipe as specified below shall be second. 4. If the well is dry hole, an agreement between the operator and the constitution of the surface district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud state of the spud state of the spud state of the shall be completed. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or be sufface as surface casing order must be completed within 30 days of the spud date or the well shall be completed. 7. If the well is dry hole, an agreement between the operator and the complete shall be set to the surface product of the spud shall be set to the surface plus shall be completed. 8. If the well is dry hole, an agreement between the drill shall be set into the state of the spud shall be set to the surface plus shall be set to the surface plus shall be set to the state of the shall be set to the shall be s	ch drilling rig; In the production casing is cemented in; Interpret by circulating cement to the top; in all cases suffice on plug length and placement is necessary in the underlying formation. In the placement is necessary in the placement is necessary in the placement in; In the first placement in the placement is necessary in the placement	JUL 1 9 2007 CONSERVATION DIVISION reace pipe strain to be set essary prior to plugging; 1 120 days of spud date. area, alternate II cementing prior to any cementing. Int to Drill; of spud date; proration orders; to workover or re-entry; is completed;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be sufficient to find the second shall be sufficient to find the second shall be sufficient to find the suffic	ch drilling rig: In the production casing is cemented in; It by circulating cement to the top; in all cases substitute of the underlying formation. Idistrict office on plug length and placement is necessary in the underlying formation. Idistrict office on plug length and placement is necessary in the placement of the placement of the plug and usable water to surface within #133,891-C, which applies to the KCC District 3 be plugged. In all cases, NOTIFY district office of the plugged. In all cases, NOTIFY district office of the plugged. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Interestive Completion Form ACO-1 within 120 days. File acreage attribution plat according to field. Notify appropriate district office 48 hours prior. Submit plugging report (CP-4) after plugging. Obtain written approval before disposing or in	JUL 1 9 2007 CONSERVATION DIVISION And a pipe Shiall be set essary prior to plugging; a 120 days of spud date. area, alternate II cementing prior to any cementing. Int to Drill; of spud date; proration orders; to workover or re-entry; is completed; injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the se	ch drilling rig: In the production casing is cemented in; It by circulating cement to the top; in all cases substitute of the underlying formation. Idistrict office on plug length and placement is necessary of the underlying formation. Idistrict office on plug length and placement is necessary of the plug length and placement is necessary of the plug length and placement in; If the production casing is cemented in; If this permit to the top; in all cases substitute of the plug length and placement is necessary of the plug length and placement in the plug length and plug len	JUL 1 9 2007 CONSERVATION DIVISION of ace pipe shiall be set essary prior to plugging; a 120 days of spud date, area, alternate II cementing prior to any cementing. Int to Drill; of spud date; proration orders; to workover or re-entry; is completed; ejecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be sufficient to the second shall be second shall be second shall be sufficient to flice will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: Date: July 17, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27041 -DODD Conductor pipe required	ch drilling rig; et by circulating cement to the top; in all cases such a underlying formation. district office on plug length and placement is need aged or production casing is cemented in; and from below any usable water to surface within #133,891-C, which applies to the KCC District 3 be plugged. In all cases, NOTIFY district office if my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Interestive in the completion Form ACO-1 within 120 days. File acreage attribution plat according to field. Notify appropriate district office 48 hours prior. Submit plugging report (CP-4) after plugging. Obtain written approval before disposing or in this permit has expired (See: authorized expected to the box below and return to the address.	JUL 1 9 2007 CONSERVATION DIVISION And a pipe Will be Set essary prior to plugging; a 120 days of spud date. area, alternate II cementing prior to any cementing. Int to Drill; of spud date; proration orders; to workover or re-entry; is completed; ijecting salt water. biration date) please
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the set of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the specified before	ch drilling rig: In the production casing is cemented in; It by circulating cement to the top; in all cases substitute of the underlying formation. Idistrict office on plug length and placement is necessary of the underlying formation. Idistrict office on plug length and placement is necessary of the plug length and placement is necessary of the plug length and placement in; If the production casing is cemented in; If this permit to the top; in all cases substitute of the plug length and placement is necessary of the plug length and placement in the plug length and plug len	JUL 1 9 2007 CONSERVATION DIVISION of ace pipe stiall be set essary prior to plugging; a 120 days of spud date, area, alternate II cementing prior to any cementing. Int to Drill; of spud date; proration orders; to workover or re-entry; is completed; ejecting salt water. Diration date) please as below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - /33-2704/-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	
Lease: Mih, Alexander D.	660 feet from VE / W Line of Section
Well Number: 18-1 Field: Cherokee Basin CBM	Sec. 18 Twp. 27 S. R. 20 VEast Wes
Number of Acres attributable to well:	ls Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NE NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344			
Operator Address: 9520 North May		ite 300. Ok	lahoma City, Oklahoma	a 73120	
	Avenue, oui		Phone Number: (405) 463		
Contact Person: Richard Marlin					
Lease Name & Well No.: Mih, Alexander D. #18-1		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NENE		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 18 Twp. 27 R. 20	East West	
Settling Pit	If Existing, date constructed:			1 / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ✓ East / ☐ West Line of Section		
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho	County	
Is the pit located in a Sensitive Ground Water Area? Yes ✓ No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? ☐ Yes ✓ No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner	is not used?	
Pit dimensions (all but working pits):	30 Length (fe	et)10	Width (feet)	N/A: Steel Pits	
	rom ground level to de				
		Air Drilling	Operation lasting approx	3 days	
Distance to nearest water well within one-mil	e of pit	Depth to shallo Source of info	owest fresh waterf	eet.	
N/A feet Depth of water well _	feet	measu	ured well owner ele	ctric logKDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation: Type of materi		al utilized in drilling/workover: Air Dri	lled		
Number of producing wells on lease: Number of wo		vorking pits to be utilized: One			
Barrels of fluid produced daily: Abandonment procedure: Air Dry, Back Fill and Cover				over	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.			
I hereby certify that the above stat July 17, 2007	ements are true and	ichai) Warling	RECEIVED NSAS CORPORATION COMMISSIO JUL 1 9 2007	
Date	<u> </u>		Signature of Applicant or Agent	GONSERVATION DIVISION	
KCC OFFICE USE ONLY					
Date Received: 7/19/07 Permit Nur	nber:	Perm	nit Date: 7/(9/07 Lease Ins	pection: Yes X No	