For KCC Use: Effective Date: District # SGA? Yes X No

### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date		East
month day year	NW - NW - SW Sec. 2 Twp. 28 S. R. 19	West
OPERATOR: License#	2605 feet from N / V S Line of Section	n
Name: Quest Cherokee LLC	220 feet from E / W Line of Sectio	n
9520 North May Avenue, Suite 300	Is SECTION   ✓ RegularIrregular?	
Address:  City/State/Zip: Oklahoma City, Oklahoma 73120		
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Neosho Lease Name: Yarnell, L.L. SWD Well #: 2-1	
Phone: (405) 463-6880	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC		
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?	/ No
Name: TSI device on the vice of	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 35 (SWD)	
	Ground Surface Elevation: 970feet	MSL
Oil Enh Rec / Infield / Mud Rotary	Water well within one-quarter mile:	/ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No
OWWO ✓ Disposal ✓ Wildcat Cable	Depth to bottom of fresh water; 100	
Seismic;# of Holes Other	Depth to bottom of usable water: 200	
Other	Surface Pipe by Alternate: 1 2	
	Length of Surface Pipe Planned to be set: 25	
If OWWO: old well information as follows:	Length of Conductor Pipe required:	
Operator:		
Well Name:	Projected Total Depth: 1500  Formation at Total Depth: Arbuckle	
Original Completion Date:Original Total Depth:	Formation at total Deptil.	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:	
	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲 )	
KCC DKT #:	Will Cores be taken? Yes   ✓	No
	If Yes, proposed zone:	
	DEOCNIED	
AFF	RECEIVED	
The undersigned hereby affirms that the drilling, completion and eventual p	RECEIVED	SSION
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	RECEIVED Upging of this well will comply with K.S.A. 55 et. seq.	SION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	RECEIVED	SSION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	RECEIVED IDAVIT RECEIVED IN ANSAS CORPORATION COMMISSION OF THE PROPERTY OF T	SSION
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	IDAVIT  RECEIVED  lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  ch drilling rig;  by circulating cement to the top; in all cases surface for the seq.	SSION
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT  RECEIVED  lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  th drilling rig;  by circulating cement to the top; in all cases surface FREE SALES	
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the contents.	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  If by circulating cement to the top; in all cases surface with the complete of the underlying formation.  Listrict office on plug length and placement is necessary prior to plugging in the plugging in the complete of the comp	
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the approved notice of intent to drill <i>shall be</i> seathrough all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the constitution of the intention of the properties of the appropriate district office will be notified before well is either plug	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  Let by circulating cement to the top; in all cases surface with the condense of t	ıg;
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interest of the intent to drill shall be set through all unconsolidated materials plus a minimum of 20 feet into the interest of the well is dry hole, an agreement between the operator and the constitution of the interest of t	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  The by circulating cement to the top; in all cases surface within K.S.A. Signature in the complete in the complet	ng;
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the intent of surface pipe as specified below <i>shall be sea</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the control of the search of the se	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  The by circulating cement to the top; in all cases surface within A.K.  The underlying formation.  The istrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;  The defined within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented to the complete the complete to	<i>ig;</i>  nting
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the approved notice of intent to drill <i>shall be</i> seathrough all unconsolidated materials plus a minimum of 20 feet into the intention of the intention	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  The by circulating cement to the top; in all cases surface within A.K.  The underlying formation.  The instrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;  The instrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;  The instrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;  The instruction of the in	<i>ig;</i>  nting
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the intent of surface pipe as specified below <i>shall be sea</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the control of the search of the se	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  The by circulating cement to the top; in all cases surface within A.K.  The underlying formation.  The instrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;  The instrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;  The instrict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;  The instruction of the in	<i>ig;</i>  nting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing the statements made herein are true and to the best of the statements made herein are true and to the best of the surface casing the statements made herein are true and to the best of the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall the surface casing the	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  It by circulating cement to the top; in all cases surface within K.S.  In elimination.  In initiation of plug length and placement is necessary prior to plugging in the plugging of production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented by plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.	<i>ig;</i>  nting
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the approved notice of intent to drill <i>shall be</i> seathrough all unconsolidated materials plus a minimum of 20 feet into the intention of the intention	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  It by circulating cement to the top; in all cases surface within K.S.  In elimination.  In initiation of plug length and placement is necessary prior to plugging in the plugging of production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented by plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.	<i>ig;</i>  nting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing the statements made herein are true and to the best of the statements made herein are true and to the best of the surface casing the statements made herein are true and to the best of the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall the surface casing the	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  In the polyment to the top; in all cases surface with the complete of the underlying formation.  In the underlying formation.  In the underlying formation.  In the underlying formation.  In the underlying formation of the underlying formation.  In the underlying formation of the underlying formation.  In the underlying formation of the underlying formation of the underlying formation.  In the underlying formation of the underlying formation of the underlying formation.  In the underlying formation of the underlying formation.  In the underlying formation of t	<i>ig;</i>  nting
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into tl 4. If the well is dry hole, an agreement between the operator and the cl 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best or Date:  Date: July 17, 2007  Signature of Operator or Agent: Complete that the statements made of the statements of the statement	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  The by circulating cement to the top; in all cases surface within a prior to plugging the underlying formation.  The instrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  The definition of the complete state of the complete	<i>ig;</i>  nting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent of the posted on each of the intent of the posted on each of the intent of t	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  The by circulating cement to the top; in all cases surface within a prior to plugging the underlying formation.  In a list rict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  The defined within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented by plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	ng;  nting 
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the intention of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the intention of	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  The by circulating cement to the top; in all cases surface with the underlying formation.  Inistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  The driving formation is recessary prior to plugging ged or production casing is cemented in;  The prior to any usable water to surface within 120 days of spud date the plugged. In all cases, NOTIFY district office prior to any cementing in many knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	<i>ig;</i>  nting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent of the posted on each of the intent of the posted on each of the intent of t	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  In the price of plug length and placement is necessary prior to plugging ged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente to plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ng;  nting 
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea:  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constituent of the set of	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  The by circulating cement to the top; in all cases surface with me underlying formation.  Inistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemeloe plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	ng;  nting 
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be received by that the statements made herein are true and to the best of the production pipe required Signature of Operator or Agent.  For KCC Use ONLY  API # 15	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  In the price of plug length and placement is necessary prior to plugging ged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente to plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	ng;  nting 
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea:  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constituent of the set of	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  In the property of the top; in all cases surface within price on plug length and placement is necessary prior to plugging aged or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	ng; nting
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be received by that the statements made herein are true and to the best of the production pipe required Signature of Operator or Agent.  For KCC Use ONLY  API # 15	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 19 2007  The drilling rig;  The by circulating cement to the top; in all cases surface within price on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  The deform below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente on plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	ng; nting
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plug to find an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:    July 17, 2007	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  In the production comment to the top; in all cases surface within 120 days of spud date and pelied.  Hand the production casing is cemented in; and from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente to plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and pelief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ng;  nting 
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the life the well is dry hole, an agreement between the operator and the constant of the well is dry hole, an agreement between the operator and the constant of the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:    July 17, 2007	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  In the production comment to the top; in all cases surface within 120 production casing is cemented in; and from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and pelief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	ng; nting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the properties of the appropriate district office will be notified before well is either plug to the set of the properties of the spuddate or the well shall of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall hereby certify that the statements made herein are true and to the best of Date:    July 17, 2007	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  In the production comment to the top; in all cases surface within 120 production casing is cemented in;  and from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente be plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:	ng; nting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the life the well is dry hole, an agreement between the operator and the constant of the well is dry hole, an agreement between the operator and the constant of the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:    July 17, 2007	IDAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. seq.  JUL 1 9 2007  The drilling rig;  In the production comment to the top; in all cases surface within 120 production casing is cemented in; and from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and pelief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	ng; nting

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-27042-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	2605 feet from N / V S Line of Section
Lease: Yarneli, L.L. SWD	220 feet from E / V Line of Section
Well Number: 2-1	Sec. 2 Twp. 28 S. R. 19 ✓ East West
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:NWNWSW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).


# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120			
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880	
Lease Name & Well No.: Yarnell, L.L.	#2-1 SWD		Pit Location (QQQQ):
Type of Pit:	Pit is:		NWNWSW
Emergency Pit Burn Pit	Proposed Existing		Sec. 2 Twp. 28 R. 19 🗸 East 🗌 West
Settling Pit	If Existing, date constructed:		2605 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		220 Feet from East / 🗸 West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	ne pit located in a Sensitive Ground Water Area? Yes Vo		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	30 Length (fe	eet)10	Width (feet) N/A: Steel Pits
Depth from ground level to deepest point: (feet)			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and liner integrity, including any special monitoring.			
Air Drilling		Operation lasting approx 3 days	
Distance to nearest water well within one-mile of pit  Depth to shall Source of info		west fresh waterfeet. rmation:	
N/A feet Depth of water wellfeetmea		measu	uredwell owner electric logKDWR
		_	over and Haul-Off Pits ONLY:
		al utilized in drilling/workover: Air Drilled	
Number of producing wells on lease: Number of wo		king pits to be utilized: One  Air Dry Back Fill and Cover	
Barrels of fluid produced daily: Abandonment procedure: Air Dry, Back Fill and Cover		procedure: All Diy, Back I ill and Gover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.	
I hereby certify that the above statements are true-end correct to the best of my knowledge and belief.			
July 17, 2007 Date	Ku	Land ;	KANSAS CORPORATION COMMISS  JUL 1 9 2007
Date			CONSERVATION DIVISION
KCC OFFICE USE ONLY WICHITA, KS			
Date Received: 7/19/07 Permit Nun	nber:	Perm	it Date: 7/19/07 Lease Inspection: Yes No





## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156.397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.