For KCC Use: Effective Date: District #____

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Expected Spud Date 3/07/07	Spot Ea:
month day year	SW - NE - NW Sec. 12 Twp. 11S S. R. 18
DPERATOR: License# 30537	990 feet from VN / S Line of Section
lame: Venture Resources, Inc.	1650 Feet from E / W Line of Section
Mddress: P. O. Box 101234	Is SECTION RegularIrregular?
City/State/Zip: Denver CO 80250	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Ron Mackey	County: Ellis
Phone: 303-722-2899	Lease Name: Kempe So. Well #: B-14
	Field Name: Bernis-Shutts
CONTRACTOR: License# 33493	Is this a Prorated / Spaced Field?
Name: American Eagle Drilling, LLC	Target Formation(s): Arbuckle
Mall Dellad Fare Mall Class. Type Favingments	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1910.4' feet MS
VOII Enh Rec V Infield V Mud Rotary	Water well within one-quarter mile: Yes ✓ N
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic; # of Holes Other	Depth to bottom of usable water: 630'
Other	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 240'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 3550'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
f Yes, true vertical depth:	DWR Permit #: 20060346
3ottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Mill Cores he taken?
100 B.11 P.	Will Cores be taken?
	If Yes, proposed zone:
	
AFF	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be si through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plut 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surface through all unconsolidated materials plus a minimum of 20 feet into the surface will be sufficiently in the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plugible. If an ALTERNATE if COMPLETION, production pipe shall be cement or pursuant to Appendix "8" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be supposed through all unconsolidated materials plus a minimum of 20 feet into the supposed in the supposed	If Yes, proposed zone: FIDAVIT blugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into te 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	If Yes, proposed zone: FIDAVIT blugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the construction of the surface well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of	If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. \(\) district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to:
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either pluging the surface will be notified before well is either pluging that the Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate: 2-12-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 -	If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. Anch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. A district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into to. 4. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plugible. If an ALTERNATE if COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the constr	If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. \(\) district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surface through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either plus. 4. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE If COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate: 2 - 12 - 07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - C51-25667-0000 Conductor pipe required feet per Alt. (2)	If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. Anch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. A district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entage.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate:	If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. Anch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. A district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entage.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the construction of the surface well is either plus of the surface district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surfa	If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. Anch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. A district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entage.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced in the surface pipe as specified below shall be surfaced in the well is dry hole, an agreement between the operator and the composition of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE If COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements of the product of the statements of the product of the product of the statements will be conducted by the statement of the product of the pro	If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. Anch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. A district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entage.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of	If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. Anch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. A district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entage.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE if COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate: 2-12-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 -	If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. Anch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. A district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surface through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the construction of the surface well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE If COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface o	If Yes, proposed zone: FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drilling

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25667-0000	Location of Well: County: Ellis
Operator: Venture Resources, Inc.	•
Lease: Kempe So.	990 feet from V N / S Line of Section 1650 feet from E / V W Line of Section
Well Number: B-14	Sec. 12 Twp. 11S S. R. 18 East West
Field: Bernis-Shutts	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SW - NE - NW	Is Section: Regular or Irregular If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	4		1			
		•				
	1.0			•		
	্ড	-	.			
	_ ' '					
a 165	50' -6	5 7			•	•
1						
1						
] :			1			
		-				
-	•					
		-				
•	•	·	12	•	•	•
	•	•	<i>-</i>	-		
	•		1			
1	•					
			1,			, , , ,
:	•					
	•	-		•	-	
			1			
1	•		-			
		•				.
			1			
	•	_				
	:			•		
-	-	•				.

RECEIVED KANSAS CORPORATION COMMISSION

JUL 2 3 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Venture Resources, Inc.			License Number: 30537			
Operator Address: P. O. Box 101234 Denver CO. 80250						
Contact Person: Ron Mackey		Phone Number: (303) 722 - 2899				
Lease Name & Well No.: Kempe So.	B-14		Pit Location (QQQQ):			
Type of Pit:	Pit is:		_ NE _ SE _ NW			
Emergency Pit Burn Pit	Proposed Existing		Sec. 12 Twp. 11S R. 18 East West			
Settling Pit Drilling Pit	If Existing, date constructed:		990' North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1650' Feet from East / V West Line of Section			
(If WP Supply API No. or Year Drilled)	1000	(bbls)	Filis			
			County			
Is the pit located in a Sensitive Ground Water	Area? 🗹 Yes	No	Chloride concentration: 32000 mg/l			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
✓ Yes No	☐ Yes 🔽	No	Natural clays and muds			
Pit dimensions (all but working pits):	00 Length (fe	eet) 50	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point: 6'	(feet)			
		dures for periodic maintenance and determining				
material, thickness and installation procedure	9 .	liner integrity, in	ncluding any special monitoring.			
NA NA						
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh water 18' feet.			
Source of inf		Source of infor	rmation:			
feet		measu	measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY: Dri		1	Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type of mater		Type of materia	rial utilized in drilling/workover: Fresh water mud			
Number of producing wells on lease: Number of wor		king pits to be utilized: 3				
· -		Abandonment	procedure: Hauled liquids to swd			
Does the slope from the tank battery allow all spilled fluids to		1	Refill with original clays and soils			
		Drill pits must b	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
2-12-07 Januar Marles						
Date		Si	gnature of Applicant or Agent			
	KCC	OFFICE USE ON	ILY RPAC			
RCC OFFICE USE ONLY RECEIVED KANSAS CORPORATION COMMISSION						
Date Received: 7/23/07 Permit Num	ber:	Permit	Date: 7/23/07 Lease Inspection: Yes No			



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

July 23, 2007

Ron Mackey Venture Resources, Inc. PO Box 101234 Denver CO 80250

Re:

Drilling Pit Application

Kempe So. Lease Well No. B-14

NW/4 12-11S-18W Ellis County, Kansas

Dear Mr. Mackey:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Somelle Rains

Department of Environmental Protection and Remediation

CC:

Herb Deines

File