For KCC Use: 7-29-07 Effective Date: 7-29-07 District # 4 No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	25 2007 day year	Spot SW - SE - NE - 20 Sec. 24 Twr	East V West
	/ ","	2220 / seet from teet from teet	N / S Line of Section
PERATOR: License# 33491		1001 11011	E / W Line of Section
lame: King Oil Operations Rodney	<u>, </u>		
Address: 696 D. Fairground Rd.		Is SECTIONRegularIrregula	IT ?
		(Note: Locate well on the Section	Plat on reverse side)
Contact Person: Rod King		County: Ellis	
Phone: 785-726-3498 or cell 785-259-	-3038	Lease Name: King	Well #: 1
		Field Name:	
CONTRACTOR: License# 5184 V		Is this a Prorated / Spaced Field?	Yes No
lame: Shields Oil Peoducers		Target Formation(s): Lansing - Arbuckle	
		Nearest Lease or unit boundary: 1 Mile	
Well Drilled For: Well Cl		Ground Surface Elevation: 2160	feet MSL
Oil Enh Rec In	ifield Mud Rotary	Water well within one-quarter mile:	Yes V No
	ool Ext. Air Rotary	Public water supply well within one mile:	Yes V No
OWWO Disposal W	lildcat Cable	Depth to bottom of fresh water: 180 Ft.	
Seismic; # of Holes Of	ther	Depth to bottom of usable water: \$00 Ft.	
Other		Surface Pipe by Alternate: 1 2	. /
COUNTY OF THE CO		Length of Surface Pipe Planned to be set:	240 Ft.
f OWWO: old well information as follow		Lameth of Conduster Ding required, NORC	
•		Projected Total Depth: 3950	
**=		Formation at Total Depth: 3875 Arba	Kle
Original Completion Date:	Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellb	bore? Yes		
f Yes, true vertical depth:		Well Farm Forth Other	
		DMD Barreit #	
		DWR Permit #:	in Dian [4]
Bottom Hole Location:		(Note: Apply for Permit w	
		(Note: Apply for Permit w Will Cores be taken?	Yes VNo
Sottom Hole Location:	A he drilling, completion and eventu	(Note: Apply for Permit w	Yes VNo
CCC DKT #: The undersigned hereby affirms that the tis agreed that the following minimum 1. Notify the appropriate district off 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreed 5. The appropriate district office with the tight of tight of tight of the tight of ti	he drilling, completion and eventurn requirements will be met: iffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted or e pipe as specified below <i>shall b</i> erials plus a minimum of 20 feet in ment between the operator and to ill be notified before well is either ION, production pipe shall be cent Eastern Kansas surface casing or ays of the spud date or the well sl	Will Cores be taken? If Yes, proposed zone: IFFIDAVIT al plugging of this well will comply with K.S.A. 55 of the each drilling rig; e set by circulating cement to the top; in all cases that the underlying formation. the district office on plug length and placement is plugged or production casing is cemented in; nented from below any usable water to surface with the plugged. In all cases, NOTIFY district of the plugged. In all cases, NOTIFY district of the cases, NOTIFY district of the cases.	et. seq. s surface pipe shall be set necessary prior to plugging; thin 120 days of spud date. at 3 area, alternate II cementing
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that the sagreed that the following minimum 1. Notify the appropriate district off 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreed 5. The appropriate district office with 6. If an ALTERNATE II COMPLETIOR pursuant to Appendix "B" - Emust be completed within 30 data hereby certify that the statements materials and the statements materials.	he drilling, completion and eventure requirements will be met: fice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted or e pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet in ment between the operator and the ill be notified before well is either ION, production pipe shall be centained in the spuddate or the well stands of the spuddate or the well stands herein are true and to the beside of the spuddate or the spuddate or the spuddate or the spuddate.	Will Cores be taken? If Yes, proposed zone: IFFIDAVIT al plugging of this well will comply with K.S.A. 55 etc. The each drilling rig; The set by circulating cement to the top; in all cases and the underlying formation. The district office on plug length and placement is plugged or production casing is cemented in; mented from below any usable water to surface with the right of the right	et. seq. s surface pipe shall be set necessary prior to plugging; thin 120 days of spud date. It 3 area, alternate II cementing
CCC DKT #: The undersigned hereby affirms that the tis agreed that the following minimum 1. Notify the appropriate district off 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreed 5. The appropriate district office with the tight of tight of tight of the tight of ti	he drilling, completion and eventure requirements will be met: fice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted or e pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet in ment between the operator and the ill be notified before well is either ION, production pipe shall be centained in the spuddate or the well stands of the spuddate or the well stands herein are true and to the beside of the spuddate or the spuddate or the spuddate or the spuddate.	Will Cores be taken? If Yes, proposed zone: IFFIDAVIT al plugging of this well will comply with K.S.A. 55 etc. The each drilling rig; the set by circulating cement to the top; in all cases that the underlying formation. The district office on plug length and placement is plugged or production casing is cemented in; The remainder of the top in all cases with the plugged. In all cases, NOTIFY district of the plugged. In all cases, NOTIFY district of the case of the	et. seq. s surface pipe shall be set necessary prior to plugging; thin 120 days of spud date. It 3 area, alternate II cementing
CCC DKT #: The undersigned hereby affirms that the tis agreed that the following minimum 1. Notify the appropriate district off 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreed 5. The appropriate district office with 6. If an ALTERNATE II COMPLETI Or pursuant to Appendix "B" - E must be completed within 30 data hereby certify that the statements materials and the complete in the complete complete in the complete certify that the statements materials are considered.	he drilling, completion and eventure requirements will be met: fice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted or e pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet in ment between the operator and the ill be notified before well is either ION, production pipe shall be centained in the spuddate or the well stands of the spuddate or the well stands herein are true and to the beside of the spuddate or the spuddate or the spuddate or the spuddate.	Will Cores be taken? If Yes, proposed zone: IFFIDAVIT al plugging of this well will comply with K.S.A. 55 etc. The each drilling rig; the set by circulating cement to the top; in all cases to the underlying formation. The district office on plug length and placement is plugged or production casing is cemented in; the plugged or production casing is cemented in; the remarked from below any usable water to surface with the plugged. In all cases, NOTIFY district of the plugged. In all cases, NOTIFY district of the stop in the cases, NOTIFY district of the cases of the cases. Title:	Tyes VNo. Set. seq. Set surface pipe shall be set The necessary prior to plugging; Thin 120 days of spud date. This is a rea, alternate II cementing. The prior to any cementing.
CCC DKT #: The undersigned hereby affirms that the sagreed that the following minimum 1. Notify the appropriate district off 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreed 5. The appropriate district office wine 6. If an ALTERNATE II COMPLETI Or pursuant to Appendix "B" - Emust be completed within 30 date the completed within 30 date to the complete of the complete o	he drilling, completion and eventure requirements will be met: fice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted or e pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet in ment between the operator and till be notified before well is either ION, production pipe shall be centays of the spud date or the well shade herein are true and to the between the operator or Agent:	Will Cores be taken? If Yes, proposed zone: IFFIDAVIT al plugging of this well will comply with K.S.A. 55 etc. The each drilling rig; The set by circulating cement to the top; in all cases that the underlying formation. The district office on plug length and placement is plugged or production casing is cemented in; mented from below any usable water to surface with right of the KCC District of the plugged. In all cases, NOTIFY district of the set of my knowledge and belief. Title:	Tyes VNo. The sequence of the
CCC DKT #: The undersigned hereby affirms that the tis agreed that the following minimum 1. Notify the appropriate district off 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreed 5. The appropriate district office with 6. If an ALTERNATE II COMPLETIOR pursuant to Appendix "B" - Emust be completed within 30 data hereby certify that the statements made and the complete for t	he drilling, completion and eventure requirements will be met: fice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted or epipe as specified below <i>shall be</i> erials plus a minimum of 20 feet in ment between the operator and till be notified before well is either ION, production pipe shall be centified before to the well shall be contacted in the spuddate or the well shade herein are true and to the between the operator or Agent:	Will Cores be taken? If Yes, proposed zone: IFFIDAVIT al plugging of this well will comply with K.S.A. 55 etc. The each drilling rig; the set by circulating cement to the top; in all cases to the underlying formation. The district office on plug length and placement is plugged or production casing is cemented in; the plugged or production casing is cemented in; the remarked from below any usable water to surface with the plugged. In all cases, NOTIFY district of the plugged. In all cases, NOTIFY district of the stop in the cases, NOTIFY district of the cases of the cases. Title:	Tyes VNo. Set. seq. Set surface pipe shall be set The recessary prior to plugging; Thin 120 days of spud date. Set 3 area, alternate II cementing. The reception to any cementing.
CCC DKT #: The undersigned hereby affirms that the tis agreed that the following minimum 1. Notify the appropriate district off 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreed 5. The appropriate district office with 6. If an ALTERNATE II COMPLETIOR pursuant to Appendix "B" - Emust be completed within 30 data hereby certify that the statements made and the complete for t	he drilling, completion and eventure requirements will be met: fice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted or e pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet in ment between the operator and till be notified before well is either ION, production pipe shall be centays of the spud date or the well shade herein are true and to the between the operator or Agent:	Will Cores be taken? If Yes, proposed zone: IFFIDAVIT al plugging of this well will comply with K.S.A. 55 etc. The each drilling rig; The set by circulating cement to the top; in all cases that the underlying formation. The district office on plug length and placement is plugged or production casing is cemented in; Then the from below any usable water to surface with the plugged. In all cases, NOTIFY district of the plugged. In all cases, NOTIFY district of the plugged. Title: Tit	et. seq. s surface pipe shall be set necessary prior to plugging; thin 120 days of spud date. It 3 area, alternate II cementing. Therefore prior to any cementing. Therefore to any cementing.
CCC DKT #: The undersigned hereby affirms that the tis agreed that the following minimum 1. Notify the appropriate district off 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated materials. The appropriate district office with 6. If an ALTERNATE II COMPLETI Or pursuant to Appendix "B" - Emust be completed within 30 data hereby certify that the statements materials are considered. For KCC Use ONLY API # 15 - OSI - 25 668 Conductor pipe required.	he drilling, completion and eventure requirements will be met: fice prior to spudding of well; of intent to drill shall be posted or e pipe as specified below shall be erials plus a minimum of 20 feet in ment between the operator and to ill be notified before well is either ION, production pipe shall be centled by soft the spud date or the well shade herein are true and to the between of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: If Yes, proposed zone: If FiDAVIT al plugging of this well will comply with K.S.A. 55 etc. In each drilling rig; If each drilling rig	et. seq. Section surface pipe shall be set in the set
CCC DKT #: The undersigned hereby affirms that the tis agreed that the following minimum 1. Notify the appropriate district off 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated materials. The appropriate district office with 6. If an ALTERNATE II COMPLETI Or pursuant to Appendix "B" - Emust be completed within 30 data hereby certify that the statements materials are considered. For KCC Use ONLY API # 15 - OSI - 25 668 Conductor pipe required.	he drilling, completion and eventure requirements will be met: fice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted or e pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet in ment between the operator and till be notified before well is either ION, production pipe shall be centastern Kansas surface casing or ays of the spud date or the well shade herein are true and to the better of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: IFFIDAVIT al plugging of this well will comply with K.S.A. 55 etc. The each drilling rig; The each dr	Tes VNo. This seq. This seq. This seq. The seq. This seq. Th
CCC DKT #: The undersigned hereby affirms that the tis agreed that the following minimum 1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreed 5. The appropriate district office with 6. If an ALTERNATE II COMPLETIOF pursuant to Appendix "B" - Emust be completed within 30 data hereby certify that the statements may be considered. For KCC Use ONLY API # 15 - OSI - 25 668 Conductor pipe required ON Minimum surface pipe required CApproved by: Approved by: Approved CAPI # 13 - OSI - O	he drilling, completion and eventure requirements will be met: fice prior to spudding of well; for intent to drill shall be posted or e pipe as specified below shall be erials plus a minimum of 20 feet in ment between the operator and till be notified before well is either ION, production pipe shall be centified before well is either ION, production pipe shall be centified before well is either ION, production pipe shall be centified before and to the well slade herein are true and to the between of Operator or Agent: The complete of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: IFFIDAVIT al plugging of this well will comply with K.S.A. 55 of the each drilling rig; If each drilling rig; I	et. seq. Second surface pipe shall be set necessary prior to plugging; thin 120 days of spud date. It 3 area, alternate II cementing. Second for a for a for a formation orders; the prior to workove or re-entry; and is completent.
CCC DKT #: The undersigned hereby affirms that the tis agreed that the following minimum 1. Notify the appropriate district off 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreet 5. The appropriate district office with 6. If an ALTERNATE II COMPLETIOR pursuant to Appendix "B" - Emust be completed within 30 dathereby certify that the statements may be completed. For KCC Use ONLY API # 15 - OSI - 25 668 Conductor pipe required Minimum surface pipe required Approved by: May 7 2 4 57 This authorization expires: 1-3 4 5	he drilling, completion and eventum requirements will be met: iffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted or e pipe as specified below <i>shall be</i> prials plus a minimum of 20 feet in ment between the operator and the ill be notified before well is either ION, production pipe shall be centled before to the well shade herein are true and to the between the operator or Agent: Office of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: IFFIDAVIT al plugging of this well will comply with K.S.A. 55 of the each drilling rig; If each drilling rig; I	Tyes ✓ No. Intent to Drill; anys of spud date; ield proration orders; into to workov or re-entry; ing is completent.
CCC DKT #: The undersigned hereby affirms that the tis agreed that the following minimum 1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreed 5. The appropriate district office with 6. If an ALTERNATE II COMPLETIOF pursuant to Appendix "B" - Emust be completed within 30 data hereby certify that the statements may be considered. For KCC Use ONLY API # 15 - OSI - 25 668 Conductor pipe required ON Minimum surface pipe required CApproved by: Approved by: Approved CAPI # 13 - OSI - O	he drilling, completion and eventum requirements will be met: iffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted or e pipe as specified below <i>shall be</i> prials plus a minimum of 20 feet in ment between the operator and the ill be notified before well is either ION, production pipe shall be centled before to the well shade herein are true and to the between the operator or Agent: Office of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: If FIDAVIT al plugging of this well will comply with K.S.A. 55 of the each drilling rig; If this permit has expired (See: authorized check the hox below and return to the addition.)	et. seq. Second surface pipe shall be set necessary prior to plugging; thin 120 days of spud date. It 3 area, alternate II cementing. Second for a for a for a formation orders; the prior to workove or re-entry; and is completent.
CCC DKT #: The undersigned hereby affirms that the tis agreed that the following minimum 1. Notify the appropriate district off 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreet 5. The appropriate district office with 6. If an ALTERNATE II COMPLETIOR pursuant to Appendix "B" - Emust be completed within 30 dathereby certify that the statements may be completed. For KCC Use ONLY API # 15 - OSI - 25 668 Conductor pipe required Minimum surface pipe required Approved by: May 7 2 4 57 This authorization expires: 1-3 4 5	he drilling, completion and eventum requirements will be met: iffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted or e pipe as specified below <i>shall be</i> prials plus a minimum of 20 feet in ment between the operator and the ill be notified before well is either ION, production pipe shall be centified before well is either ION, production pipe shall be centified before well is extended and the spud date or the well shade herein are true and to the between of Operator or Agent: The feet feet feet feet months of approval date, and within 6 months of approval date, and the difference of the spud date, and the difference of the spud date of the spud date.	Will Cores be taken? If Yes, proposed zone: If Yes, proposed zone: If PlayIT al plugging of this well will comply with K.S.A. 55 of the each drilling rig; If this permit has expired (See: authorized check the box below and return to the addition. If Yes, proposed zone: If this permit has expired (See: authorized check the box below and return to the addition.) If Yes, proposed zone: If Yes, proposed zone: If this permit has expired (See: authorized check the box below and return to the addition.)	Tyes VNo. Section of the set of

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25668-0000	Location of Well: County: Ellis
Operator: King Oil Operations	
Lease: King	feet from VN / S Line of Section 685 feet from VE / W Line of Section
Well Number: 1	Sec. 24 Twp. 13 S. R. 20 ☐ East ✓ West
Field:	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: 20 _ 13 _ 20	Is Section: X Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

					•		•														:			
		•							•	•		•	٠		•	•	•	•	•	٠	•		•	٠
																					:			
			•				٠.							-						-	٠.	-		
			:											•							:			
			-		-		•							٠				•			•			
		•			•	•		•	•		·	•	•		-	•	•		•	•			·	•
				 			•											•						
Г							•																	
			٠		•						I			:							· ·			
			٠		•									:							:			
			•		· · ·					•							-						•	
		,	-		· · ·												-							
										•				•	٠					•				
																	-			•				
																	-			•				
	. ,									•							-			•				

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 1 9 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED KANSAS CORFORMA DIE COMPONION

Form CDP-1

JUL 1 9 2007 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSESSATION DIVISION WICHITA, KS

Operator Name: King Oil Operation	ons	License Number: 33491						
Operator Address: 696 D. Fairgro	ound Rd.							
Contact Person: Rodney L. King	,	Phone Number: (785) 726 - 3498						
Lease Name & Well No.: King #1		Pit Location (QQQQ):						
Type of Pit:	Pit is:		<u>ΝΕ΄ Σω΄ ΣΕ΄ ΝΕ΄</u>					
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 24 Twp. 13 R. 20 East west					
Settling Pit	If Existing, date co	nstructed:	2220 Feet from 🗹 North / 🗌 South Line of Section					
Workover Pit Haul-Off Pit	Pit capacity:		685 Feet from 🗹 East / 🗌 West Line of Section					
(If WP Supply API No. or Year Drilled)	4,500	(bbls)	Ellis County					
Is the pit located in a Sensitive Ground Water	Area? Yes	No ·	Chloride concentration: mg/l					
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?					
Yes No	Yes V	Мо	Drilling Mud					
Pit dimensions (all but working pits): 8	iO Length (fee	et) 80	Width (feet) N/A N/A: Steel Pits					
r it difficitions (all but Working pilo).	om ground level to de		(feet)					
If the pit is lined give a brief description of the material, thickness and installation procedure	I	•	edures for periodic maintenance and determining ncluding any special monitoring.					
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh water 70 35 feet. Source of information:						
2200 teet Depth of water well	45:50 feet	measured well owner electric log KDWR						
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	orkover and Haul-Off Pits ONLY:					
Producing Formation:		at utilized in drilling/workover:						
Number of producing wells on lease:	·		working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment procedure: Air Dry and Backfill						
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must l	Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above state	ments are true and co	t of my knowledge and belief.						
7-18-07 Date		Rodue	g J L Mg Ignature of Applicant of Agent					
	KCC C	FFICE USE O	NLY OK					
Date Received: $\frac{7/19/c7}{}$ Permit Num	ber:	Permi	it Date: 7/33/07 Lease Inspection: Yes No					