OWWC

For KCC Use:	7-29-07
District #	
SGA? Yes	No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

NOTICE OF INTENT TO DRILE

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date July 25 2007 month day year	Spot C NE NE Sec. 21 Twp. 22	East S. R. 22 ✓ West
OPERATOR: License# 9860 Name: Castle Resources Inc.	660 feet from ✓ N 660 feet from ✓ E	
Address: PO Box 87	ls SECTION <u>✓ Regular</u> Irregular?	
City/State/Zip: Schoenchen, KS 67667	(Note: Locate well on the Section Plat	on reverse side)
Contact Person: Jerry Green	County: Hodgeman	
Phone: 785-625-5155	Lease Name: Miller	Well #: 4
CONTRACTOR: License# 31627	Field Name: Hanston	
Name: Fritzler Trucking Inc. Whitetail Crude, Inc.	Is this a Prorated / Spaced Field? Target Formation(s): Mississippi	Yes ✓ No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 2183	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes No
✓ OWWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes No
Seismic:# of Holes Other	Depth to bottom of fresh water: 150	
Other	Depth to bottom of usable water:	
	Surface Pipe by Alternate:	.253
If OWWO: old well information as follows:	Surface Pipe by Alternate: 1 2 2 2 Length of Surface Pipe Planned to be set: 258	
Operator: Sunray DX Oil Company	congin or osinocotor ripo roquiros.	, , , , , , , , , , , , , , , , , , , ,
Well Name: Miller #4	Projected Total Depth: 4513 Formation at Total Depth: Mississippi	
Original Completion Date: 11/15/62 Original Total Depth: 4493'	Termation at Total Depart	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well ✓ Farm Pond ✓ Other	
Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DV	(3.5.5) (3.5)
NOO DRI #	Will Cores be taken?	YesNo
	If Yes, proposed zone:	RECEIVED
ΔFF	I DAVIT KA	NSAS CORPORATION COMMISSIO
	lugging of this well will comply with K.S.A. 55 et. se	
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:	lugging of this well will comply with K.S.A. 55 et. se	JUL 2 0 2007
The undersigned hereby affirms that the drilling, completion and eventual pl	ch drilling rig; by by circulating cement to the top; in all cases surface underlying formation. district office on plug length and placement is nece gred or production casing is cemented in; ded from below any usable water to surface within #139,891-C, which applies to the KCC District 3 a	CONSERVATION DIVISION face pipe Wild Toekset ssary prior to plugging; 120 days of spud date. area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	ch drilling rig; It by circulating cement to the top; in all cases surface underlying formation. Illistrict office on plug length and placement is neces aged or production casing is cemented in; It ded from below any usable water to surface within #139,891-C, which applies to the KCC District 3 as be plugged. In all cases, NOTIFY district office	CONSERVATION DIVISION face pipe Wild Toekset ssary prior to plugging; 120 days of spud date. area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall.	ch drilling rig; It by circulating cement to the top; in all cases surface underlying formation. Illistrict office on plug length and placement is neces aged or production casing is cemented in; It ded from below any usable water to surface within #139,891-C, which applies to the KCC District 3 as be plugged. In all cases, NOTIFY district office	CONSERVATION DIVISION face pipe Wild Welfer ssary prior to plugging; 120 days of spud date. area, alternate II cementing prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drilling to the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing ordermust be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the spud shall be certify that the statements made herein are true and to the best of the spud shall be certify that the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the spud shall the statements made herein are true and the spud shall the statements made herein are true and the spud shall the statements are true and the spud shall the spud shall the statements are true and the spud shall	ch drilling rig; If by circulating cement to the top; in all cases surface underlying formation. Ilistrict office on plug length and placement is nece aged or production casing is cemented in; If the from below any usable water to surface within the from below any usable water to surface within the from t	CONSERVATION DIVISION face pipe What The Keet ssary prior to plugging; 120 days of spud date. area, alternate II cementing prior to any cementing. ident t to Drill; of spud date; proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug of the standard of the set of the	ch drilling rig; but by circulating cement to the top; in all cases surface to underlying formation. Illistrict office on plug length and placement is nece aged or production casing is cemented in; led from below any usable water to surface within #139,891-C, which applies to the KCC District 3 as to be plugged. In all cases, NOTIFY district office of my knowledge and belief. Title: Presidemember to: File Drill Pit Application (form CDP-1) with Intensity of the Completion Form ACO-1 within 120 days of File acreage attribution plat according to field process.	CONSERVATION DIVISION race pipe What De Keet ssary prior to plugging; 120 days of spud date. area, alternate II cementing prior to any cementing. ident t to Drill; of spud date; proration orders; o workover or re-entry; completed;
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug of the spud attention of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud state of the spud state of the spud state of the spud state. For KCC Use ONLY API # 15 - Signature of Operator or Agent: For KCC Use ONLY API # 15 - Signature of Operator or Agent: For KCC Use ONLY API # 15 - Signature of Operator or Agent: For KCC Use ONLY API # 15 - Signature of Operator or Agent: For KCC Use ONLY API # 15 - Signature of Operator or Agent: For KCC Use ONLY API # 15 - Signature of Operator or Agent: Approved by: App	ch drilling rig; by by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface underlying formation. Illistrict office on plug length and placement is nece gred or production casing is cemented in; led from below any usable water to surface within #139,891-C, which applies to the KCC District 3 a be plugged. In all cases, NOTIFY district office of my knowledge and belief. Title: President President of the CDP-1 with Intensity in the President of the CO-1 within 120 days of the Completion Form ACO-1 within 120 days of the CDP-1 with Intensity in the CDP-1 within 120 days of the CDP-1 within 120	CONSERVATION DIVISION race pipe With The Keet ssary prior to plugging; 120 days of spud date. area, alternate II cementing prior to any cementing. ident t to Drill; of spud date; or or orders; o workover or re-entry; completed; ecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the s	ch drilling rig; by by circulating cement to the top; in all cases surface underlying formation. district office on plug length and placement is necesiged or production casing is cemented in; deform below any usable water to surface within #139,891-C, which applies to the KCC District 3 as be plugged. In all cases, NOTIFY district office of my knowledge and belief. Title: President President of the CDP-1 with Intenesting the Completion Form ACO-1 within 120 days of the Completion Form ACO-1 within 120 days of the CDP-1 within 120 d	CONSERVATION DIVISION race pipe Wild Weeker ssary prior to plugging; 120 days of spud date. area, alternate II cementing prior to any cementing. ident t to Drill; of spud date; proration orders; o workover or re-entry; completed; peting salt water. ration date) please
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the driving and the appropriate district office will be notified before well is either plug of the analysis of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the a	ch drilling rig; by by circulating cement to the top; in all cases surface underlying formation. listrict office on plug length and placement is nece ged or production casing is cemented in; led from below any usable water to surface within #T39,891-C, which applies to the KCC District 3 a be plugged. In all cases, NOTIFY district office of my knowledge and belief. Title: President President of the CDP-1 with Intensity of the Completion Form ACO-1 within 120 days of the Completion Form ACO-1 within 120 days of the CDP-1 with plugging report (CP-4) after plugging is Obtain written approval before disposing or injure. If this permit has expired (See: authorized expired)	CONSERVATION DIVISION face pipe Wild Weeker ssary prior to plugging; 120 days of spud date. area, alternate II cementing prior to any cementing. ident t to Drill; of spud date; ororation orders; o workover or re-entry; ecting salt water. ration date) please is below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 . 083- 10251-00-01	Location of Well: County: Hodgeman
Operator: Castle Resources Inc.	660feet fromN / S Line of Section
Lease: Miller	660 feet from 🗸 E / 🗌 W Line of Section
Well Number: 4 Field: Hanston	Sec. 21 Twp. 22 S. R. 22 East ✓ West
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: C - NE - NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		.,			<u>, </u>
					_ †
1				. ,	ارمان ا
				. 😘	?i . i
					المايل الم
				•	
				•	
		,	·	•	
			-		
		-			
i				_	
1		-	•	·	
		•		•	•
	•	· ·	-	•	
	•	•	•	•	•
		- !		•	•
1					
				•	•
		•		•	•
ļ			-		-
1			_	•	
			•	•	
				•	•
				•	
1					
3 7 7 7					
:				•	
!		•		•	•
!		•		-	•
-		•		•	
i					

EXAMPLE	
:	1980
	10 ## ##
	3390' ·
:	RECEIVED
SEWARD CO.	KANSAS CORPORATION COMMISSION

NOTE: In all cases locate the spot of the proposed drilling locaton.

JUL 2 0 2007

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Castle Resources Inc.			License Number: 9860			
Operator Address: PO Box 87 Schoenchen, KS 67667						
Contact Person: Jerry Green			Phone Number: (785) 625 - 5155			
Lease Name & Well No.: Miller #4			Pit Location (QQQQ):			
Type of Pit:						
Emergency Pit Burn Pit	Emergency Pit Burn Pit Proposed Existing			East ✓ West		
Settling Pit Drilling Pit	If Existing, date co	onstructed:				
Workover Pit ☐ Haul-Off Pit	Pît capacity:		660 Feet from 🗸 East / West Line of Section			
(If WP Supply API No. or Year Drilled)	100	(bbis)	HodgemanCounty			
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes	No	Chloride concentration: Fresh	mg/l		
			(For Emergency Pits an	d Settling Pits only)		
Is the bottom below ground level? ✓ Yes No	Artificial Liner?	NI	How is the pit lined if a plastic line	r is not used?		
Tes No	✓ Yes					
Pit dimensions (all but working pits):	.5 Length (fe	eet) 25	Width (feet)	N/A: Steel Pits		
Depth fr	om ground level to de	eepest point:	(feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure		,	edures for periodic maintenance and notuding any special monitoring.	determining		
6 mil liner						
				\sim		
		.	50	fact 2		
Distance to nearest water well within one-mile /6 77	e of pit		Depth to shallowest fresh water 50 feet. 2 Source of information: JR -KCS			
2500 140			asuredwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	al utilized in drilling/workover:water			
Number of producing wells on lease: Number of wo			rking pits to be utilized:1			
			procedure: allow to dry & backfill			
Does the slope from the tank battery allow all	spilled fluids to					
flow into the pit? Yes No Drill pits must			be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and o	correct to the best	t of my knowledge and belief. KANS/	,,		
		< , l,	2/1	JUL 2 0 2007		
7/17/07	(/ 4/	94	302 2 0 2001		
Date Signature of Applicant or Agent CONSERVATION DIVISION						
		/// s	signature of Applicant or Agent	CONSERVATION DIVISION WICHITA, KS		
	KCC	OFFICE USE O				
		OFFICE USE O	NLY	Normal		

/SAS RATION COMMISSION do Derby Building Kansas 67202

WELL PLUGGING RECORD K.A.R.-82-3-117

- ...

API	NUMBER 15-083-10251-00-00
-----	---------------------------

	Kansas	67202				LEASE	NAME_ Ed Mi	ller
			TYPE	OR P	RINT	WELL	NUMBER	4
			and retu	rn to	Cons. DI	<u>, x</u>		S Section Line
			office w	ITNIN	30 days.			E Section Line
SE OPE	RATOR	Berexco, Inc						GE. 22 (E) or (W)
		x 723 Hays.						n(E) or (W)
PHONE (9	13 628	6101 OPERAT	ORS LICENSE	NO.	5363			ed
		0il	•	_			ing Commenced	
(OII, Gas,	D&A, SI	ND, Input, Wat	er Supply We	11)			ng Completed	
•		osal was appro		•	9=10=92			
					 _			(date)
Is ACO-1 f	Iled?				 	(X	CC District	Agent's Name).
Products		If :	TOT, IS WELL	log	ttached?			·
rroducing	rormatio	n	Depti	h to '	ор	Bot	tomT.	.D. <u>4490</u>
Show depth	and thi	ckness of all	water, oll a	and ga	s format	ions.		
OIL, GAS	OR WATER	RECORDS		· · · · · · · · · · · · · · · · · · ·		CASING RECO	ORO	
Formation		Content	From	To	Size	Put In	Pulled out	
		Surface		253	8 5/8	-		
1	· 	Casing		1489		-	None None	
Describe 1-				<u> </u>		-		
Rig up B	J Servic	the character	of same a	nd de p Mer	pth plac cury, Se	ed, from t CIPB 400	feet to	e mud fluid was t or other plugs feet each set. sk. cement. Pert lax. pressure
		tional descrip		,		97		
Name of Plu			Berexco, I					ي م
Address	Вох	x 723 Havs.	Kansas 6760				License No	5363 COS/EC-
NAME OF PAR		NSIBLE FOR PLU						Se PORCED
` F OF	Kans		and the second s		Berexco	Inc.		CONN.
′¹ ~ -	·		COUNTY OF _	E1	lis		,55.	Wich ATIO
escri ents, ame are	bed well, and ma	OTARY PUBLIC-State ROSEMARY SMI y Appt. Exp	help me God	• (S	(E th, says: log of t (gnature)	he above-d	Operator) of ve knowledge escribed well	Wight Town of the to the town of the town
1 7	548	SER I BED AND S	ron To befo	re me	THIS	2 / day o	Aplent	W. 19 92
				. 7	The	moup	+mak	
	Му	Commission Exp	ires:	<u>5-/</u>	-1995		ry Public	