RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	7-29-07
District #	3,
SGA2 Ves	No

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

JUL 23 2007

Form C-1 December 2002 Form must be Typed Form must be Signed

NOTICE OF INTENT TO DOU I

xpected Spud Date	Spot ✓ East
month day year	NE Sw Sec. 36 Twp. 27 S. R. 19 West
PERATOR: License# 33344	1950feet from N / S Line of Section
omo. Quest Cherokee LLC	feet fromE / V W Line of Section
ddress: 9520 North May Avenue, Suite 300	Is SECTIONRegularIrregular?
ty/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Richard Marlin	County: Neosho
none: (405) 463-6880	Lease Name: Peck Bros Cattle Co Well #: 36-2 Field Name: Cherokee Basin CBM
DNTRACTOR: License# Will be licensed by the KCC	
ame: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals Yes ✓ No
	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation; 977feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water: 200 /50
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
'	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
JC UKT #!	Will Cores be taken? Yes ✓ No
GC UKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFF	If Yes, proposed zone:
AFF ne undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
AFF we undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
AFF the undersigned hereby affirms that the drilling, completion and eventual pairs agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	if Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig;
AFF the undersigned hereby affirms that the drilling, completion and eventual pairs agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be s</i> .	if Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
AFF The undersigned hereby affirms that the drilling, completion and eventual pairs agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified.	if Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
AFF be undersigned hereby affirms that the drilling, completion and eventual pages agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be simple</i> through all unconsolidated materials plus a minimum of 20 feet into the	if Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
AFF be undersigned hereby affirms that the drilling, completion and eventual page agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.
AFF the undersigned hereby affirms that the drilling, completion and eventual processes agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be sufficiently through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be sufficiently through all unconsolidated materials plus a minimum of 20 feet into the sufficient to the sufficient to the sufficient to the sufficient to the sufficient plus of the sufficient to the sufficient plus of the sufficient to the suffi	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF the undersigned hereby affirms that the drilling, completion and eventual processing processing agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the substitution of the approved notice of intent to drill <i>shall be</i> posted on each and the substitution of th	if Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF the undersigned hereby affirms that the drilling, completion and eventual processing processing agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the substitution of the approved notice of intent to drill <i>shall be</i> posted on each and the substitution of th	if Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eat through all unconsolidated materials plus a minimum of 20 feet into the desired state of the well is dry hole, an agreement between the operator and the constant of the desired state of the appropriate district office will be notified before well is either plus to the desired state of the desired state of the state of the spuddate or the well-shall be completed within 30 days of the spuddate or the well-shall bereby certify that the statements made herein are true and to the best of the spuddate.	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> surface has a minimum of 20 feet into the description of the description o	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
AFF the undersigned hereby affirms that the drilling, completion and eventual processing agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead through all unconsolidated materials plus a minimum of 20 feet into the determinant of the well is dry hole, an agreement between the operator and the construction of the determinant of the well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and to the best of the statements. Signature of Operator or Agent: A Complete Statement of the derection of the desired of the statement of the derection of the desired of the statement of the derection of the desired of the statement of the derection of the der	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP
ne undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
ne undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the construction of the self-than ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well-shall hereby certify that the statements made herein are true and to the best of the self-than of the description of the self-than of the self-tha	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
e undersigned hereby affirms that the drilling, completion and eventual personal support of the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and through all unconsolidated materials plus a minimum of 20 feet into the support of the well is dry hole, an agreement between the operator and the support of the appropriate district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the surface casing order or surface casing order or surface casing order of the surface casing order or surface casing order	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. f mix knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
e undersigned hereby affirms that the drilling, completion and eventual personal superior of the appropriate district office prior to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be superior through all unconsolidated materials plus a minimum of 20 feet into the superior and the sup	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. f mix knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
e undersigned hereby affirms that the drilling, completion and eventual personal superior of the appropriate district office prior to spudding of well; 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be superior through all unconsolidated materials plus a minimum of 20 feet into the superior and the sup	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AFF the undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the determinant of the well is dry hole, an agreement between the operator and the composition of the well is dry hole, an agreement between the operator and the composition of the well is either plus of the well is dry hole, an agreement between the operator and the composition of the well is either plus of the appropriate district office will be notified before well is either plus of the well shall be cement of the process of the spund date or the well shall be completed within 30 days of the spund date or the well shall be ereby certify that the statements made herein are true and to the best of the spund of the process of the spund of the process of the spund of the process of the spund date or the well shall be ereby certify that the statements made herein are true and to the best of the spund of the spund of the process of the spund date or the well shall be completed. For KCC Use ONLY API # 15 - 133 - 27063 - 0000 Conductor pipe required	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gred or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. f mix knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFF the undersigned hereby affirms that the drilling, completion and eventual processing agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead through all unconsolidated materials plus a minimum of 20 feet into the determinant of the well is dry hole, an agreement between the operator and the composition of the sittle plus. If an ALTERNATE II COMPLETION, production pipe shall be deemen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and to the best of the composition of the determinant of the desired between the completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and to the best of the composition of the determinant of the determ	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFF the undersigned hereby affirms that the drilling, completion and eventual processing processes agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eat an earlier of the appropriate district office pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the such that the well is dry hole, an agreement between the operator and the construction of the sufficient of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the sufficient of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. f mix knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-27063-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1950 feet from N / S Line of Section
Lease: Peck Bros Cattle Co	1980 feet from E / W Line of Section
Well Number: 36-2	Sec. 36 Twp. 27 S. R. 19 ✓ East Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well: OTR (OTR of personal) NE SW	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NE SW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

Kansas Corporation Commission Oil & Gas Conservation Division

JUL 2 3 2007 Form must be Typed

Form CDP-1

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

Operator Name: Quest Cherokee LLC			License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120					
Contact Person: Richard Marlin			Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Peck Bros. Cattle Co. #36-2			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u></u>		
Emergency Pit Burn Pit	✓ Proposed		Sec. 36 Twp. 27 R. 19		
Settling Pit	If Existing, date constructed:		1950 Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	it ————————————————————————————————————		1980 Feet from East / 📝 West Line of Section		
(If WP Supply API No. or Year Drilled)	300 (bbls)		Neosho County		
Is the pit located in a Sensitive Ground Water Area? Yes V No			Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits): 30 Length (feet) 10			Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point:	10 (feet)		
			edures for periodic maintenance and determining ncluding any special monitoring.		
material, thickness and installation procedure.		Air Drilling Operation lasting approx 3 days			
		, J	operation lability approximation		
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:			
feet Depth of water wellfeet		measu	red well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Air Drilled			
Number of producing wells on lease:		Number of working pits to be utilized: One			
Barrels of fluid produced daily:		Abandonment procedure: Air Dry, Back Fill and Cover			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
		o, J	$\sim \sim $		
July 20, 2007	*/	Kard	V Marka		
Date		- s	ignature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 7/23/07 Permit Num	ber:	Permi	it Date: 7/23/07 Lease Inspection: Yes No		