#### For KCC Use: Effective Date: District #\_ SGA? XYes

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

CIDECHU DUU DAU	_ Spot East
Expected Spud Date AUGUST 15TH, 2007  month day year	SW SW Sec. 28 Two. 13S S. R. 39W West
32959	330'feet from N / ✓ S Line of Section
OPERATOR: License# 32959 / Name: Deep Rock Exploration Inc	330' feet from ☐ E / ✓ W Line of Section
Address: 1010 ROAD 62	Is SECTION RegularIrregular?
Address: GOODLAND KANSAS 67335	-
City/State/Zip: POSS MCGUCKIN	(Note: Locate well on the Section Plat on reverse side) County: WALLACE
Contact Person: ROSS MCGUCKIN	Lease Name: THIEDE SW1 Well #: SW1
Phone: 785-899-7060	Field Name: UNKNOWN
CONTRACTOR: License# 33565	
Name: HIGH PLAINS WELL WORKS, INC.	Is this a Prorated / Spaced Field?
TIGHTO,	Target Formation(s): ANHYDRITE
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'  Ground Surface Elevation: 3854.4'? Est 3315 Topo feet MSL
Oil Enh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
ONNO Disposal Wildcat Cable	Public water supply well within one mile. Yes VNo
Seismic: # of Holes Other	Depth to bottom of fresh water: 300 /50
Other	Depth to bottom of usable water: 399 1550
	# Surface Pipe by Alternate: 2  Length of Surface Pipe Planned to be set: 350' # Alt 2
If OWWO: old well information as follows:	
Operator:	Length of Conductor Pipe required: NONE
Well Name:	Projected Total Depth: 2150'
Original Completion Date:Original Total Depth:	Formation at Total Depth: ANHYDRITE
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other CITY OF WALLACE/ SHARON SPRINGS
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	_ Will Cores be taken?Yes ✓ No
KCC DKT #:	_ Will Cores be taken?
KCC DKT #:	_ Will Cores be taken?
All  The undersigned hereby affirms that the drilling, completion and eventual  It is agreed that the following minimum requirements will be met:	_ Will Cores be taken?
All The undersigned hereby affirms that the drilling, completion and eventuallt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either point and all the complete of the complete of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  each dr
All The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the bes	Hill Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  each dr
All The undersigned hereby affirms that the drilling, completion and eventuallt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either point and all the complete of the complete of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  each dr
All The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either point of the complete of the complete of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  each dri
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either point of the interpretary of the specific property of	If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  each drilling rig;  each by circulating cement to the top; in all cases surface pipe shall be set on the underlying formation.  e district office on plug length and placement is necessary prior to plugging;  sugged or production casing is cemented in;  ented from below any usable water to surface within 120 days of spud date.  ther #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either point of the properties of the spuddate of the spuddate or presuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall hereby certify that the statements made herein are true and to the best Date: JULY 16TH, 2007  Signature of Operator or Agenty  For KCC Use ONLY  API # 15 - 199 - 20340 - 0000  Conductor pipe required 1990 - feet per Aft. 1990 - 2000 - feet per Aft. 1990 - 2000 - feet per Aft. 1990 - 2000 - 2000 - feet per Aft. 1990 - 2000 - 2000 - 2000 - feet per Aft. 1990 - 2000 - 2000 - 2000 - feet per Aft. 1990 - 2000 - 2000 - 2000 - feet per Aft. 1990 - 2000 - 2000 - 2000 - 2000 - feet per Aft. 1990 - 2000	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  Peach drilling rig;  Peach drilling ri
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either point of the properties of the spuddate or the well is either point of the properties of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be represented to the post of the properties of the pro	Will Cores be taken?  If Yes, proposed zone:  PFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  Peach drilling rig;  Peach drilling ri
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either properties of the surface of the specific or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date:    JULY 16TH, 2007	Will Cores be taken?  If Yes, proposed zone:  PFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  eat by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  e district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  PRESIDENT  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please

JUL 18 2007

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 199-20340-000	Location of Well: County: WALLACE
Operator: Deep Rock Exploration Inc	330'feet from ☐ N / ✓ S Line of Section
Lease: THIEDE SW1	330' feet from ☐ E / ✓ W Line of Section
Well Number: SW1 Field: UNKNOWN	Sec. <u>28</u> Twp. <u>13S</u> S. R. <u>39W</u> East ✓ Wes
Number of Acres attributable to well: 40  QTR / QTR / QTR of acreage: SW - SW - SW	Is Section:
	Section corner used: NE NW SE SW

#### PL AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			· ·				
		•					• •
			. · · ·	· · · · · · · · · · · · · · · · · · ·			
					! . 		•
		•	, ,		: !	•	: :
		· · · ·		· · · · · · ·			
						•	•
330/ UFL	···						
		•					· · · · · · · · · · · · · · · · · · ·



NOTE: In all cases locate the spot of the proposed drilling locaton. 330/5FL

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for CG-8 for gas wells).

JUL 19 2007

KCC WICHITA

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Deep Rock Exploration, Inc.			License Number: 32959		
Operator Address: 1010 Road 62 Goodland Kansas 67735					
Contact Person: ROSS MCGUCKIN			Phone Number: ( 785 ) 899 - 7060		
Lease Name & Well No.: TO IEDE SW-			Pit Location (QQQQ):		
	Pit is:	,,,,,	<u>NW . NW . NW</u>		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 28 Twp. 13S R 39W East V West		
	f Existing, date c	constructed:	330' Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			330' Feet from East / V West Line of Section		
(If WP Supply API No. or Year United)	Pit capacity:	(bbls)	WALLACE County		
Is the pit located in a Sensitive Ground Water Are					
is the pit located in a Sensitive Ground Water Ale	41 162 <b>A</b>		Chloride concentration: mg/l		
Is the bottom below ground level?  Yes No	Artificial Liner?  ✓ Yes	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits): 25					
		eepest point: 10	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance a liner integrity, including any special monitoring.					
STANDARD POLY LINER MONITOR		ED BY DRILLING CREWS			
Distance to nearest water well within one-mile of	Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water 75 feet.		
Source of infor690'feet Depth of water well150feetmeasu			red well owner electric log KDWR		
· · · · · · · · · · · · · · · · · · ·		over and Haul-Off Pits ONLY:			
		al utilized in drilling/workover: Gelled Mud			
l l			king pits to be utilized: One		
Barrels of fluid produced daily: Abandonment		procedure: Air Dry			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
mill!					
July 16, 2007	-/	17/2			
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 7/19/07 Permit Number: Permit Date: 7/23/07 Lease Inspection: Yes No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED
JUL 1 9 2007