KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date July 23 2007	Spot East
month day year	NE - SW - SE Sec. 24 Twp. 20s S. R. 9 West
32924	930' FSL feet from N / S Line of Section
OPERATOR: License# 32924 / Name: Gilbert-Stewart Operating LLC	1360' FELfeet from ✓ E / W Line of Section
1801 Broadway #450	Is SECTIONRegularIrregular?
Address: Denver, CO 80202 City/State/Zip: Denver, CO 80202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Kent L. Gilbert	County: Rice
Phone: 303-534-1686	Lease Name: TipWell #: 1
	Field Name: Chase Silica
CONTRACTOR: License# 33350	Is this a Prorated / Spaced Field?
Name: Southwind Drilling	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 930'
	Ground Surface Elevation: 1820 7 16 70 ± Topo feet MSL
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile: ✓ Yes No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 180'
Seismic; # of Holes Other	Depth to bottom of usable water: 240' Permian
Other	Surface Pipe by Alternate: 🗸 1 🔲 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 260'-300'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 3500'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	★ ✓ Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone: RECEIVED
AF	FIDAVII
AF The undersigned hereby affirms that the drilling, completion and eventual	FIDAVII
The undersigned hereby affirms that the drilling, completion and eventual	FIDAVII
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on the state of the approved notice of intent to drill <i>shall be</i> posted on the state of the	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order.	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION with the production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order.	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order.	conservation division with K.S.A. 55 et. seq. JUL 1 7 2007 Conservation division wichtra Ks set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing ill be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the control of the specified before well is either plus of the specified before we	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing ill be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7-16-07 Signature of Operator or Agents.	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7-16-07 Signature of Operator or Agents.	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a great specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the specified district office will be notified before well is either place. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7-16-07 Signature of Operator or Agent API # 15 - 159-22544-0000	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7-16-07 Signature of Operator or Agent Power Pow	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7-16-07 Signature of Operator or Agent For KCC Use ONLY API # 15 - S9-22544-0000 Conductor pipe required 860 feet per Alt 1	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7-16-07 Signature of Operator or Agent For KCC Use ONLY API # 15 - S9 - 22544-0000 Conductor pipe required Nove feet per Alt 1 Approved by: 417-24-07	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 7-16-07 Signature of Operator or Agent 1 For KCC Use ONLY API # 15 - S9 - 22544-0000 Conductor pipe required 1 Minimum surface pipe required 260 feet per Alt 1 This authorization expires: 344-08	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION ach drilling rig; witchtta KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the analyse of the spudding production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best bate: T-16-07	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. First 133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of 1. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best described by the feet of the feet	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. First 133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus on the appropriate district office will be notified before well is either plus on the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall	plugging of this well will comply with K.S.A. 55 et. seq. JUL 1 7 2007 CONSERVATION DIVISION WICHITA KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 159-22544-DDDD	Location of Well: County: Rice
Operator: Gilbert-Stewart Operating LLC	930' FSL feet from N / S Line of Section
Lease: Tip	1360' FEL feet from F E / W Line of Section
Well Number: 1	Sec. 24 Twp. 20s S. R. 9 East Wes
Field: Chase Silica	
Number of Acres attributable to well: QTR / QTR of acreage: NE SW SE	Is Section: Aegular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

Γ.				
	•			
•	•	•	•	•
		.		
1				
		.		
		.		
1	•			
		•	-	.
1				
			_	
	•	·	•	
	•	•	•	•
		.		,
1				
-	-		•	
		.		
•	•	•	•	
•		<u> </u>	•	•
			-	
		· •		•
		. 1		
1	•		•	
İ				
			_	
	•		•	
	•	•	•	•
		.		
		•	1360	FFL
		.	. 6	1.2-
			. JŤ.	. '
	•		₹T	
			<u>~</u> 1	
			430,	
1 .		.	. ‰I.	
	•		~ 1	
	•	•	· • 1 ·	
		.	. (.	

EXAMPĻE	
-	1980
	<u> </u>
	.10
	3390'
· ·	
, , , , , ,	
	· · · · · · · · · · · · · · · · · · ·
SEWARD CO.	RECEIVED KANSAS CORPORATION COMMISSION

NOTE: In all cases locate the spot of the proposed drilling locaton.

JUL 1 7 2007

In plotting the proposed location of the well, you must show:

- CONSERVATION DIVISION

 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Gilbert-Stewart Operating LLC		License Number: 32924			
Operator Address: 1801 Broadway #450 Denver, CO			80202		
Contact Person: Kent Gilbert		Phone Number: (303) 534 - 1686			
Lease Name & Well No.: Tip #1			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE _ SW _ SE</u>		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 24 Twp. 20S R. 9 East West		
Settling Pit	If Existing, date constructed:		930' Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1360' Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	4570	(bbls)	Rice County		
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes	No	Chloride concentration: mg/l		
	 		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓		Bentonite		
Pit dimensions (all but working pits):10	00 Length (fe	eet) 100	Width (feet) N/A: Steel Pits		
	om ground level to de	eepest point:	(feet)		
If the pit is lined give a brief description of the	······	1	dures for periodic maintenance and determining		
material, thickness and installation procedure	1.	liner integrity, in	ncluding any special monitoring.		
Bentonite from the drilling mud will line and Bentonite		1	vill stay in place until the pit is squeezed and		
seal the bottom and sides of the pit.		closed			
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh water 20 15 feet.		
unk feet Depth of water well	63	Source of infor	ource of information:		
unk feet Depth of water well	feet	measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		1	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water/Bentonite			
			Number of working pits to be utilized: 3 no slots		
		Abandonment	Abandonment procedure: Haul off free fluids after the salt. Allow pits to dry		
Does the slope from the tank battery allow all	spilled fluids to	Squeeze and backfill once pits are dry.			
· · · · · · · · · · · · · · · · · · ·		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED					
, ,			KANSAS CORPORATION COMMISSION		
7-16-07 JUL 1 7 2007					
Date	$-\mathcal{A}$	S	ignature of Applicant or Agent		
	·		CONSERVATION DIVISION WICHITA, KS		
KCC OFFICE USE ONLY RPAST 72					
			it Date: 7/23/0 Lease Inspection: X Yes No		
Date Received 1/11/07 Permit Num	DEI .	rem	Lease Hispertion. X 163 110		



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

July 23, 2007

Kent Gilbert
Gilbert-Stewart Operating LLC
1801 Broadway, Ste 450
Denver CO 80202

Re:

Drilling Pit Application Tip Lease Well No. 1 SE/4 24-20S-09W Rice County, Kansas

Dear Mr. Gilbert:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Form CDP-5 (August 2004), Exploration and Production Waste Transfer, must be filed within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms//

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Sorrelle Rains

Department of Environmental Protection and Remediation

CC:

Jeff Klock

File