

For KCC Use:	7 20-07
Effective Date: _	7-3001
District #4	
SGA? Yes	s 🔀 No

Kansas Corporation Commission 1010909 OIL & GAS CONSERVATION DIVISION

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

7.000/00/00 -		
Expected Spud Date: 08/28/2007 month day year	Spot Description:	
	- SE - NW Sec. 25 Twp. 12 5	s. r. <u>42</u> E X w
OPERATOR: License#	(0/0/0/0) 1,980 feet from X N	
Name: Raven Resources LLC	1,980 feet from E	/ X W Line of Section
Address 1: 13220 N MACARTHUR	Is SECTION: X Regular I Irregular?	
Address 2:	(Note: Locate well on the Section Plat on re	everse side)
City: OKLAHOMA CITY State: OK Zip: 73142 +	County: Wallace	•
Contact Person: David E. Rice	Lease Name: Swartz Etal	
Phone:	Field Name: Wildcat	
CONTRACTOR: License# 33532	Is this a Prorated / Spaced Field?	Yes X No
Name: Advanced Drilling Technologies LLC	Nichroso	
Well Order From Well Classes Tree Equipment	Nearest Lease or unit boundary line (in footage): 1980	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3844	
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes X No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	450	
Seismic; # of HolesOther	Depth to bottom of usable water: 150	
Other:	Surface Pipe by Alternate: XII III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250	
Operator:	Length of Conductor Pipe (if any): 0	
Well Name:	4000	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Niobrara	
•	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Haul in	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	()
	-	
KCC DKT #:	Will Cores be taken?	Yes X No
KCC DKT #:		
	Will Cores be taken? If Yes, proposed zone:	
	Will Cores be taken? If Yes, proposed zone:	FCEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone:	FCEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et seq.	ECEIVED RPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et Assas COR	FCEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et ANSAS COR	RECEIVED RPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et ANSAS COR JU drilling rig; y circulating cement to the top; in all cases surface pipe	RECEIVED RPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et Assas Conditions of this well will be a second of thi	ECEIVED RPORATION COMMISSION L 2 5 2007 ERVATION DIVISION WICHITA RS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et Assas COR Idrilling rig; Y circulating cement to the top; in all cases surface production con plug length and placement is necessary prices of production casing is cemented in;	ECEIVED RPORATION COMMISSION L 2 5 2007 ERVATION DIVISION WICHITA RS or to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE IL COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. Seq. Conditions of this well will comply with K.S.A. 55 et. Seq. Score drilling rig; y circulating cement to the top; in all cases surface production formation. ct office on plug length and placement is necessary pricts or production casing is cemented in; from below any usable water to surface within 120 DAY	ECEIVED RPORATION COMMISSION L 2 5 2007 ERVATION DIVISION WICHITA RS or to plugging; S of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et ASSAS CORD Idrilling rig; y circulating cement to the top; in all cases surface property and entrying formation. ct office on plug length and placement is necessary pricted or production casing is cemented in; from below any usable water to surface within 120 DAY 13,891-C, which applies to the KCC District 3 area, alternations.	ECEIVED RPORATION COMMISSION L 2 5 2007 ERVATION DIVISION WICHITA RS or to plugging; S of spud date. nate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided.	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 etc. seq. Identifying rig; y circulating cement to the top; in all cases surface piper underlying formation. ct office on plug length and placement is necessary price or production casing is cemented in; from below any usable water to surface within 120 DAY 13,891-C, which applies to the KCC District 3 area, alternolugged. In all cases, NOTIFY district office prior to an	ECEIVED RPORATION COMMISSION L 2 5 2007 ERVATION DIVISION WICHITA RS or to plugging; S of spud date. nate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the best of my	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et Seq. Idrilling rig; y circulating cement to the top; in all cases surface piper underlying formation. ct office on plug length and placement is necessary prict or production casing is cemented in; from below any usable water to surface within 120 DAY 13,891-C, which applies to the KCC District 3 area, altern or plugged. In all cases, NOTIFY district office prior to any knowledge and belief.	ECEIVED RPORATION COMMISSION L 2 5 2007 ERVATION DIVISION WICHITA RS or to plugging; S of spud date. nate II cementing ny cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the best of my	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et Seq. Idrilling rig; y circulating cement to the top; in all cases surface piper underlying formation. ct office on plug length and placement is necessary prict or production casing is cemented in; from below any usable water to surface within 120 DAY 13,891-C, which applies to the KCC District 3 area, altern or plugged. In all cases, NOTIFY district office prior to any knowledge and belief.	ECEIVED RPORATION COMMISSION L 2 5 2007 ERVATION DIVISION WICHITA RS or to plugging; S of spud date. nate II cementing ny cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided.	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et ANSAS COR Idrilling rig; It y circulating cement to the top; in all cases surface of the sunderlying formation. It office on plug length and placement is necessary price of or production casing is cemented in; from below any usable water to surface within 120 DAY 13,891-C, which applies to the KCC District 3 area, alternolugged. In all cases, NOTIFY district office prior to any knowledge and belief. It is a supplied to the control of the	ECEIVED RPORATION COMMISSION L 2 5 2007 ENVATION DIVISION WICHITA RS or to plugging; as of spud date. nate II cementing ny cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the the appropriate district office will be notified before well is either plugge of the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed to the set of the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the surface of the	Will Cores be taken? If Yes, proposed zone: IDAVIT Riging of this well will comply with K.S.A. 55 et ASSAS CORD drilling rig; y circulating cement to the top; in all cases surface property and or production casing is cemented in; from below any usable water to surface within 120 DAY 13,891-C, which applies to the KCC District 3 area, alternolougged. In all cases, NOTIFY district office prior to any knowledge and belief. Remember to:	ECEIVED RPORATION COMMISSION L 2 5 2007 ERVATION DIVISION WICHITA KS or to plugging; S of spud date. nate II cementing ny cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the the appropriate district office will be notified before well is either plugge of the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed to the set of the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the well shall be proposed to the surface of the surface of the	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et ANSAS COR Idrilling rig; It y circulating cement to the top; in all cases surface of the sunderlying formation. It office on plug length and placement is necessary price of or production casing is cemented in; from below any usable water to surface within 120 DAY 13,891-C, which applies to the KCC District 3 area, alternolugged. In all cases, NOTIFY district office prior to any knowledge and belief. It is a supplied to the control of the	ECEIVED RPORATION COMMISSION L 2 5 2007 ENVATION DIVISION WICHITA RS or to plugging; as of spud date. nate II cementing ny cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the distriction of the the appropriate district office will be notified before well is either plugge of the surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed that the statements made herein are true and to the best of my Date: 7/24/2007 Signature of Operator or Agent: For KCC Use ONLY API #15 - 1997—2034/3 ODOO	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et ASSAS COR Idrilling rig; In y circulating cement to the top; in all cases surface piper In y circulating cement to the top; in all cases surface piper In y circulating cement to the top; in all cases surface piper In office on plug length and placement is necessary price In office on plug length and placement is necessary price If or production casing is cemented in; If on below any usable water to surface within 120 DAY IS ASSINGLY ASSANCE Prior to any If the completion is the control of the completion form CDP-1 with Intent to Dr. In office or plug length and placement is necessary price If the completion form CDP-1 with Intent to Dr. If the Completion Form ACO-1 within 120 days of spud If y knowledge and belief.	ECEIVED RPORATION COMMISSION L 2 5 2007 ERVATION DIVISION WICHITA RS or to plugging; 'S of spud date. nate II cementing ny cementing. t rill; date; n orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the distriction of the the surface will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and to the best of my Date: 7/24/2007 Signature of Operator or Agent: For KCC Use ONLY APt #15 - 199-20343-0000 Conductor pipe required 0 feet	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et ASSAS CORD drilling rig; y circulating cement to the top; in all cases surface piper underlying formation. ct office on plug length and placement is necessary prior id or production casing is cemented in; from below any usable water to surface within 120 DAY 13,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to any knowledge and belief. Title: Agen Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work	ECEIVED RPORATION COMMISSION L 2 5 2007 ENVATION DIVISION WICHITA RS or to plugging; 'S of spud date. nate II cementing ny cementing. t rill; date; n orders; cover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et ASSAS COR drilling rig; y circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary prior or production casing is cemented in; from below any usable water to surface within 120 DAY (3,891-C, which applies to the KCC District 3 area, alternolougged. In all cases, NOTIFY district office prior to any knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Driver in the Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work- Submit plugging report (CP-4) after plugging is completed.	ECEIVED RPORATION COMMISSION L 2 5 2007 ENVATION DIVISION WICHITA RS or to plugging; S of spud date. nate II cementing ny cementing. t rill; date; n orders; cover or re-entry; leted (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface propriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and to the best of my Date: 7/24/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 199 - 20343 ODOO Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. II III Approved by: 444 7-25-07	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et ASSAS COR drilling rig; y circulating cement to the top; in all cases surface piper underlying formation. ct office on plug length and placement is necessary prict of or production casing is cemented in; from below any usable water to surface within 120 DAY 13,891-C, which applies to the KCC District 3 area, alter olugged. In all cases, NOTIFY district office prior to any knowledge and belief. Title: Agen Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is completion written approval before disposing or injecting s	ECCIVED RPORATION COMMISSION L 2 5 2007 ENVATION DIVISION WICHITA RS or to plugging; S of spud date. nate II cementing ny cementing. t rill; date; n orders; sover or re-entry; leted (within 60 days); salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the statement of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the distriction of the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either plugge of the surface as a surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and to the best of my Date: 7/24/2007 Signature of Operator or Agent: For KCC Use ONLY API #15 - 199 - 20343 - ODOO Conductor pipe required 0 feet per ALT. In Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 fe	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et ASSAS COR drilling rig; y circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary prior or production casing is cemented in; from below any usable water to surface within 120 DAY (3,891-C, which applies to the KCC District 3 area, alternolougged. In all cases, NOTIFY district office prior to any knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Driver in the Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work- Submit plugging report (CP-4) after plugging is completed.	ECEIVED RPORATION COMMISSION L 2 5 2007 ENVATION DIVISION WICHITA RS or to plugging; S of spud date. nate II cementing ny cementing. t rill; date; n orders; cover or re-entry; leted (within 60 days); salt water. date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. Sec. Conditions of this well will comply with K.S.A. 55 et. Sec. Conditions of this well will comply with K.S.A. 55 et. Sec. Conditions of this well will comply with K.S.A. 55 et. Sec. Conditions of this well will comply with K.S.A. 55 et. Sec. Conditions of this well will comply with K.S.A. 55 et. Sec. Conditions of this well will comply with K.S.A. 55 et. Sec. Conditions of this well will comply with K.S.A. 55 et. Sec. Conditions of this well will comply with K.S.A. 55 et. Sec. Conditions of this will comply with K.S.A. 55 et. Sec. Conditions of this will comply with K.S.A. 55 et. Sec. Conditions of this will comply with K.S.A. 55 et. Sec. Conditions of this promation. Confidence of this will comply with K.S.A. 55 et. Sec. Conditions of this will comply with K.S.A. 55 et. Sec. Conditions of this will comply with K.S.A. 55 et. Sec. Conditions of this promation. Confidence of this will comply with K.S.A. 55 et. Sec. Conditions of the this permit to the top; in all cases surface within 120 DAY 130,891-C, which applies to the KCC District 3 area, alternoon and the KCC District 3 area, alternoon of the DAY 120 DAY 120 DAY 130,891-C, which applies to the KCC District 3 area, alternoon and the KCC District 4 area, alternoon of the DAY 130,891-C, which applies to the KCC District 3 area, alternoon and the KCC District 4 area, alternoon and t	RECEIVED RPORATION COMMISSION L 2 5 2007 ENVATION DIVISION WICHITA RS or to plugging; IS of spud date. nate II cementing ny cementing. t rill; date; n orders; cover or re-entry; leted (within 60 days); salt water. date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the statement of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the distriction of the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either plugge of the surface as a surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and to the best of my Date: 7/24/2007 Signature of Operator or Agent: For KCC Use ONLY API #15 - 199 - 20343 - ODOO Conductor pipe required 0 feet per ALT. In Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 feet per ALT. Interpretation of the surface pipe required 200 fe	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et ASSAS CORD drilling rig; y circulating cement to the top; in all cases surface pipe underlying formation. ct office on plug length and placement is necessary price or production casing is cemented in; from below any usable water to surface within 120 DAY (3,891-C, which applies to the KCC District 3 area, alternolougged. In all cases, NOTIFY district office prior to any knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is completion written approval before disposing or injecting selections.	ECEIVED RPORATION COMMISSION L 2 5 2007 ENVATION DIVISION WICHITA RS or to plugging; S of spud date. nate II cementing ny cementing. t rill; date; n orders; cover or re-entry; leted (within 60 days); salt water. date) please



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 199-20343-0000	
Operator: Raven Resources LLC	Location of Well: County: Wallace
Lease: Swartz Etal	1,980 feet from N / S Line of Section
Well Number: 1-25	1,980 feet from E / W Line of Section
Field: Wildcat	Sec. 25 Twp. 12 S. R. 42 EX W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: - SE - NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

JUL 2 5 2007

In plotting the proposed location of the well, you must show:

ONSERVATION DIVISION
WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1010909

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Raven Resources LLC			License Number: 33953	
Operator Address: 13220 N MACA	RTHUR		OKLAHOMA CITY OK 73142	
Contact Person: David E. Rice			Phone Number: 620-624-0156	
Lease Name & Well No.: Swartz Etal 1-25			Pit Location (QQQQ):	
Type of Pit:	Pît îs:		SE NW_	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 25 Twp. 12 R. 42 East West	
Settling Pit Drilling Pit	If Existing, date co	onstructed:	1,980 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Dit congoity		1,980 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 500	(bbls)	Wallace County	
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Natural permeability	
	5Length (fe		Width (feet) N/A: Steel Pits 4 (feet) No Pit	
If the pit is lined give a brief description of the	om ground level to de		edures for periodic maintenance and determining	
Distance to measure men		1 '	west fresh waterfeet.	
N/A feet Depth of water well feet		Source of information: measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: Drilling mud		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover: Drilling mud		
Number of producing wells on lease:		Number of working pits to be utilized:1		
Barrels of fluid produced daily:		Abandonment	procedure: Evaporation and back fill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date. RECEIVED *ANSAS CORPORATION CO	
I hereby certify that the above state	ments are true and	correct to the bes	t of my knowledge and belief. JUL 2 5 200	
		Day	Signature of Applicant or Agent	
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS	
a/- /		_	iit Date: 7/25/07 Lease Inspection: Yes X No	
Date Received: 7/25/07 Permit Num	per:	Perm	it Date: 7/25/07 Lease Inspection: Yes 🗓 Yes	