

For KCC Use:	7.20-07
Effective Date: _	1-3001
District #1	
SGA? XYes	ΠNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

010500

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	7714	ist be approved by KCC five		
Expected Spud Date:	07/18/2007		Spot Description:	
	month day	y year	NW _ SW Sec. 15 Twp. 34	s. p. 34
OPERATOR: License#	5278		(Q/Q/Q/Q) 1,980 feet from 1	I / X S Line of Section
Name: EOG Resources, Inc.				/ 🔀 W Line of Section
Address 1: 3817 NW EXPRE			Is SECTION: Regular Irregular?	
			(Note: Locate well on the Section Plat on	reverse side)
Address 2: OKLAHOMA CITY	State: OK Z	zip: 73112 + 1483	County: Seward	546/36 3ld6)
Contact Person: Melissa Stu	ırm		Lease Name: Wettstein	Well #. 15 #3
Phone: 405-246-3100			Field Name: Wildcat	
CONTRACTOR: License#_ Name: _Abercrombie Rtd, Inc	30684		Is this a Prorated / Spaced Field?	Yes No
Name: Abercrambie R.o., inc			Target Formation(s): CHESTER SANDSTONE	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage): 660	
XOil ☐ Enh Re	ec Infield	Mud Rotary	Ground Surface Elevation: 2939	feet MSL
Gas Storage		Air Rotary	Water well within one-quarter mile:	X Yes No
Disposa	—	Cable	Public water supply well within one mile:	Yes X No
Seismic : # of	Holes Other		Depth to bottom of fresh water: 600	
Other:			Depth to bottom of usable water: 700	
	-t		Surface Pipe by Alternate: XI II	
If OWWO: old well in	irormation as follows:		Length of Surface Pipe Planned to be set: 1700	
Operator:				
			Projected Total Depth: 6700	
Original Completion Date	e: Origin:	ai Total Depth:	Formation at Total Depth: ST. LOUIS	
			Water Source for Drilling Operations:	
Directional, Deviated or Horiz		☐ Yes X No	Well Farm Pond Other:	
If Yes, true vertical depth:			DWR Permit #:	
Bottom Hole Location:			(Note: Apply for Permit with DWR	
			Will Cores be taken?	Yes No
PRORATED & SPACE	:D: HUGOTON		If Yes, proposed zone:	DE014
			KANSA	RECEIVED S CORPORATION COMMISSION
				S CORPORCHON COMMISSIC
			gging of this well will comply with K.S.A. 55 et. seq.	IIII 2 5 2007
It is agreed that the following	ng minimum requireme	ents will be met:		JUL 2 5 2007
 Notify the appropriate 			,	ONDEDIGATION
A copy of the approv	ed notice of intent to	drill <i>shall be</i> posted on each		ONSERVATION DIVISION
			by circulating cement to the top; in all cases surface pipe	shall be set 15
		a minimum of 20 feet into the	e underlying formation. rict office on plug length and placement is necessary <i>pr</i> o	ior to plugging:
			led or production casing is cemented in;	or to plugging,
	COLUMNOS WINDE ROUN			
6. If an ALTERNATE II	COMPLETION, produ	iction pipe shall be cemented	d from below any usable water to surface within 120 DA	/S of spud date.
If an ALTERNATE II Or pursuant to Appe	COMPLETION, produ Indix "B" - Eastern Kar	nsas surface casing order #1	d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter	nate II cementing
 If an ALTERNATE III Or pursuant to Apperatus to completed v 	COMPLETION, produ endix "B" - Eastern Kar within 30 days of the s	nsas surface casing order #1 spud date or the well shall be	d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a	nate II cementing
 If an ALTERNATE III Or pursuant to Apperatus to completed v 	COMPLETION, produ endix "B" - Eastern Kar within 30 days of the s	nsas surface casing order #1	d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a	nate II cementing
If an ALTERNATE II or pursuant to Apper must be completed via thereby certify that the state.	COMPLETION, produ endix "B" - Eastern Kar within 30 days of the s tements made herein	nsas surface casing order #1 spud date or the well shall be are true and to the best of m	d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a	rnate II cementing iny cementing.
If an ALTERNATE II or pursuant to Apper must be completed via the the state of	COMPLETION, produ endix "B" - Eastern Kar within 30 days of the s tements made herein	nsas surface casing order #1 spud date or the well shall be are true and to the best of m	d from below any usable water to surface within 120 DA: 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to any knowledge and belief. Title:	nate II cementing any cementing.
If an ALTERNATE II or pursuant to Apper must be completed via the the state of	COMPLETION, produ endix "B" - Eastern Kar within 30 days of the s tements made herein	nsas surface casing order #1 spud date or the well shall be are true and to the best of m	d from below any usable water to surface within 120 DA: 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to any knowledge and belief. Title: A. D. Remember to:	nate II cementing any cementing.
6. If an ALTERNATE III Or pursuant to Apper must be completed with the start Date: 7-24-07 For KCC Use ONLY	COMPLETION, production of the second of the	nsas surface casing order #1 spud date or the well shall be are true and to the best of m rator or Agent:	d from below any usable water to surface within 120 DA: 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to E	rate II cementing any cementing.
6. If an ALTERNATE III Or pursuant to Apper must be completed with the star Date: 7-24-07 For KCC Use ONLY API # 15 - /75-2	COMPLETION, production of the second of the	nsas surface casing order #1 spud date or the well shall be are true and to the best of m erator or Agent:	d from below any usable water to surface within 120 DA: 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to any knowledge and belief. Title: A. D. Remember to:	rate II cementing any cementing.
6. If an ALTERNATE III Or pursuant to Appermust be completed with the start Date: 7-24-07 For KCC Use ONLY API # 15 - /75-2 Conductor pipe required	COMPLETION, producted in the second in the s	nsas surface casing order #1 spud date or the well shall be are true and to the best of m erator or Agent: feet	d from below any usable water to surface within 120 DA: 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a ny knowledge and belief. Title: Au Di Remember to: - File Drill Pit Application (form CDP-1) with Intent to E - File Completion Form ACO-1 within 120 days of spuce	rate II cementing any cementing. 2. Asst. irill; d date; an orders; 4
6. If an ALTERNATE III Or pursuant to Apper must be completed with the star Date: 7-24-07 For KCC Use ONLY API # 15 - / 75 - C Conductor pipe required Minimum surface pipe req	COMPLETION, production of the second of the	nsas surface casing order #1 spud date or the well shall be are true and to the best of m erator or Agent:	d from below any usable water to surface within 120 DA: 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a ny knowledge and belief. Title: Au Di Remember to: - File Drill Pit Application (form CDP-1) with Intent to E - File Completion Form ACO-1 within 120 days of spuc - File acreage attribution plat according to field proration	rate II cementing any cementing. D. Assit. Irili; Id date; In orders; Ideated (within 60 days):
6. If an ALTERNATE III Or pursuant to Apper must be completed with the start Date: 1-24-07 For KCC Use ONLY API # 15 - 175-2 Conductor pipe required Minimum surface pipe req	COMPLETION, production of the second of the	nsas surface casing order #1 spud date or the well shall be are true and to the best of m erator or Agent: feet	d from below any usable water to surface within 120 DA: 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a ny knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to E - File Completion Form ACO-1 within 120 days of spuce - File acreage attribution plat according to field proration - Notify appropriate district office 48 hours prior to wor - Submit plugging report (CP-4) after plugging is comp - Obtain written approval before disposing or injecting	rill; d date; no orders; kover or re-entry; leted (within 60 days); salt water.
6. If an ALTERNATE III Or pursuant to Apper must be completed v I hereby certify that the start Date: 7-24-07 For KCC Use ONLY API # 15 - / 75 - C Conductor pipe required Minimum surface pipe req Approved by: 11 - 12	COMPLETION, production of the second of the	nsas surface casing order #1 spud date or the well shall be are true and to the best of m erator or Agent: feet	d from below any usable water to surface within 120 DA: 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a ny knowledge and belief. Title: All DA Remember to: File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spuce File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to word Submit plugging report (CP-4) after plugging is comp Obtain written approval before disposing or injecting. If this permit has expired (See: authorized expiration)	rate II cementing any cementing. 2. Asst. 2.
6. If an ALTERNATE III Or pursuant to Apper must be completed with the start Date: 1-24-07 For KCC Use ONLY API # 15 - 175-2 Conductor pipe required Minimum surface pipe req	COMPLETION, production of the second of the	nsas surface casing order #1 spud date or the well shall be are true and to the best of m rator or Agent:	d from below any usable water to surface within 120 DA: 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a ny knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spuc File acreage attribution plat according to field proratic Notify appropriate district office 48 hours prior to wor Submit plugging report (CP-4) after plugging is comp Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration check the box below and return to the address below	rill; d date; no orders; kover or re-entry; leted (within 60 days); salt water. date) please
6. If an ALTERNATE III Or pursuant to Appermust be completed with the start Date: 7-24-07 For KCC Use ONLY API # 15 - / 75-2 Conductor pipe required Minimum surface pipe required Approved by: 11-2 This authorization expires	COMPLETION, production of the second of the	nsas surface casing order #1 spud date or the well shall be are true and to the best of m rator or Agent:	d from below any usable water to surface within 120 DA: 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a ny knowledge and belief. Title: All DA Remember to: File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spuce File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to word Submit plugging report (CP-4) after plugging is comp Obtain written approval before disposing or injecting. If this permit has expired (See: authorized expiration)	rill; d date; no orders; kover or re-entry; leted (within 60 days); salt water. date) please



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 175-22097-0000		
Operator: EOG Resources, Inc.	Location of Well: County: Seward	
Lease: Wettstein	1,980 feet from N / X S Line of Section	
Well Number: 15 #3	660 feet from E / X W Line of Section	
Field: Wildcat	Sec. 15 Twp. 34 S. R. 34 E X W	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: - NW - SW	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





1980 ft.

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (Co-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

010500

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: EOG Resources, Inc.			License Number: 5278		
Operator Address: 3817 NW EXPRESSWAY, SUITE 500			OKLAHOMA CITY OK 73112		
Contact Person: Melissa Sturm		Phone Number: 405-246-3100			
Lease Name & Well No.: Wettstein	15 #3		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW _ SW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 15 Twp. 34 R. 34 East West		
Settling Pit Drilling Pit	If Existing, date constructed:				
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / X West Line of Section		
(If WP Supply API No. or Year Drilled)	12,500	(bbis)	Seward County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🔀	No	STEEL PIT		
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to de	eepest point:	(feet) No Pit		
			dures for periodic maintenance and determining ncluding any special monitoring.		
material, thickness and installation procedure	1.	inter integrity, i	icidulity any special monitoring.		
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh water220feet.		
1060 feet Depth of water well 640 feet			measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	Drilling, Workover and Haui-Off Pits ONLY:		
Producing Formation:		Type of materia	Type of material utilized in drilling/workover: GEL		
1			Number of working pits to be utilized:0		
Barrels of fluid produced daily: At		Abandonment procedure: HAUL TO HAUL-OFF PIT			
Does the slope from the tank battery allow all spilled fluids to		Drill pits must be closed within 365 days of spud date.			
			KANSAS CORPORATION COMMISSION		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
		•	JUL 2 5 2007		
7-24-07	<u>_n</u>	relina	ignosture of Applicant or Agent		
Date			ignature of Applicant of Agent WICHITA, KS		
	ксс	OFFICE USE O	NLY Steel Pit X RFAC X RFAS		
Date Received: 7/25/07 Permit Num	ber:	Perm	it Date: 7/25/07 Lease Inspection: Yes KNo		
· · · · · · · · · · · · · · · · · · ·					