For KCC Use: Effective Date: \_ SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# **NOTICE OF INTENT TO DRILL**

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date July 26, 2007  month day year	Spot Approx.  NE _ SW _ NE Sec. 16 Twp. 31	East S. R. 14 ✓ West
	1759' feet from V N /	
OPERATOR: License# 31725		W Line of Section
Name: Shelby Resources, LLC	Is SECTION ✓ Regular Irregular?	W Line of Section
Address: P.O. Box 1213	Is Sectionnegularinegular?	
City/State/Zip: Hays, Kansas 67601	(Note: Locate well on the Section Plat on	reverse side)
Contact Person: Brian Karlin	County: Barber	2.40
Phone: 785-623-3290	Lease Name: Jacobs	Well #: 2-16
CONTRACTOR: License# 5142	Field Name: Skinner	
Name: Sterling Drilling Company	Is this a Prorated / Spaced Field?	Yes ✓ No
Name:	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1482' FEL	·
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1622	feet MSL
✓ Gas Storage ✓ Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:	✓ Yes No
OWNO Disposal Wildcat Cable	Public water supply well within one mile:	Yes ✓ No
Seismic:# of Holes Other	Depth to bottom of fresh water: 150'	
Other	Depth to bottom of usable water: 180'	
Uulul	Surface Pipe by Alternate:  1 2	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: +/- 1130	
Operator:	Length of Conductor Pipe required: **- ***	
Well Name:	Projected Total Depth: +/- 4650'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	✓ Well Farm Pond Other	***************************************
If Yes, true vertical depth:	DWR Permit #: 20069103	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
ACCI	IDAV/IT	
	IDAVIT	RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual pl		
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:		CORPORATION COM
The undersigned hereby affirms that the drilling, completion and eventual pl	ch drilling rig; It by circulating cement to the top; in all cases surfactive underlying formation. Idiatrict office on plug length and placement is necessinged or production casing is cemented in; and from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are	e pipe shall be sation DIVIS ary prior to plugging;  of days of spud date. a, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of the complete of the specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the complete of the specified before well is either plug that the complete of the complete of the complete of the specified before well is either plug than an appropriate district office will be notified before well is either plug than an appropriate of the complete of the specified below the specified become the completed within 30 days of the spud date or the well shall the complete of the specified below that the complete of the spud date or the well shall the complete of the specified below that the complete of the spud date or the well shall the complete of the spud date or the well shall the complete of the spud date or the specified below that the complete of the spud date or the spud date or the specified below that the complete of the spud date or the specified below that the complete of the spud date or the specified below that the complete of the specified below that the specified below that the specified below that the specified b	ch drilling rig; In the content of the top; in all cases surface the underlying formation. It is trict office on plug length and placement is necessary and or production casing is cemented in; In the content of the top; in all cases surface and underlying formation. It is the underlying formation as the content of the cases are the form below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are the plugged. In all cases, NOTIFY district office prints.	e pipe shall be sation DIVIS ary prior to plugging;  of days of spud date. a, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the different through all unconsolidated materials plus a minimum of 20 feet into the different through all unconsolidated materials plus a minimum of 20 feet into the different through all unconsolidated materials plus a minimum of 20 feet into the different through all unconsolidated materials plus a minimum of 20 feet into the different through all through all through the well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of	ch drilling rig; In the circulating cement to the top; in all cases surface the underlying formation. Illustrict office on plug length and placement is necessinged or production casing is cemented in; and from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are the plugged. In all cases, NOTIFY district office prifer my knowledge and belief.	e pipe shall be sation DIVIS ary prior to plugging;  of days of spud date. a, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete intent of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the complete into the complete district office will be notified before well is either plug if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of	ch drilling rig; In the circulating cement to the top; in all cases surface the underlying formation. Illustrict office on plug length and placement is necessinged or production casing is cemented in; and from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are the plugged. In all cases, NOTIFY district office prifer my knowledge and belief.	e pipe shall be sation DIVIS ary prior to plugging;  of days of spud date. a, alternate II cementing or to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of t	ch drilling rig; It by circulating cement to the top; in all cases surfactive underlying formation. Idistrict office on plug length and placement is necessinged or production casing is cemented in; and from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office print in the knowledge and belief.  Title: Operation	e pipe shall be setten DIVIS ary prior to plugging; o days of spud date. a, alternate II cementing or to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual place of that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the seco	ch drilling rig; Interpretation to the top; in all cases surface the underlying formation. Identification casing is cemented in; Interpretation cases, I	e pipe shall be setten DIVIS ary prior to plugging; days of spud date. a, alternate II cementing or to any cementing.  S Manager  Drill; spud date;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date:    July 23, 2007	ch drilling rig; Interpretation of the top; in all cases surface the underlying formation. It is trict office on plug length and placement is necessary in the underlying formation. It is trict office on plug length and placement is necessary in the underlying formation. It is trict office on plug length and placement is necessary in the underlying formation casing is cemented in; and the underlying formation cases are the surface within 12 in the plugged. In all cases, NOTIFY district office print in the plugged.  It is the underlying formation of the trict office in the underlying	e pipe shall be setten DIVIS ary prior to plugging; of days of spud date. a, alternate II cementing for to any cementing.  S Manager  Drill; spud date; ration orders;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the same and the district office will be as a through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date:    July 23, 2007	ch drilling rig; In the circulating cement to the top; in all cases surface the complex formation. In the underlying formation. In the complex formation. In the complex formation is commented in; In the complex formation is commented in; In the place of production casing is commented in; In the complex form below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are to plugged. In all cases, NOTIFY district office print from knowledge and belief.  Title: Operation  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of some complex formation plat according to field pronount of the complex formation of the complex formation plat according to field pronount formation of the complex formation of the complex formation plat according to field pronount formation of the complex formation of the c	e pipe shall be setton DIVIS ary prior to plugging; days of spud date. a, alternate II cementing or to any cementing.  b Drill; spud date; ration orders; workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season through all unconsolidated materials plus a minimum of 20 feet into the season through all unconsolidated materials plus a minimum of 20 feet into the season through all unconsolidated materials plus a minimum of 20 feet into the season through all unconsolidated materials plus a minimum of 20 feet into the season of the well is either plug and the season through a state of the season of the seaso	ch drilling rig; In the production casing is cemented in; In the plugged. In all cases, NOTIFY district office print in the production i	e pipe shall be setton DIVIS ary prior to plugging; of days of spud date, a, alternate II cementing for to any cementing.  S Manager  Drill; Epud date; ration orders; workover or re-entry; pmpleted;
The undersigned hereby affirms that the drilling, completion and eventual place of the properties of the properties of the proof of the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the posted on each of the posted on a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description of the well is either plug and the proposition of the shall be computed of the proposition of the	ch drilling rig; Int by circulating cement to the top; in all cases surface the underlying formation. It istrict office on plug length and placement is necessary and form below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are to be plugged. In all cases, NOTIFY district office print from the print of	e pipe shall be setton DIVIS ary prior to plugging; of days of spud date. a, alternate II cementing or to any cementing.  S Manager  Drill; spud date; ration orders; workover or re-entry; properties of the composition of t
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the latest of the plug shall be completed within 30 days of the spud date or the well shall to the latest of the spud state of the shall to the latest of the spud state of the spud state of the shall to the latest of the spud state of the spud state of the shall to the latest of the spud state of the spud sta	ch drilling rig; Int by circulating cement to the top; in all cases surface the underlying formation. It istrict office on plug length and placement is necessary and form below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are to plugged. In all cases, NOTIFY district office print from the print of the print of the print of the print of the kCC District 3 are to plugged. In all cases, NOTIFY district office print of the print of the kCC District 3 are to plugged.  Title: Operation  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of so the kCC District 3 are to plugged attribution plat according to field pro Notify appropriate district office 48 hours prior to the Submit plugging report (CP-4) after plugging is conditionally of the plugging or injection.  If this permit has expired (See: authorized expiration)	e pipe shall be setton DIVIS ary prior to plugging; of days of spud date. a, alternate II cementing or to any cementing.  S Manager  D Drill; spud date; ration orders; workover or re-entry; pmpleted; ing salt water. on date) please
The undersigned hereby affirms that the drilling, completion and eventual place of the properties of the properties of the proof of the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the posted on each of the posted on a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description of the well is either plug and the proposition of the shall be computed of the proposition of the	ch drilling rig; Int by circulating cement to the top; in all cases surface the underlying formation. Ilistrict office on plug length and placement is necessing or production casing is cemented in; Interest office on plug length and placement is necessing or production casing is cemented in; Interest office on plug length and placement is necessing of or production casing is cemented in; Interest of the KCC District 3 are to be plugged. In all cases, NOTIFY district office print of the plugged. In all cases, NOTIFY district office print of the plugged and belief.  Title: Operation  Remember to:  File Drill Pit Application (form CDP-1) with Intent to be plugged attribution plat according to field prowing according to field prowing according to the plugging report (CP-4) after plugging is considered.  Obtain written approval before disposing or injection of the plugging of the pluggi	e pipe shall be setton DIVIS ary prior to plugging; of days of spud date. a, alternate II cementing or to any cementing.  S Manager  D Drill; spud date; ration orders; workover or re-entry; pmpleted; ing salt water. on date) please
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the latest of the plug shall be completed within 30 days of the spud date or the well shall to the latest of the spud state of the shall to the latest of the spud state of the spud state of the shall to the latest of the spud state of the spud state of the shall to the latest of the spud state of the spud sta	ch drilling rig; Int by circulating cement to the top; in all cases surface the underlying formation. It istrict office on plug length and placement is necessary and form below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are to plugged. In all cases, NOTIFY district office print from the print of the print of the print of the print of the kCC District 3 are to plugged. In all cases, NOTIFY district office print of the print of the kCC District 3 are to plugged.  Title: Operation  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of so the kCC District 3 are to plugged attribution plat according to field pro Notify appropriate district office 48 hours prior to the Submit plugging report (CP-4) after plugging is conditionally of the plugging or injection.  If this permit has expired (See: authorized expiration)	e pipe shall be setton DIVIS ary prior to plugging;  O days of spud date. a, alternate II cementing for to any cementing.  S Manager  Drill; spud date; ration orders; workover or re-entry; propleted; ing salt water.  on date) please elow.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007-23181-0000	Location of Well: County: Barber
Operator: Shelby Resources, LLC	1759' feet from N / S Line of Section
Lease: Jacobs	1482' feet from 🗸 E / 🗌 W Line of Section
Well Number: 2-16	Sec. 16 Twp. 31 S. R. 14 ☐ East  West
Field: Skinner	<del></del>
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR of acreage: NE _ SW _ NE _ NE	If Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

Br	RBER	
•	•	
:	· · · · · · · · · · · · · · · · · · ·	: 1959':
	· · · · · · · · · · · · · · · · · · ·	1482
	· · · · · · · · · · · · · · · · · · ·	
•	· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·	: : :
	· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·	
	•	

EXAMPLE	: : :
•	
•	1980
	.10
	3390'
•	•
•	
•	
٠	· RECEIVED
SEWARD CO.	CANSAS CORPORATION COMMISSION

NOTE: In all cases locate the spot of the proposed drilling locaton.

JUL 2 6 2007

COR OWNER THE SEASON

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Shelby Resources, LLC		License Number: 31725	
Operator Address: P.O. Box 1213,	Hays, Kansas	67601	
Contact Person: Brian Karlin		Phone Number: ( 785 ) 623 - 3290	
Lease Name & Well No.: Jacobs #2-16		Pit Location (QQQQ):	
Type of Pit:	Pit is:		app. NE SW NE
Emergency Pit Burn Pit	Proposed Existing		Sec. 16 Twp. 31S R. 14 ☐ East 📝 West
Settling Pit	If Existing, date constructed:		Feet from 🗸 North / 🗌 South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 3000 (bbis)		1482' Feet from 🗸 East / West Line of Section
		(bbis)	County
Is the pit located in a Sensitive Ground Water	Area? 🚺 Yes 📋	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  ☐ Yes ✓ No	Artificial Liner?  ☐ Yes ☑ No		How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	BO' Length (fee	<sub>t)</sub> 80'	Width (feet) N/A: Steel Pits
Depth fi	rom ground level to dee		(feet)
material, thickness and installation procedure			ncluding any special monitoring.
Source of info			
feet Depth of water well feet			redwell owner electric logKDWR  over and Haul-Off Pits ONLY:
1		Ψ.	of utilized in drilling/workover: chemical drilling mud.
			king pits to be utilized: 3
			procedure: Evaporation and then backfill.
Does the slope from the tank battery allow all spitled fluids to		Drill pits must be closed within 365 days of spud date.  RECEIVED	
I hereby certify that the above state	ements are true and co	rrect to the best	of my knowledge and belief. "ANSAS CORPORATION COMMISSION
July 23, 2007 Date		Buar	Gnature of Applicant or Agent
	KCC OI	FFICE USE OF	NLY Steel Pirs
Date Received: 7/26/67 Permit Num	nber:	Permi	t Date: 7/04/07 Lease Inspection: 🛂 Yes 🗌 No



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

July 26, 2007

Mr. Brian Karlin Shelby Resources, LLC PO Box 1213 Hays, KS 67601

Re: Drilling Pit Application

Jacobs Lease Well No. 2-16 NE/4 Sec. 16-31S-14W Barber County, Kansas

Dear Mr. Karlin:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a haul-off pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (620) 225-8888. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

Cc: File



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607.		DISPOSAL OF DIKE AND PIT CONTENTS.			
(a)		Each operator shall perform one of the following when disposing of dike or pit contents:			
	(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;			
	(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or			
	(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:			
		(A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);			
		<ul> <li>(B) removal and placement of the contents in an on-site disposal area approved by the commission;</li> </ul>			
		(C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or			
		(D) removal of the contents to a permitted off-site disposal area approved by the department.			
(b)		Each violation of this regulation shall be punishable by the following:			
		A \$1,000 penalty for the first violation; a \$2,500 penalty for the second violation; and a \$5,000 penalty and an operator license review for the third violation.			
Comple	te aı	nd return with Haul-Off Pit Application, Form CDP1(2004)			
Haul-off p	oit wil	ll be located in an on-site disposal area: Yes 🔲 No 🔲			
	es, w	located in an off-site disposal area on acreage owned by the same landowner: Yes ritten permission from the land owner must be obtained. Attach written permission to plication.			

is to be located, to the haul-off pit application.

Haul-off pit is located in an off-site disposal area on another **producing** lease or unit operated by the same operator: Yes  $\square$  No $\square$  If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit