For KCC Use:

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

| Expected Spud Bots July 31, 2007 | |
|---|--|
| Expedied Spud Date | Spot ✓ East |
| month day year | NE - SW Sec. 14 Twp. 27 S. R. 19 West |
| OPERATOR: License# 33344 | 1980 feet from N / V S Line of Section |
| Name: Quest Cherokee LLC | 1980 feet from E / W Line of Section |
| Address: 9520 North May Avenue, Suite 300 | Is SECTION Regular Irregular? |
| City/State/Zip: Oklahoma City, Oklahoma 73120 | (Nintage) coasts well at the Castian Diet |
| Contact Person: Richard Marlin | (Note: Locate well on the Section Plat on reverse side) County: Neosho |
| Phone: (405) 463-6880 | Lease Name: Mih, Alexander D. Well #: 14-3 |
| | Field Name: Cherokee Basin CBM |
| CONTRACTOR: License# Will be licensed by the KCC | · |
| Name: Will advise on the ACO-1 | Is this a Prorated / Spaced Field? |
| | Target Formation(s): Cherokee Coals |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 660 |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation: 972 feet MSL |
| ✓ Gas Storage Pool Ext. ✓ Air Rotary | Water well within one-quarter mile: |
| | Public water supply well within one mile: |
| | Depth to bottom of fresh water: 100 |
| Seismic; # of Holes Other Other Coalbed Methane | Depth to bottom of usable water: 200 /50 |
| ✓ Other Coalded Wetharte | Surface Pipe by Alternate: 1 2 |
| If OMMANO. and well before the second second | Length of Surface Pipe Planned to be set: 25 |
| If OWWO: old well information as follows: | |
| Operator: | Length of Conductor Pipe required: |
| Well Name: | Projected Total Depth: 1300 Cherokee Coals |
| Original Completion Date:Original Total Depth: | Totalion at total beptil. |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No | Water Source for Drilling Operations: |
| - - | Well Farm Pond Other Air |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR 🔙) |
| KCC DKT #: | Will Cores be taken? Yes ✓ No |
| | If Yes, proposed zone: |
| | DE SEU JOS |
| A CC | RECEIVED 10 |
| | MANSAS CORPORATION COMMISSIO |
| The undersigned hereby affirms that the drilling, completion and eventual p | ugging of this well will comply with K.S.A. 55 et. seq |
| | ugging of this well will comply with K.S.A. 55 et. seq |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION DIVISION |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 5 2007 CONSERVATION DIVISION of drilling rig; onstalling cement to the top; in all cases surface pipevetallesses |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the minimum amount of surface pipe as specified below <i>shall be second</i> all unconsolidated materials plus a minimum of 20 feet into the | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION ch drilling rig; solve by circulating cement to the top; in all cases surface pipewatrallabesset ne underlying formation. |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the constant of the set of t | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION The drilling rig; To by circulating cement to the top; in all cases surface pipewer at the property of the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the continuation of the surface plus appropriate district office will be notified before well is either plus | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION BY ISJON of by circulating cement to the top; in all cases surface pipeweith the constitution of the constitution o |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of the approved notice of intent to drill <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the complete of the well is dry hole, an agreement between the operator and the complete of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before shall be cement. | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION ch drilling rig; conservation by circulating cement to the top; in all cases surface pipewath the property of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION CONSERVATION DIVISIO |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION ch drilling rig; CONSERVATION DIVISION the by circulating cement to the top; in all cases surface pipewatations istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION on drilling rig; on the by circulating cement to the top; in all cases surface pipewell at a beset ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION on drilling rig; on the by circulating cement to the top; in all cases surface pipewell at a beset ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pip available set on eunderlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pip available set on eunderlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into til 4. If the well is dry hole, an agreement between the operator and the cild. 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Date: July 24, 2007 Signature of Operator or Agent: For KCC Use ONLY | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION on drilling rig; on the by circulating cement to the top; in all cases surface pipewell at a beset ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into til 4. If the well is dry hole, an agreement between the operator and the cild. 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Date: July 24, 2007 Signature of Operator or Agent: For KCC Use ONLY | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION CONSERVATION DIVISIO |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into til 4. If the well is dry hole, an agreement between the operator and the construction of the sether plug of the superior of the sether plug of the spud date or the well is either plug of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: July 24, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27073-0000 | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION CONSERVATION DIVISIO |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into to the second of the well is dry hole, an agreement between the operator and the constitution of the second of the sec | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION CONSERVATION DIVISIO |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into til 4. If the well is dry hole, an agreement between the operator and the construction of the set of the specified district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 24, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27073-0000 Conductor pipe required 100 feet per Alt. 120 | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION CONSERVATION DIVISIO |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into til 4. If the well is dry hole, an agreement between the operator and the construction of the set of the specified district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 24, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27073-0000 Conductor pipe required 100 feet per Alt. 120 | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION ch drilling rig; ch by circulating cement to the top; in all cases surface pipewath habeset the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into til 4. If the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: Date: July 24, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27073-0000 Conductor pipe required 1000 feet per Alt. 120-0000 Approved by: 100-00000 Feet per Alt. 120-00000000000000000000000000000000000 | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION ch drilling rig; CONSERVATION DIVISION the by circulating cement to the top; in all cases surface pipewartal Appears the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into til 4. If the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plug of the surface district office will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: July 24, 2007 | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION ch drilling rig; conservation plusion ch drilling rig; conservation blusion conservation conser |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into til 4. If the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: Date: July 24, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27073-0000 Conductor pipe required 1000 feet per Alt. 120-0000 Approved by: 100-00000 Feet per Alt. 120-00000000000000000000000000000000000 | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION ch drilling rig; CONSERVATION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVATION CONSER |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into til 4. If the well is dry hole, an agreement between the operator and the constitution of the surface district office will be notified before well is either plug of the surface district office will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: July 24, 2007 | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION ch drilling rig; to by circulating cement to the top; in all cases surface pipewartal Apropriate of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. # Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into til 4. If the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plug of the surface district office will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: July 24, 2007 | ugging of this well will comply with K.S.A. 55 et. seq. JUL 26 2007 CONSERVATION DIVISION the drilling rig; To provide the top; in all cases surface pipewathat be set to be underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. # Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: |
| The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the copy of the approved notice of intent to drill shall be posted on each and the copy of the appropriate district office prior to the spudding of the well is dry hole, an agreement between the operator and the copy of the well is dry hole, an agreement between the operator and the copy of the spudding property of the spudding property of the spuddate or well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: July 24, 2007 Signature of Operator or Agent: Feet Minimum surface pipe required Now feet per Alt. (2) Approved by: Approved | ugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 CONSERVATION DIVISION ch drilling rig; to by circulating cement to the top; in all cases surface pipewartal Apropriate of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. # Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 133-27073-0000 | Location of Well: County: Neosho |
|---------------------------------------|--|
| Operator: Quest Cherokee LLC | 1980 feet from N / ✓ S Line of Section |
| Lease: Mih, Alexander D. | 1980 feet from E / ✓ W Line of Section |
| Well Number: 14-3 | Sec. 14 Twp. 27 S. R. 19 VEast Wes |
| Field: Cherokee Basin CBM | Is Section: ✓ Regular or Irregular |
| Number of Acres attributable to well: | is Section. |
| QTR / QTR / QTR of acreage: NE SW | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Quest Cherokee LLC | | License Number: 33344 | | |
|---|--------------------------------|----------------------------------|---|-----------------------------------|
| Operator Address: 9520 North Ma | y Avenue, Su | ite 300 Ok | klahoma City, Oklahor | na 73120 |
| Contact Person: Richard Marlin | | Phone Number: (405) 463 - 6880 | | |
| Lease Name & Well No.: Mih, Alexan | der D. #14-3 | | Pit Location (QQQQ): | |
| Type of Pit: | Pit is: | | <u>NESW</u> | |
| Emergency Pit Burn Pit | ✓ Proposed Existing | | Sec. 14 Twp. 27 R. 19 🗸 East 🗌 West | |
| Settling Pit | If Existing, date constructed: | | 1980 Feet from North / South Line of Section | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit canacity: | | 1980 Feet from East / 🗸 West Line of Section | |
| | 300 | (bbls) | Neosho | County |
| Is the pit located in a Sensitive Ground Water | r Area? Yes | No | Chloride concentration: | - |
| Is the bottom below ground level? Yes V No | Artificial Liner? ☐ Yes ✓ | No | How is the pit lined if a plastic lin | er is not used? |
| Pit dimensions (all but working pits): | 30 Length (fe | eet)10 | Width (feet) | N/A: Steel Pits |
| | from ground level to de | | 10 (feet) | |
| Distance to popular wall within one mi | lo of oit | Denth to shallo | west fresh water | feet. |
| Source of info | | mation: | | |
| | det Deptil of Water Well | | Orilled | |
| | | | rial utilized in drilling/workover: Air Drilled | |
| | | working pits to be utilized: One | | |
| | | Air Drv. Back Fill and (| Cover RECEIVED | |
| Does the slope from the tank battery allow all spilled fluids to | | Drill pits must | *ANSAS CORPORATION COMMISSION t be closed within 365 days of spud date. JUL 2 6 2007 | |
| I hereby certify that the above stat | tements are true and | Lcorrect to the bes | t of my knowledge and belief. | CONSERVATION DIVISION WICHITA, KS |
| July 24, 2007 Date | | A MAKAS | Signature of Applicant or Agent $\int_{\Sigma_{+}}$ | X . Lotte Gards |
| | KCC | OFFICE USE O | NLY | |
| Date Received: 7/26/67 Permit Nur | mber: | Perm | nit Date: 7/26/07 Lease In | spection: Yes 🕻 No |