


KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE



Operator: License # 31652	API No. 15 - 167-23, 254-00-00
Name: NORSTAR PETROLEUM, INC.	90 N & 90 W of OF A5
Address: 5 Inverness Drive East, Suite 120	W/2_NE_SE_Sec. 27 Twp.15 S. R. 12W East X West
City/State/Zip: Englewood, CO 80112	feet from (S) (circle one) Line of Section
Purchaser:	1080 feet from (E) (circle one) Line of Section
Operator Contact Person: Per Burchardt	Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 925-0696 AUD 3 200	(circle one) NE (SE) NW SW
Contractor: Name: Discovery Drilling Co. Inc.	Janne Well #: 1-27
License: 31548	Field Name: Hall Gurney
Wellsite Geologist: Randy Kilian	Producing Formation: None
Designate Type of Completion:	Elevation: Ground: 1853 Kelly Bushing: 1861
New Well Re-Entry Workover	Total Depth: 3374 Plug Back Total Depth;
OilSWDSIOWTemp. RECEIVED	Amount of Surface Pipe Set and Cemented at 226.13 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
X Dry Other (Core, WSW, Expl., Cathodic, etc) 13 2004	11 700, 01011 001
If Workover/Re-entry: Old Well Info as follows: KCC WICHI	Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	Drilling Fluid Management Plan AUTI PAR 2-14-07
Original Comp. Date:Original Total Depth:	(Data must be collected from the Reserve Pit) WITT
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 16,000 ppm Fluid volume 320 bbls
Plug Back Plug Back Total Depth	Dewatering method used Evaporation
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	·
Other (SWD or Enhr.?) Docket No.	Operator Name:
7/3/04 7/8/04 7/9/04	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East _ West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING . Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
1 A COX	KCC Office Use ONLY
Signature: 12/64 Title: PRESIDENT Date: 7/2//64	Letter of Confidentiality Attached
21 5	If Denied, Yes Date:
Subscribed and sworn to before me this 2 day of 302	Wireline Log Received
10-2004	Geologist Report Received
Notary Public: land Samoth	UIC Distribution
Date Commission Expires: 4-5-07	

CLARK D. PARROTT NOTARY PUBLIC STATE OF COLORADO

perator Name: NO	RSTAR PETE	ROLEUM.	INC.	1	Name:	JANNE		_ Well #:1	-27	3
ec. 27 Twp, 15			X West	County	Maille,	Russell		_ YY OH #,		
ISTRUCTIONS: Show sted, time tool open an mperature, fluid recover lectric Wireline Logs sur	Important tops a d closed, flowing ry, and flow rates	nd base of and shut- if gas to s	formations pe in pressures, surface test, a	enetrated. whether sh long with fi	Detail al nut-in pre	ssure reached s	itatic level, hydro	static pressur	es, bottom hol	le
rill Stem Tests Taken (Attach Additional Shee	ets)	X Ye	s No		™ Lo	og Formatio	n (Top), Depth a	nd Datum	Samp	le
Samples Sent to Geological Survey Cores Taken Electric Log Run (Submit Copy)		s 🗓 No		Nam	e drite		Top 760 '		Datum +1101	
		s KNo s No		Tope Heel Brow	eka o Sh on Lime	2 2 2	2633' 2911' 2997'		- 772 -1050 -1136	
ist All E. Logs Run:					Lans	_		007 ' 306 '	-114 -144	
CNL/CDL DIL										
,		Repor		RECORD	X Ne	w Used ermediate, product	ion, etc.			
Purpose of String	Size Hole Drilled	Size	e Casing (In O.D.)	Wei Lbs.	ight	Setting Depth	Type of Cement	# Sacjs Used	Type and Po Additive	
Surface Pipe	12 1	8	3 5/8	28	and the same of th	226.13	Common	150	2%Ge1&3	%CC
	t									
			ADDITIONAL	. CEMENTI	NG / SQI	L JEEZE RECORD				
Purpose: Depth Top Bottom Perforate Top Bottom Protect Casing Plug Back TD Plug Off Zone		Турө	of Cement	#Sacks Used			Type and f	Percent Additive	s	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
TUBING RECORD	Size	Set At		Packer /	At	Liner Run				
			Producing Mei	-1			Yes No			
Date of First, Resumerd Pr	oduction, SWD or E	ennr.	Frounding Me		Flowin				her (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	G	ravity
Disposition of Gas	METHOD OF C	COMPLETIC	N			Production Inter	val			
Vented Sold (If vented, Submi	Used on Lease It ACO-18.)		Open Hole	Per	1.	Dually Comp.	Commingled .			

The second of th

ALLIED CEMENTING CO., INC.

10419

SIGNATURE

Padavel Tev l	
Federal Tax i	
REMIT 10 P.O. BOX 31	SERVICE POINT:
RUSSELL, KANSAS 67665	EIDENTIAL ROSSICC
And the second s	CALLED OUT ON LOCATION JOB START JOB FINISH
DATE 7-8-04 27 15 RANGE	9:45 10:45mm 12:45 2:000
TAMO	COUNTY STATE
LEASE DANTE WELL# -27 LOCATION DONKE	
OLD OR NEW (Circle one) S To Rule.	2E 42 S E 25,
CONTRACTOR DISCOURAY Rig# 2	OWNER 1/2 W INTO
TYPE OF JOB ROTARY Plug	OWNER
HOLE SIZE 77/8 T.D. 3374	CEMENT 13 5 69
CASING SIZE & SQ SQFACE DEPTH 226	AMOUNT ORDERED 50 SK 140
TUBING SIZE DEPTH	670 geL
DRILL PIPE 4 % X-H DEPTH 770	YATH FIO-SEAL PER.
TOOL DEPTH	7 /
PRES. MAX MINIMUM	COMMON78 @_745 _59672
MEAS. LINE SHOE JOINT	POZMIX <u>52</u> @ <u>4</u>
CEMENT LEFT IN CSG. RECEIV	
PERFS. DISPLACEMENT SEP 0 3 2	CHLORIDE@
	776)
EQUIPMENT KCC WIC	HI TA @
	@
PUMPTRUCK CEMENTER GLENN	@
# 366 HELPER Paul	HANDLING 137 @ 125 17 \ 25
BULK TRUCK	MILEAGE 5 \$ /SV Mile 137 00
# 282 DRIVER YUFUS	
BULK TRUCK	TOTAL 1232-15
# DRIVER	IUIAL
DEMADEC.	CEDATAGE
REMARKS:	SERVICE
" " " " " " " " " " " " " " " " " " "	
25 SR@ 1701	DEPTH OF JOB
35 SR @ 170 ' 80 SR & 450 '	DEPTH OF JOB
35 SR @ 170 ' 80 SR @ 450 ' 10 SF @ 40'	DEPTH OF JOB
35 SK @ 170 ' 80 SK & 450 '	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE 20 @ 42 80
35 SR @ 170' 80 SR @ 450' 10 SF @ 40'	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE PLUG Dey Hole Plug @ 23 = 23 = 25 = 25 = 25 = 25 = 25 = 25 =
35 SR @ 170 ' 80 SR @ 450 ' 10 SF @ 40' 15 SK @ RATHOLE	DEPTH OF JOB_PUMP TRUCK CHARGE 650 CE EXTRA FOOTAGE @ MILEAGE 20 @ 4 CE PLUG Dry Hole Plug @ 23 CE @ 23 CE
35 SR @ 170' 80 SR @ 450' 10 SF @ 40'	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE PLUG Dey Hole Plug @ 23 = 23 = 25 = 25 = 25 = 25 = 25 = 25 =
35 SR @ 170 ' 80 SR @ 450 ' 10 SF @ 40' 15 SK @ RATHOLE THOMR'S	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE PLUG Dey Hole Plug @ 23 = 0
35 SR @ 170 ' 80 SR @ 450 ' 10 SF @ 40' 15 SK @ RATHOLE THOMR'S	DEPTH OF JOB_PUMP TRUCK CHARGE 650 = EXTRA FOOTAGE @ MILEAGE 20 @ 4 = 80 = PLUG Dry Hole Plug @ 23 = 23 = @
35 SR @ 170 ' 80 SK & 450 ' 10 SF & 40' 15 SK & RATHOLE THONK'S CHARGE TO: NORSTAR PETROLEUM	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE PLUG Dey Hole Plug @ 23 = 0
SS SR @ 170 ' 80 SK & 450 ' 10 SF & 40' 15 SK & ROT HOLE THONK'S CHARGE TO: NORSTAR PETROLEUM	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE PLUG Dey Hole Plug @ 23 = 0
SS SR @ 170 ' 80 SK & 450 ' 10 SF & 40' 15 SK & RAT HOLE THOMR'S CHARGE TO: NORSTAR PETROL RUM STREET	DEPTH OF JOB
SS SR @ 170 ' 80 SK & 450 ' 10 SF & 40' 15 SK & RAT HOLE THOMR'S CHARGE TO: NORSTAR PETROL RUM STREET	DEPTH OF JOB
SS SR @ 170 ' 80 SK & 450 ' 10 SF & 40' 15 SK & RAT HOLE THOMR'S CHARGE TO: NORSTAR PETROL RUM STREET	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE PLUG Dry Hole Plug @ TOTAL 753
SS SR @ 170 ' 80 SK & 450 ' 10 SF & 40' 15 SK & RAT HOLE THOMR'S CHARGE TO: NORSTAR PETROL RUM STREET	DEPTH OF JOB
SS SR @ 170 ' 80 SK & 450 ' 10 SF & 40' 15 SK & RAT HOLE THOMR'S CHARGE TO: NORSTAR PETROL RUM STREET	DEPTH OF JOB
SS SR @ 170 ' 80 SK & 450 ' 10 SF & 40' 15 SK & RAT HOLE THOMR'S CHARGE TO: NORSTAR PETROL RUM STREET CITY STATE ZIP	DEPTH OF JOB
SS SR 9770 1 SO SK 9450 1 10 SF 940 40 1 15 SK PROTHOLE THOMKS CHARGE TO: NORSTAR PETROL RUM STREET CITY STATE ZIP To Allied Cementing Co., Inc.	DEPTH OF JOB
SS SK 9770 80 SK 9 450 10 SF 9 40 15 SK 9 R97 Hole CHARGE TO: Norstar Petroleum STREET	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE PLUG Dry Hole Plud @ TOTAL T
TO Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or	DEPTH OF JOB
CHARGE TO: NORSTAR PETROL Rum STREET CITY STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was	DEPTH OF JOB PUMP TRUCK CHARGE
STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	DEPTH OF JOB PUMP TRUCK CHARGE 650 PEXTRA FOOTAGE @ 400 PEY Hole Plud @ 2300 PLUG PRY Hole Plud @ 2300 PLUG PRY Hole Plud @ 2300 PET TOTAL 75300 PET TOTAL 753
THOURS CHARGE TO: NORSTAR PETROL RUM STREET CITY STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE PLUG Dey Hole Plug @ TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL
STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE PLUG Dry Hole Flud @ TOTAL 753 00 FLOAT EQUIPMENT TOTAL TOTAL TOTAL TOTAL TOTAL

Jenard !

ALLIED CEMENTING CO., INC. 17035

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665				SERVICE POINT:				
DATE 7/3/64	SEC. 27	TWP.	RANGE	CALLED OUT	ON LOCATION 9:30 Am	JOB START	JOB FINISH PO	
LEASETTANNE	WELL#	1-27	LOCATION QU	STODE /E	•	COUNTY	STATE	
OLD OK NEW Cir				SIDE IL	33 422			
COLUMN LONG	0					- KCC	<i>₹</i> 0	
CONTRACTOR A				OWNER		AUG 3 2	ma	
TYPE OF JOB HOLE SIZE	wfac		222					
CASING SIZE	\$	T.D	тн <i>926</i>	CEMENT	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	CONFIDEN	TIAL	
TUBING SIZE			PTH	AMOUNT OF				
DRILL PIPE			PTH	SURV	cem o z			
TOOL		DEI	PTH					
PRES. MAX			NIMUM	COMMON	150	@ 7.65	1,147.50	
MEAS. LINE	000	SHO	DE JOINT	POZMIX		@		
CEMENT LEFT IN PERFS.	CSG.	3"		GEL	3	@_11.00	33.00	
DISPLACEMENT	/2	,4661		_ CHLORIDE _	<u> </u>		150.00	
JIST LITTELIVIETY				ASC		@		
	EQU	IPMENT				_ @		
OLD AD TRALEGY		0.	1/			_@		
	EMENTE		// /A A/O			_ @		
BULK TRUCK	ELPER		y re			_ @	EAST-STATE OF THE STATE OF THE	
71-	RIVER	60	P. 1			@		
BULK TRUCK			7			@		
<u>.</u> D	RIVER					@		
				- HANDLING_	158	@ 1.25	197,50	
	REM	IARKS:		MILEAGE	.05/3K) mi.		165.90	
	ICLUIVI	CAINIXO.				TOTAL	1,693.90	
RANSAG	s of E	PFR	et C226	_	SERVIC	CE CE		
Ent uf 1	50 ph	Com.	3-2	DEPTH OF JOB				
				DI IMD TDI ICIZ	CHARGE		÷ 20	
fumpplus,	4/3.	plas o	t water	EXTRA FOOTA	AGE	@	520.00	
Pant 1-	10	idi.		MILEAGE	21 mi	@ 4.00	84.00	
EM DIO		ini.		1-85w	ood	@	45.00	
						@		
HARCETO. 11	-001	- 0	. 1			@		
HARGE TO: <i>\lambde{\lambde}</i>								
FREET						TOTAL	649,00	
CITYSTATEZIP		ZIP	PLUG & FLOAT EQUIPMENT					
				MANIFOLD_				
						@		
Allied Cementing	g Co., Inc	.			(@		
ou are hereby requi	ested to r	ent ceme	nting equipment			@	The state of the s	
id furnish cemente	r and heli	per to assi	st owner or		(@		
ontractor to do wor	k as is lis	ted. The	above work was					
one to satisfaction a	and super	vision of	owner agent or			TOTAL _		
ontractor. I have re ONDITIONS" liste	au & uno	ierstand th	ie "TERMS AND	T A 37				
	on the	reverse si	de.	TAX				
				TOTAL CHARGI	3			
		11	" v	DISCOUNT				
		X			1,	— IF PAID II	N 30 DAYS	
SNATURE / //	2001	<i> </i>		· Charma	_ε Λ/ ₄			

PRINTED NAME