KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

September 1999 Form Must Be Typed

WELL COMPLETION FORM CONFIDENTIA WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 31725	API No. 15 - 065-22978-0000
Name: Shelby Resources, LLC	County: Graham
Address: 5893 Saddle Creek Trail RECEIVED	se _sw _ sw _ Sec. 33 Twp. 9 S. R. 21 East West
City/State/7ip. Parker, Co., 80134	360 feet from N (circle one) Line of Section
Purchaser: Link Energy JUN 1 7 2004	1320 feet from E / (circle one) Line of Section
Operator Contact Person: Jim Waechter KCC WICHITA	Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 840-2183	(circle one) NE SE NW SW
Contractor: Name: Murfin Drilling Co., Inc.	Lease Name: Allphin Well #: 2
License: 30606	Field Name: Cooper
Wellsite Geologist: Kris Kennedy	Producing Formation: Arbuckle
Designate Type of Completion:	Elevation: Ground: 2319' Kelly Bushing: 2324'
New Well Re-Entry Workover	Total Depth: 3914 Plug Back Total Depth: N/A
OilSWDTemp. Abd.	Amount of Surface Pipe Set and Cemented at 219 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ✓ Yes No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set 1708 Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1708
Operator:	feet depth to surface w/ 300 sx cmt.
Well Name:	A
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Rit) Z-12-57
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 3100 ppm Fluid volume 180 bbls
Plug BackPlug Back Total Depth	Dewatering method used haul free fluids
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name: Shelby Resources, LLC
05/10/04 05/15/04 05/27/04	Lease Name: Bemis Shutts A License No.: 31725
05/10/04 05/15/04 05/27/04 Spud Date or Date Reached TD Completion Date or	Quarter NE Sec. 28 Twp. 11 S. R. 17 East West
Recompletion Date Recompletion Date	County: Ellis Docket No.: D-00,351
Kansas 67202, within 120 days of the spud date, recompletion, workove information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regular herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: A Weekler	KCC Office Use ONLY
Title: Managing Membergate: 06/14/04	Letter of Confidentiality Received
Subscribed and sworn to before me this 14th day of	If Denied, Yes Date:
	Wireline Log Received
20 04	Geologist Repent Recentled
Notary Public: The conce 1980ed	GURIANA WIJJISTIBLICK
Date Commission Expires: My Commission Expires ?	NOTARY PUBLIC
12/12/2007	STATE OF COLORADO

CONFIDENTIAL

ORIGINAL

. '	9 S. R. 21		t 🔽 West		e Name:≟ _{y:_} Grah		i é como como como como como como como co	Well #:		
INSTRUCTIONS: 5 tested, time tool ope temperature, fluid re	Show important tops on and closed, flowin ocovery, and flow rate gs surveyed. Attach	and base og and shu	of formations p t-in pressures, surface test,	enetrated. whether salong with	Detail a hut-in pre	Il cores. Repo essure reache t(s). Attach e	d static level, hyd	rostatic pressu space is need	res, bottom hole	
Drill Stem Tests Tak (Attach Additiona		₽ Y	′es		v L	☑ Log Formation (Top), Depth and Datum			Sample	
Samples Sent to Ge	,	Пγ	es 🗹 No		Name Anhydrite			Тор 1790	Datum 534	
Cores Taken		Y	,		Hee	,		3508	-1184	
Electric Log Run (Submit Copy)		es No		LKC			3546	-1222		
List All E. Logs Run	•				Arbu	ckle R	ECEIVED	3877	-1553	
•	sity, Dual Indu	ction S	Sonic Mic	rolog						
Neduon Den	sity, Duai iliuu	Cuon, c	OTTIC, IVIICI	rolog,		JU	IN 172004			
						KCC WICHITA				
	The state of the s	Dana		RECORD	V No			***************************************	AMERICAN PROPERTY OF THE PROPE	
Purpose of String	Size Hole	Siz	rt all strings set- ze Casing	Wei	ight	Setting	Type of	# Sacks	Type and Percer	
Surface	Drilled 12 1/4	Set (In O.D.)		Lbs.	/ Ft.	Depth	Cement	Used	Additives	
Prod		8 5/8		25		219	Common	160	3%cc, 2% gel	
riou	7 7/8	5 1/2		14		3914	ASC	175	10% salt, 2%	
			ADDITIONAL							
Purpose:	ADDITIONAL CEMENTIN Depth Type of Comput #Speke			NG / SQL						
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom	Type of Cement		"Odoks			Type and	Percent Additive	5	
Shots Per Foot	PERFORAT	ON RECOF	ID - Bridge Plu	as Set/Type		Acid. Fr	acture, Shot, Cemer	nt Sauseze Reco	ord	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated						(Amount and Kind of Material Used) Depth				
4 spf 3902'- 04'					***************************************	natural				
	Size 7/8"	Set At 3875'		Packer A N/A	xt	Liner Run	Yes V No)		
Date of First, Resumer 06/03/04	d Production, SWD or E	:nhr.	Producing Met	nod [Flowing	✓ Pump	ning Gas Li	ift Oth	er (Explain)	
Estimated Production Per 24 Hours	0il 100	Bbls.	Gas	Mcf	Wate	Y	3bls.	Gas-Oil Ratio	Gravity 26	
Disposition of Gas	METHOD OF C	OMPLETIC	N	<u> </u>		Production Inte		1	₩	
Vented Sold	Used on Lease		Open Hole	Perf.		ually Comp.	Commingled _	The state of the s		

ALLIED CEMENTING CO., INC. 17161 Federal Tax I.D.#

REMIT TO P.O. I		NSAS 67	665			SER	VICE POINT:	el
DATE 5/27/04	SEC.	TWP.	RANGE		CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE Allphin			LOCATION	luxch	of God Is		COUNTX	STATE
OLD OR NEW (Ci	ircle one)				•		KCC	
CONTRACTOR C		en Ollan			OWNER		1 1999	
HOLE SIZE	, , ,	T.I	D.		CEMENT		FOENTA	
CASING SIZE		DE	EPTH		AMOUNT QI	RDERED	Sand Samuel & Topics	i in
TUBING SIZE 2	₺		PTH		300.0h		#F/o	
DRILL PIPE TOOL			PTH		Used 22			
PRES. MAX			PTH /			_	. =	
MEAS. LINE			NIMUM		COMMON	<u> 135 </u>	_@ <u>765</u>	10327
CEMENT LEFT IN	I CSG	<u> </u>	OE JOINT		POZMIX _	90	@ <u>400</u>	3600
PERFS.					GEL		_@_ 	1210
DISPLACEMENT				· · · · · · · · · · · · · · · · · · ·	CHLORIDE _ ASC		_@	
	FOI	UIPMENT	1		Floseal	56±	_@	
	EQ	DIFIVIEN			FIDSEAI		_@_ <u>146</u>	7849
PUMP TRUCK (CEMENT	TED 12	- /1 F	RECE	IVED		_@ @	
	HELPER						_	
BULK TRUCK	ILLFER		5	JUN 1	7 2004		- [@]	
	ORIVER	60,		CC W	ICHITA			***************************************
BULK TRUCK			N.	UU V			@	****
# Þ	ORIVER						@	
	**************************************				HANDLING_	315	@ 125	_3937
	TOTAL	MARKS:			MILEAGE	5 4/sv/	MIE	78750
21.0		WIAKNS:				• •	TOTAL	27734
2600			1					
B.P. C3400	Tex	+ 100	ok			SERVIC	CE CE	
000	(~		1.00					
P.C. @ 170	#1510	cent 1	M 225 M		DEPTH OF JC			
Cent did	, Cin	•		·	PUMP TRUCK	CHARGE	1 1 16	6500
	bols	close.	tarl		EXTRA FOOT	AGE	.@	
Test to la		, //	10 Dts		MILEAGE	50	@ 499	2000
Cinc. Clea.	n, Pul	Tubin	5				@	
, .		, , , , ,					@	+
CHARGE TO: Sho	. 16 J			ا الإدر			@	•
STREET		**************************************		-		. •	TOTAL	850 9
						;		
CITY	STA	ATE	ZIP	·]	PLUG & FLOAT	EQUIPMEN'	Γ
					MANIFOLD_		@	***
To Allied Comontin	- C - T						<u>@</u>	
To Allied Cementin	ng Co., r	nc.					@	
You are hereby req	uested to	rent cem	enting equipme	ent			@	
and furnish cement	er and no	elper to as	ssist owner or				@	
done to satisfaction	ond our	ustea. In	e above work v	was				
done to satisfaction	rand by w	ervision (or owner agent	or			TOTAL	
contractor. I have a CONDITIONS" lis	ted on th	nuerstand	ine TERMS A	AND	TAX			
COMBINONS IIS	icu on n	ie reverse	side.					
					TOTAL CHAR	GE		
	, A	,					IF PAID	IN 30 DAYS
	Lin	1 10	uh la			-	IF PAID	IN 30 DAYS
SIGNATURE	Anec	d Con	uples	-			IF PAID	IN 30 DAYS

ALLIED CEMENTING CO., INC.

15609

REMIT TO P.O. BOX 31 a volvation out a RUSSELL, KANSAS 67665 OLD OR NEW (Circle one) eduna yang sa sereja yang tid tastifi tid 500 TYPE OF JOB HOLE SIZE CASING SIZE \$5 **TUBING SIZE** DEPTH DRILL PIPE **DEPTH** TOOL PRES. MAX **MINIMUM COMMON** MEAS. LINE **POZMIX** CEMENT LEFT IN CSG. GEL CHLORIDE DISPLACEMENT Strand A Little 1 Burn Web HANDLING 16 MILEAGE RECEIVED **BULK TRUCK** JUN 1.7.2004 Story of the Carlos of TOTAL REMARKS; JONE ON THE BORREST CONTRACTOR OF SERVICE CONTRACTOR OF S THE PERSON OF SERVICE OF SERVICE OF માં માં માના મહારે કર્યું કરી કરે પણ હોતી કરી જાય કે માના માં ખુ આ માના મુખ્ય માં ઉત્પાદ માટે કરો માને માને મા PUMP TRUCK CHARGE **EXTRA FOOTAGE** MILEAGE LATOTAL . The job of the care of the season STREET The bound STATE William of the ZIP To stope . To Allied Cementing Co., Inc. DIC COM NECESSARIES OF ADMIC You are hereby requested to rent cementing equipment CAN AS TOTAL TOTAL CONTROL OF THE WAS A CONTROL OF THE WAY OF THE and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or TAX_ contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side. TOTAL CHARGE. DISCOUNT PRINTED IN 30 DAYS TO MAKE THE PAID IN 30 DAYS TO MAKE THE PAID IN 30 DAYS Wash to be by ALL HED shall be under the the and show job as an indefendent contractor and in

ALLIED CEMENTING CO., INC. Federal Tax I.D.#

15615

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT: PUSSE!
	5-16-04
DATE 5-15-04 SEC. 33 TWP. RANGE	CALLED OUT ON LOCATION JOB START JOB FINISH
LEASE AIPHIN WELL# 2 LOCATION HURG	COUNTY STATE
OLD OR (NEW (Circle one)	2 W 4 N
CONTRACTOR MURFIN DALG Rig#8	
TYPE OF JOB PRODUCT, 'ON STRING HOLE SIZE 7 1/2 T.D. 3945	CEMENT
CASING SIZE 512 DEPTH 3 9 44	CEMENT AMOUNT ORDERED 175 SK ASC.
TUBING SIZE DEPTH	10% Salt 2% Gel
DRILL PIPE DEPTH	500 GAL WFR-2 Flush
PRES. MAX / CO # MINIMUM	
MEAS. LINE SHOE JOINT 16, 13	COMMON ASC 175 @ 950 16625
CEMENT LEFT IN CSG.	POZMIX @ @ 22 cc
PERFS.	GEL 3 @ 145° 33 ° CHLORIDE @
DISPLACEMENT 96 BBL	SAIT 17 @ 1500 75540
EQUIPMENT	WFR-2 5009AS @ 100 5000
PUMPTRUCK CEMENTER GIRNN	@
# 366 HELPER Shane	@
BULK TRUCK	HANDLING 195 @ 125 2035 MILEAGE 54/50 / Mile 48755
# 222 DRIVER TUFUS	WILLEAUE STANKE 48 (S
BULK TRUCK # DRIVER	TOTAL 318175
T DRIVER	101AL
PORT COLLER ON # 34JT. (17	SERVICE
	DEPTH OF JOB
	PUMP TRUCK CHARGE
FRAT HOLD	EXTRA FOOTAGE @@
1211	PLUG 5/2 RUBBER @ 5000
105K@ modsetble Minex	RECEIVED
155K@ KATHOL /HMIS	@
	JUN 1 7 2004
CHARGE TO: SHELBY Resources L	KCC WICHITA TOTAL 1380
CHARGE TO: SHELBY Resources L	11.11 11.0
STREET	Weatherford" FLOAT EQUIPMENT
CITYSTATEZIP	
	- Acute Shoe @ 15000
	1-AFY TNSERT @ 28500 4-BASKETS @ 12850 51200
	4- CENTRALIZERS @ AD 160°
To Allied Cementing Co., Inc.	1- PORT COLLAR @ 1500 00
You are hereby requested to rent cementing equipment	
and furnish cementer and helper to assist owner or	TOTAL 2557
contractor to do work as is listed. The above work was	
done to satisfaction and supervision of owner agent or	TAX
contractor. I have read & understand the "TERMS AND	
CONDITIONS! listed on the second of	
CONDITIONS" listed on the reverse side.	TOTAL CHARGE
CONDITIONS listed on the reverse side.	
Russia	
SIGNATURE Man A Alla	