Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM CONFIDENTIAL WELL HISTORY - DESCRIPTION OF WELL & LEASE

Prospect

	7	1	1 1	. 1	Λ	1
0	KI	17	П	V	А	ı

Operator: License #	API No. 15 - 011-23059-00-00
Name: Running Foxes Petroleum	County: Bourbon
Address: 14550 E Easter Ave., Ste. 1000	CNW_SW_Sec. 14 Twp. 26 S. R. 23 V East West
	1986 1742 feet from S N (circle one) Line of Section
	660 642 feet from E (W)(circle one) Line of Section
Operator Contact Person: Steven Tedesco Phone: (303) 277-7016 Contractor: Name: McGown Drilling	Fro Pte T-! Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 277-7016	(circle one) NE SE NW (SW)
Contractor: Name: McGown Drilling	Lease Name: Schaff Well #: 12-14
Purchaser: Seminole Energy Operator Contact Person: Steven Tedesco Phone: (303) 277-7016 Contractor: Name: McGown Drilling License: 5786	Field Name. Petersburg East
Wellsite Geologist: None	Producing Formation: Drywood, Rowe, AW, Riverton
Designate Type of Completion:	Elevation: Ground: 890 Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 561 Plug Back Total Depth:
Oil SWD SIOWTemp. And 5.200	Amount of Surface Pipe Set and Cemented at 20 Feet
✓ GasENHRSIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Calo QNFIDENT	At yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 560
Operator:	feet depth to surface w/ 83 sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No	Operator Name:
2/18/05 2/18/05 3/24/05	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workow Information of side two of this form will be held confidential for a period of	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. It months if requested in writing and submitted with the form (see rule 82-3-130 and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: Jakenbaut	KCC Office Use ONLY
Title: Exec. Asst. Date: 6/15/05	Letter of Confidentiality Received
Subscribed and sworn to before me this 15H tlay of June 18	If Denied, Yes Date:
20 05	Wireline Log Received Geologist Report Received
Notary Public: Litera M Jung	UIC Distribution
Notary Public.	

Operator Name: Ru	inning Foxes Petro	oleum	Lease Name:	Schaff		Well #:12·	-14
Sec. 14 Twp.	aida		County: Bou	bon		,	
tested, time tool ope temperature, fluid re	en and closed, flowing ecovery, and flow rate	and base of formations program and shut-in pressures, as if gas to surface test, a final geological well site r	whether shut-in palong with final cha	ressure reached	d static level, hyd	rostatic pressu	res, bottom hole
Drill Stem Tests Tak		☐ Yes 🗸 No	V	Log Forma	tion (Top), Depth	and Datum	Sample
Samples Sent to Ge	eological Survey	☐ Yes 🗸 No	Nar Dry	ne wood		Тор 402	Datum
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ☑ No ☑ Yes ☐ No	Rov	ve		407 422	
List All E. Logs Run	:		Rive	erton		447	
Gamma Ray	Neutron/CCL						
		CASING Report all strings set-c	-	lew Used	ation ata		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight	Setting	Type of	# Sacks	Type and Percent
Surface	12.25	8-5/8	Lbs. / Ft.	Depth 20	Class A	Used 20	Additives None
Long String	6.75	4.5	14	555	owc	83	2% gel
		2 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	I the				
		ADDITIONAL	CEMENTING / SQ	UEEZE RECOR	D		
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Used		Type and	Percent Additive	S
Shots Per Foot	PERFORATI Specify	ON RECORD - Bridge Plug Footage of Each Interval Perl	s Set/Type forated		acture, Shot, Cemer		ord Depth
4	Drywood			Perf			402-404
4	Rowe		3	Perf			407-410
4	AW			Perf			422-425
4	Riverton			Perf			447-452
·····	Size 3/8	Set At 555'	Packer At	Liner Run	Yes No)	
Date of First, Resumer	d Production, SWD or E	nhr. Producing Meth	nod Flowin	g 🕢 Pump	ing Gas Li	ift 🗌 Oth	er <i>(Explain)</i>
Estimated Production Per 24 Hours	Oil	Bbls. Gas I	Mcf [*] ∵ Wat	er E	Bbls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C			Production Inte	rval		
Vented ✓ Sold (If vented, Su	Used on Lease	Open Hole Other (Specif		Dually Comp.	Commingled _		

CONSCLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

2020

AUTHORIZTION

CONFIDENTIAL

HUKEINU	MRFK	C U C U
LOCATION_	017au	ia Ks
FOREMAN_	Fred	Mader
		•

TOTAL

DATE

2 4 7 4 8 1			P-1 1 141 P-14 1	KEPUKI	& FIELD TI	CKET		
			z.	CEMEN.	T		PIGINIA	1
DATE	CUSTOMER#	WEL	L,NAME & NUME	BER	SECTION	TOWNSHIP	RANGE	COUNTY
2-22-05 CUSTOMER	6960	Shaft	: #/2-	14 =	and the state of t	. 26	23	SB
, ,	iby Fox+	oc Pox	olem		TRUCK#,	T DRIVED	T TOLION "	T ======
MAILING ADDRE	ss)	5 1 6/11	<u>arevus</u>	1	372 .	F. Mader	TRUCK#	DRIVER
14550	E Easte	r Aug.	Ste 1000		368	~ .	 	
CITY	[5	r Ave. S STATE	ZIP CODE	†	369	H. Bechtle		
Centerin	al	Co.	80112		144	1 2 2 7	1	
	- /	HOLE SIZE(3/4	HOLE DEPTH		CASING SIZE & V	VEIGHT	4/6"
CASING DEPTH	<u> </u>	ORILL PIPE		TUBING		ONOMO DIZE &	OTHER	7.2
SLURRY WEIGH	T	SLURRY VOL				CEMENT LEFT in		Pubba Pluc
DISPLACEMENT	<u> 5.8</u> c	DISPLACEMENT		MIX PSI		RATE	0A0INO_727	John 1.52
REMARKS:	or per 1 1 c	•		- 2	* E Para	p 2sks	2	
<u>Gel</u>	Flush F	on w	4.5 88	Ldye		0F 70	4	UC
:0/ 10	# Kol Sea		=10 Seal		1.	show	8	
_Diso	loce Plu	1	asing	TOW	1 0 - 0	BL Fres	y clear	
Noss	ave to		PS1. Re	leo se	Pressu		A	Lvalue
Check	Plue d	wh u	/	SUVEND			<u> </u>	rvance
Noted	1.7	d	Kion r			, come of	meration	
					: 5	Capte ve gr	Special C	
Mc 60	con Drill	No.				7.0	Made	
		d				- facts	1 Cal	
ACCOUNT CODE	QUANITY or	UNITS	DES	SCRIPTION of S	SERVICES or PRO	ODUCT	UNIT PRICE	TOTAL
5401	. 1	4	PUMP CHARGE	Cen	unt Pu.	nD		7/000
5406		5	MILEAGE					
5407A			MILEAGE					176 25
	4.35		- Andrewson	milea	90	/		176 25
5502C			10n	milea	11 -			176 25
3502 C		24 T	10n		go Trock			176 25
3503 C		24 T	10n		11 -			176 25
1126	3	hrs	10n 80 BB	BL Vac	Truck	RECE		176 35 275,65 234,39
	83	24 T hrs 3 s/c	70n 80 BB	Came	Truck		ONCOMMISSION	176 35 275.65 234.33 983.55
1126	3 83 23	24 T hrs 3 s/c	70n 80 BB	Cam	Truck	RECE		176 35 275.65 234,34 983.55 80.00
1126 1107 1110A	3 83 25 /8	24 T hvs 3 s/c .K s/c	10n 80 ββ 0ωC Flo.3 Kol S	Cam eal	unt.	RECE: KANSAS CORPORAT JUN 1	ONCOMMISSION 2005	176 35 275.65 234,39 983.55 80.00 283.50
1126 1107 1110A	3 83 25 /8	24 T hrs 3 s/c	10n 80 ββ 0ωC Flo.3 Kol S	Cam eal	unt.	RECE KANSAS CORPORAT JUN 1	ONCOMMISSION 2005 NDIVISION	176 35 275.65 234,55 983.55 80.00 283.50 24.80
1126	3 83 25 /8	24 T hvs 3 s/c .K s/c	10n 80 ββ 0ωC Flo.3 Kol S	Cam	unt.	RECE: KANSAS CORPORAT JUN 1	ONCOMMISSION 2005 NDIVISION	176 35 275.65 234,39 983.55 80.00 283.50
1126 1107 1110A	3 83 25 /8	24 T hvs 3 s/c .K s/c	10n 80 ββ 0ωC Flo.3 Kol S	Cam eal	unt.	RECE KANSAS CORPORAT JUN 1	ONCOMMISSION 2005 NDIVISION	176 35 275.65 234,55 983.55 80.00 283.50 24.80
1126 1107 1110A	3 83 25 /8	24 T hvs 3 s/c .K s/c	10n 80 ββ 0ωC Flo.3 Kol S	Cam eal	unt.	RECE KANSAS CORPORAT JUN 1	ONCOMMISSION 2005 NDIVISION	176 35 275.65 234,55 983.55 80.00 283.50 24.80
1126 1107 1110A	3 83 25 /8	24 T hvs 3 s/c .K s/c	10n 80 ββ 0ωC Flo.3 Kol S	Cam eal	unt.	RECE KANSAS CORPORAT JUN 1	ONCOMMISSION 2005 NDIVISION	176 35 275.65 234,55 983.55 80.00 283.50 24.80
1126 1107 1110A	3 83 25 /8	24 T hvs 3 s/c .K s/c	10n 80 ββ 0ωC Flo.3 Kol S	Cam eal	unt.	RECE KANSAS CORPORAT JUN 1	ONCOMMISSION 2005 NDIVISION	176 35 275.65 234,55 983.55 80.00 283.50 24.80
1126 1107 1110A	3 83 25 /8	24 T hvs 3 s/c .K s/c	10n 80 ββ 0ωC Flo.3 Kol S	Cam eal	unt.	RECE KANSAS CORPORAT JUN 1	ONCOMMISSION 2005 NDIVISION	176 35 275.65 234,55 983.55 80.00 283.50 24.80
1126 1107 1110A	3 83 25 /8	24 T hvs 3 s/c .K s/c	10n 80 ββ 0ωC Flo.3 Kol S	Cam eal	unt.	RECE KANSAS CORPORAT JUN 1	ONCOMMISSION 2005 NDIVISION	176 35 275.65 234,55 983.55 80.00 283.50 24.80
1126 1107 1110A	3 83 25 /8	24 T hvs 3 s/c .K s/c	10n 80 ββ 0ωC Flo.3 Kol S	Cam eal	Ivock Int	RECE KANSAS CORPORAT JUN 1: CONSERVATIO WICHIT	ON COMMISSION 2005 NDIVISION 1, KS	776 35 275.65 234.22 983.55 80.00 283.50 24.80 3500
1126 1107 1110A	3 83 25 /8	24 T hvs 3 s/c .K s/c	10n 80 ββ 0ωC Flo.3 Kol S	Cam eal	Ivock Int	RECE KANSAS CORPORAT JUN 1	ONCOMMISSION 2005 NDIVISION	176 35 275.65 234,55 983.55 80.00 283.50 24.80

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be gaid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer shall be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.