

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form Must Be Typed

Prospect

,	
Operator: License #_33397	API No. 15 - 011-23068-00-00
Name: Running Foxes Petroleum LLC	County: Bourbon
Address: 14550 E Easter Ave., Ste. 1000	SE_NW_Sec. 23 Twp. 26 S. R. 23 V East West
City/State/Zip: Centennial, CO 80112	1980 feet from S (N)(circle one) Line of Section
Purchaser: Seminole Energy	1980 2149 feet from E (W)(circle one) Line of Section
Operator Contact Person: Steven Tedesco	Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 277-7016 *ANSAS CORPORATION COMMISS	ON (circle one) NE SE (NW) SW
Contractor: Name: McGown Drilling JUN 2 4 2005	Lease Name: Meier Trust Well #: 0-23
5786	Field Name: Wildcat
Wellsite Geologist: None CONSERVATION DIVISION WICHTIA KS	Producing Formation: Rowe
Designate Type of Completion:	Elevation: Ground: 900 Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 595 Plug Back Total Depth:
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 595
Operator:	feet depth to surface w/ 78 sx cmt.
Well Name:	Duilling Eluid Management Plan
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) 4-20-07
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No	Operator Name: License No.:
3/7/05 3/10/05 Waiting on pipe_	
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Docker No
Kansas 67202, within 120 days of the spud date, recompletion, workov	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, were or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-5 and geologist well report shall be attached with this form. ALL CEMENTING 5. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: Assertauft	KCC Office Use ONLY
Title: Che. (Sud. Date: 0/33/05	Letter of Confidentiality Received
Subscribed and sworn to before me this 23rd day of June	If Denied, Yes Date:
20 05. ~ 1	Wireline Log Received
1 A. My kung	Geologist Report Received UloDistribution
Notary Public: Sulma V	a

Operator Name: R	unning Foxes I	etrole	um LLC	Lea	ase Name:	Meier Tru	st	Well #: 6-	23	
Sec23 Twp	26 S. R. 23	_ Z Ea	ast West		unty: Bou					
temperature, fluid re	Show important tops en and closed, flowing ecovery, and flow ratings gs surveyed. Attach	ng and sh es if gas t	ut-in pressures to surface test,	s, whether along wit	r shut-in p	ressure reache	ed static level, hyd	rostatic procei	iree hot	tom holo
Drill Stem Tests Taken				Log Formation (Top), [Depth and Datum			
Samples Sent to Geological Survey]Yes ☑ No Na		Name		Тор		Datum		
Cores Taken					ummit		104			
Electric Log Run		✓	Voc. No.		herokee/Excello		118			
(Submit Copy) List All E. Logs Run					1	wood		414		
Dual Inductio Gamma Ray	n Resistivity	nsity								
		Rep	CASING ort all strings set-	RECORI		lew Used ermediate, produ	uction, etc.			
Purpose of String	Size Hole Drilled		Size Casing Set (In O.D.)		Veight os. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Тур	e and Percent Additives
Surface	12.25	8-5/8	***************************************	24		20	Class A	5	None	
Production	6.25	4-1/2		10.5		561	ос	77	2% g	el
			ADDITIONAL	CEMEN	TING / SO	UEEZE RECOF				
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Type of Cement a			cks Used	Type and Percent Additives					
Shots Per Foot	PERFORATI	ON RECO	RD - Bridge Pluc	as Set/Tyr	ne.	Acid Er	acture Shot Comer			
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)				Depth	
4 Drywood						Acid/Frac 4				414-418
FUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes No			
Pate of First, Resumero Waiting on pi	Production, SWD or E	nhr.	Producing Meth	nod	Flowing	I Pump	ing Gas Lit	t Othe	er (Explain	n)
Estimated Production Per 24 Hours	Oil	3bls.	Gas 20	Mcf	Wate			as-Oil Ratio	. (=\piali	Gravity
Disposition of Gas	METHOD OF C	OMPLETIC				Production Inte	rval			
Vented Sold (If vented, Sub	Used on Lease		Open Hole Other (Specif	✓ Per	rf. D	ually Comp.	Commingled			

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUM	BER	2033				
LOCATION_	OHa	Wa KS				
FOREMAN	Fred	Mades				

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	CUSTOMER#	WELL NAME & NUMBER		SECTION	TOWNSHIP	RANGE	COUNTY		
3-11-05	6960	Meier	# 6.23		23	26	23	BB	
CUSTOMER									
Puny	SS & Foxe	s Pedrole	oun		TRUCK#	DRIVER	TRUCK#	DRIVER	
MAILING ADDRE	ss 🗸]	<i>3</i> 72	F. Mader			
1455	D E. Eas	ter Ave 5	Le 1000		368	R. Avb			
CITY		STATE	ZIP CODE		122	C. Kennedy			
Cente	rial	G	80112		221	6. Taylor			
JOB TYPE	exists and	HOLE SIZE	63/4	HOLE DEPTH	<u> 595</u>	CASING SIZE & W	EIGHT 4/2		
CASING DEPTH	<u> </u>	DRILL PIPE	·	TUBING			OTHER		
SLURRY WEIGH	IT	SLURRY VOL		WATER gal/s	k	CEMENT LEFT in	casing <u>4/2/</u>	RubberPla	
DISPLACEMENT 92B DISPLACEMENT PSI 200 MIX PSI RATE 4 BPM									
REMARKS: Establish Circulation Ming Pump 2 5Ks fremion Gel Flush.									
Puno 4 BBC Cho Follow with 86 sks OWC Cornert w/ 10th Kal Seal									
4 1/2# Flo seal Der Sack. Flush Punp Clean. Displace 4"z" Rubba									
Plus to casing TDW/ 7,2BBL Fresh H2O. Pressure to 400 # PSI									
Refeace pressure to set Float Value. Chick Plus depth w/ meosuria									
REGEIVED									
WANSAS CORPORATION COMMISSION () A COMMISSION									
Mc Gour Dr. 11xx JUN 2 4 2005									
Co Rep: Cliftan Beth CONSERVATION DIVISION									
WICHITA, KS									
ACCOUNT	QUANITY	or UNITS	DE	SCRIPTION of	SERVICES or PR	ODUCT	UNIT PRICE	TOTAL	

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401)	PUMP CHARGE Cement Pump		75D 🕮
5406	75	MILEAGE		18225
5407A	4.042 Ton	Ton mileage		272.85
55000,	10. 5 hrs	Ton miloage 80 BBL Jac Truck		272. E4 400 20
1126	785Ks	OWC Coment Flo. Seal		990 60
1107	2 5KS	Flo. Seal		
11 10 A	17 5/5	Kol Seal		28135
1118	RsKs	Primiom Gel		37 00
4404	1	Primi um Gel 4'z" Rubber Plug		37 00
		<i>V</i>		

			11 12 17 14 17 14 14 14 14 14 14 14 14 14 14 14 14 14	
	CAPI,	6.3%	SALES TAX ESTIMATED	89.49

AUTHORIZTION_______TITLE______QQQQQ

ESTIMATED TOTAL 3114.98

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer shall be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.