

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Prospect

**CONFIDENTIAL**

**ORIGINAL**

Operator: License # 33397  
Name: Running Foxes Petroleum  
Address: 14550 E Easter Ave., Ste. 1000  
City/State/Zip: Centennial, CO 80112  
Purchaser: Seminole Energy  
Operator Contact Person: Steven Tedesco  
Phone: (303) 277-7016  
Contractor: Name: MOKAT  
License: 5831  
Wellsite Geologist: None  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Deep Abridged  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

RECEIVED  
KANSAS CORPORATION COMMISSION  
WICHITA, KS  
JUN 17 2005

KCC  
JUN 15 2005  
**CONFIDENTIAL**

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_


<u>2/18/05</u>	<u>2/21/05</u>	<u>3/30/05</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 011-23079-00-00  
County: Bourbon  
C SE NE Sec. 9 Twp. 26 S. R. 23  East  West  
1980 2302 feet from S (N) (circle one) Line of Section  
680 698 feet from (E) W (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) (NE) SE NW SW  
Lease Name: Youngren Well #: 8-9  
Field Name: \_\_\_\_\_  
Producing Formation: Drywood, Rowe, AW, BW  
Elevation: Ground: 880 Kelly Bushing: \_\_\_\_\_  
Total Depth: 584 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 20 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 587  
feet depth to surface w/ 70 sx cmt.

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit) ALT II within 4-2007  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.  
Signature: [Signature]  
Title: Exec. Asst. Date: 6/15/05  
Subscribed and sworn to before me this 15th day of June  
20 05  
Notary Public: Kristina M. Tussing



**KCC Office Use ONLY**  
YES Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
Wireline Log Received \_\_\_\_\_  
Geologist Report Received \_\_\_\_\_  
UIC Distribution \_\_\_\_\_

Operator Name: Running Foxes Petroleum Lease Name: Youngren Well #: 8-9  
 Sec. 9 Twp. 26 S. R. 23  East  West County: Bourbon

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy)

Log Formation (Top), Depth and Datum  Sample  
 Name Top Datum  
**Drywood** 433  
**Rowe** 440  
**AW** 453  
**BW** 459

List All E. Logs Run:

**Gamma Ray/Neutron/CCL  
 Dual Induction Resistivity  
 Compensated Neutron Density**

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12.25	8-5/8	24	20	Class A	20	None
Long String	6.75	4.5		587	OWC	70	2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	Drywood	Perf	433-437
4	Rowe	Perf	440-442
4	AW	Perf	453-456
4	BW	Perf	459-462

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2-3/8	587		<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method		
			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
		20			

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

CONSOLIDATED OIL WELL SERVICES, INC.  
 214 W. 14TH STREET, CHANUTE, KS 66720  
 620-431-9210 OR 800-467-8676

KCC

JUN 15 2005

TICKET NUMBER 2019

LOCATION Ottawa KS

FOREMAN Fred Mader

CONFIDENTIAL

TREATMENT REPORT & FIELD TICKET  
 CEMENT

ORIGINAL

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
2-22-05	6960	Youngren # 8-9	<del>7</del>	26	23	BB
CUSTOMER <u>Running Foxes Petroleum</u>						
MAILING ADDRESS <u>14550 E Easter Ave Ste 1000</u>						
CITY <u>Centennial</u>		STATE <u>CO.</u>	ZIP CODE <u>80112</u>			
JOB TYPE <u>Long string</u>		HOLE SIZE <u>6 3/4</u>	HOLE DEPTH <u>587</u>	CASING SIZE & WEIGHT <u>4 1/2"</u>		
CASING DEPTH <u>585'</u>		DRILL PIPE	TUBING	OTHER		
SLURRY WEIGHT		SLURRY VOL	WATER gal/sk	CEMENT LEFT in CASING <u>4 1/2 Rubber Plug</u>		
DISPLACEMENT <u>9.3 BBL</u>		DISPLACEMENT PSI	MIX PSI	RATE <u>4 BPM</u>		
REMARKS: <u>Establish Circulation. Mix &amp; Pump 2 sks Premium Gel</u> <u>Flush. Pump 4 1/2 BBL Dye ahead of 78 SKS OWC.</u> <u>w/ 10# Kol seal 1/2# Flo Seal per SK. Flush Pump clean.</u> <u>Displace 4 1/2 Rubber plug to casing TD w/ 9.3 BBL Fresh</u> <u>Water. Pressure to 308 PSI. Release pressure to set</u> <u>Float Valve. Check plug depth w/ measuring line.</u> <u>Co. Rep: Earl Bartholomew</u> <u>Fred Mader</u>						

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE <u>Cement Pump.</u>		710.00
5406	75	MILEAGE		176.25
5407A	3.666 T.	Ton mileage.		233.71
5502C	3 hrs	80 BBL Vac Truck		234.00
1126	70 SKS	OWC		829.50
1107	2 SKS	Flo Seal		80.00
1110A	16 SKS	Kol Seal		252.00
1118	2 SKS	Premium Gel		24.80
4404	1	4 1/2 Rubber Plug		35.00
				6.3%
				SALES TAX ESTIMATED TOTAL
				76.99
				2652.29

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 JUN 17 2005

CONSERVATION DIVISION  
 WICHITA, KS

AUTHORIZATION

TITLE

DATE

195700

## TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

## SERVICE CONDITIONS

**Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.**

**"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."**

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer shall be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

## WARRANTIES – LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.