

**CONFIDENTIAL**

**CONFIDENTIAL**

11/14/06

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
**WELL COMPLETION FORM**  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 5447  
Name: OXY USA Inc.  
Address: P.O. Box 2528  
City/State/Zip: Liberal, KS 67905  
Purchaser: \_\_\_\_\_  
Operator Contact Person: Vicki Carder  
Phone: (620) 629-4200  
Contractor: Name: Murfin Drilling Co., Inc.  
License: 30606  
Wellsite Geologist: Marvin T. Harvey, Jr.  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl, Cathodic, etc)  
If Workover/Re-entry: Old Well Info as follows: \_\_\_\_\_  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

API No. 15 - 081-21589 0000  
County: Haskell  
NE - SW - SE - NE Sec 28 Twp. 27 S. R. 34W  
2124 feet from S  (circle one) Line of Section  
771 feet from  (circle one) E W Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one)  NE  SE  NW  SW  
Lease Name: Williams G Well #: 1  
Field Name: \_\_\_\_\_  
Producing Formation: Morrow  
Elevation: Ground: 3042 Kelly Bushing: 3053  
Total Depth: 5675 Plug Back Total Depth: 5631  
Amount of Surface Pipe Set and Cemented at 1929 feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set 3147  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. To Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_  
07/19/05 07/28/05 08/25/05  
Spud Date or Date Reached TD Completion Date or Recompletion Date

RECEIVED  
KANSAS CORPORATION COMMISSION  
NOV 15 2005  
CONSERVATION DIVISION  
WICHITA, KS

Drilling Fluid Management Plan ALI WITH  
(Data must be collected from the Reserve Pit) 3-19-07  
Chloride content 4000 mg/ ppm Fluid volume 1500 bbls  
Dewatering method used Evaporation  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R.  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 6702, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Vicki Carder  
Title: Capital Project Date 11/14/05  
Subscribed and sworn to before me this 14th day of November  
20 05  
Notary Public: Kathleen R. Poulton  
Date Commission Expires: November 8, 2006

KCC Office Use Only  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

NOTARY PUBLIC - State of Kansas  
KATHLEEN R. POULTON  
My Appt. Exp. 11-8-06

CONFIDENTIAL

Side Two

Operator Name: OXY USA Inc. Lease Name: Williams G Well #: 1

Sec. 28 Twp. 27 S. R. 34W  East  West County: Haskell

**Instructions:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

|   |   |       |     |       |               |      |     |         |      |      |         |      |       |          |      |       |          |      |       |        |      |       |         |      |       |           |      |       |
|---|---|-------|-----|-------|---------------|------|-----|---------|------|------|---------|------|-------|----------|------|-------|----------|------|-------|--------|------|-------|---------|------|-------|-----------|------|-------|
| <p>Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No<br/><i>(Attach Additional Sheets)</i></p> <p>Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No<br/><i>(Submit Copy)</i></p> <p>List All E. Logs Run:      Neutron                  Microlog<br/>   Sonic                                  Induction                  CBL<br/>   Geological</p> | <p><input checked="" type="checkbox"/> Log      Formation (Top), Depth and Datum      <input type="checkbox"/> Sample</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Name</td> <td style="width: 20%;">Top</td> <td style="width: 20%;">Datum</td> </tr> <tr> <td>Council Grove</td> <td>2905</td> <td>148</td> </tr> <tr> <td>Heebner</td> <td>4028</td> <td>-975</td> </tr> <tr> <td>Lansing</td> <td>4116</td> <td>-1063</td> </tr> <tr> <td>Marmaton</td> <td>4696</td> <td>-1643</td> </tr> <tr> <td>Cherokee</td> <td>4832</td> <td>-1779</td> </tr> <tr> <td>Morrow</td> <td>5129</td> <td>-2076</td> </tr> <tr> <td>Chester</td> <td>5366</td> <td>-2313</td> </tr> <tr> <td>St. Louis</td> <td>5503</td> <td>-2450</td> </tr> </table> | Name  | Top | Datum | Council Grove | 2905 | 148 | Heebner | 4028 | -975 | Lansing | 4116 | -1063 | Marmaton | 4696 | -1643 | Cherokee | 4832 | -1779 | Morrow | 5129 | -2076 | Chester | 5366 | -2313 | St. Louis | 5503 | -2450 |
| Name  | Top   | Datum |     |       |               |      |     |         |      |      |         |      |       |          |      |       |          |      |       |        |      |       |         |      |       |           |      |       |
| Council Grove   | 2905  | 148   |     |       |               |      |     |         |      |      |         |      |       |          |      |       |          |      |       |        |      |       |         |      |       |           |      |       |
| Heebner   | 4028  | -975  |     |       |               |      |     |         |      |      |         |      |       |          |      |       |          |      |       |        |      |       |         |      |       |           |      |       |
| Lansing   | 4116  | -1063 |     |       |               |      |     |         |      |      |         |      |       |          |      |       |          |      |       |        |      |       |         |      |       |           |      |       |
| Marmaton  | 4696  | -1643 |     |       |               |      |     |         |      |      |         |      |       |          |      |       |          |      |       |        |      |       |         |      |       |           |      |       |
| Cherokee  | 4832  | -1779 |     |       |               |      |     |         |      |      |         |      |       |          |      |       |          |      |       |        |      |       |         |      |       |           |      |       |
| Morrow  | 5129  | -2076 |     |       |               |      |     |         |      |      |         |      |       |          |      |       |          |      |       |        |      |       |         |      |       |           |      |       |
| Chester   | 5366  | -2313 |     |       |               |      |     |         |      |      |         |      |       |          |      |       |          |      |       |        |      |       |         |      |       |           |      |       |
| St. Louis   | 5503  | -2450 |     |       |               |      |     |         |      |      |         |      |       |          |      |       |          |      |       |        |      |       |         |      |       |           |      |       |

| CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used |                   |                           |                 |               |                |              |                            |
|---|-------------------|---------------------------|-----------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc.           |                   |                           |                 |               |                |              |                            |
| Purpose of String   | Size Hole Drilled | Size Casing Set(in. O.D.) | Weight Lbs./ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Conductor   |                   |                           |                 |               | C              |              |                            |
| Surface   | 12 1/4            | 8 5/8                     | 24              | 1929          | C              | 620          | 35/65 Poz + Additives      |
|   |                   |                           |                 |               | C              | 195          | Class C + Additives        |
| Production  | 7 7/8             | 5 1/2                     | 10.5            | 5375          | H              | 255          | 50/50 Lite Poz + Additive  |

ADDITIONAL CEMENTING / SQUEEZE RECORD

| Purpose:   | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives          |
|--|------------------|----------------|-------------|-------------------------------------|
| <input type="checkbox"/> Perforate                 |                  |                |             |                                     |
| <input checked="" type="checkbox"/> Protect Casing | Est 1799-3147    | H              | 285         | 50/50 Poz + Additives - Port Collar |
| <input type="checkbox"/> Plug Back TD              |                  |                |             |                                     |
| <input type="checkbox"/> Plug off Zone             |                  |                |             |                                     |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | Depth |
|----------------|--|--|-------|
| 4              | 5200-5206, 5210-5218, 5220-5226, 5232-5240,  | Acidize - 4500 Gls 7.5% FE-MCA   |       |
|                | <del>5145-5234</del> 5246-5250   | Frac-16,379 gls WF 130 75% N2,   |       |
|                |  | 100,000# 20/40 Sand  |       |

|   |                |   |                  |  |
|---|----------------|---|------------------|--|
| TUBING RECORD   | Size<br>2 7/8  | Set At<br>5281  | Packer At        | Liner Run<br><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Date of First, Resumed Production, SWD or Enhr.<br>08/26/05 |                | Producing Method<br><input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) |                  |  |
| Estimated Production Per 24 Hours                           | Oil BBLs<br>24 | Gas Mcf<br>12   | Water Bbls<br>10 | Gas-Oil Ratio<br>521.7   |

Disposition of Gas                                  METHOD OF COMPLETION                                  Production Interval

Vented     Sold     Used on Lease                   Open Hole     Perf.     Dually Comp.     Commingled \_\_\_\_\_

*(If vented, Submit ACO-18)*                                   Other (Specify) \_\_\_\_\_



# Cementing Service Report

| Customer<br><b>OXY USA, INC.</b>   |      |   |   |   |                        | Job Number<br><b>2205548225</b>              |                                  |                                       |                                  |                               |                             |
|--|------|---|---|---|------------------------|--|----------------------------------|---------------------------------------|----------------------------------|-------------------------------|-----------------------------|
| Well<br><b>WILLIAMS 'G' 1</b>  |      |   | Location (legal)<br><b>Sec 28-T27S-R34W</b> |   |                        | Schlumberger Location<br><b>Perryton, TX</b> |                                  | Job Start<br><b>2005-Jul-21</b>       |                                  |                               |                             |
| Field<br><b>PLEASANT P</b>   |      | Formation Name/Type   |   |   | Deviation              |  | Bit Size<br><b>12.3 in</b>       | Well MD<br><b>1,929 ft</b>            | Well TVD<br><b>1,929 ft</b>      |                               |                             |
| County<br><b>HASKELL</b>   |      | State/Province<br><b>KANSAS</b>   |   |   | BHP<br><b>psi</b>      | BHST<br><b>97.5 °F</b>                       | BHCT<br><b>°F</b>                | Fore Press. Gradient<br><b>psi/ft</b> |                                  |                               |                             |
| Well Master:<br><b>0630689976</b>  |      | API / UWI:<br><b>15-081-21589</b>   |   |   | Casing/Liner           |  |                                  |                                       |                                  |                               |                             |
| Rig Name<br><b>MURFIN 20</b>   |      | Drilled For<br><b>Gas</b>   |   | Service Via<br><b>Land</b>                    |                        | Depth, ft<br><b>1933</b>                     | Size, in<br><b>8.63</b>          | Weight, lb/ft<br><b>24</b>            | Grade                            |                               |                             |
| Offshore Zone  |      | Well Class<br><b>New</b>  | Well Type<br><b>Development</b>             |   |                        | Tubing/Drill Pipe                            |                                  |                                       |                                  |                               |                             |
| Drilling Fluid Type  |      | Max. Density<br><b>lb/gal</b>   | Plastic Viscosity<br><b>cp</b>              |   |                        | Depth,                                       | Size, in                         | Weight, lb/ft                         | Grade                            | Thread                        |                             |
| Service Line<br><b>Cementing</b>   |      | Job Type<br><b>Cem Surface Casing</b>   |   |   | Perforations/Open Hole |  |                                  |                                       |                                  |                               |                             |
| Max. Allowed Tubing Pressure<br><b>psi</b>   |      | Max. Allowed Ann. Pressure<br><b>psi</b>  |   | Wellhead Connection<br><b>8 5/8" H&amp;SM</b> |                        |  | Top, ft                          | Bottom, ft                            | spf                              | No. of Shots                  | Total Interval<br><b>ft</b> |
| Service Instructions<br><b>CEMENT SURFACE 8 5/8" CASING<br/>10 BBLS FRESH WATER<br/>620 SK 35:65 POZ:CLASS C+6% D020 + 2% S001 + 0.5 PPS D029<br/>195 SK CLASS C + 2 % S001+ 0.25 PPS D029</b> |      |   |   |   |                        | Treat Down<br><b>Casing</b>                  | Displacement<br><b>120.5 bbl</b> | Packer Type                           | Packer Depth<br><b>ft</b>        |                               |                             |
|  |      |   |   |   |                        | Tubing Vol.<br><b>bbl</b>                    | Casing Vol.<br><b>123 bbl</b>    | Annular Vol.<br><b>142 bbl</b>        | Open Hole Vol.<br><b>265 bbl</b> |                               |                             |
| Casing/Tubing Secured <input checked="" type="checkbox"/>  |      | 1 Hole Volume Circulated prior to Cementing <input checked="" type="checkbox"/> |   |   | Casing Tools           |  |                                  | Squeeze Job                           |                                  |                               |                             |
| Lift Pressure:<br><b>500 psi</b>   |      |   |   |   |                        | Shoe Type:                                   |                                  | Squeeze Type                          |                                  |                               |                             |
| Pipe Rotated <input type="checkbox"/>  |      |   |   |   |                        | Pipe Reciprocated <input type="checkbox"/>   |                                  | Shoe Depth:<br><b>1933 ft</b>         |                                  | Tool Type:                    |                             |
| No. Centralizers:<br><b>Top Plugs: 1</b>   |      | <b>Bottom Plugs: 0</b>  |   | Stage Tool Type:                              |                        | Tool Depth:<br><b>ft</b>                     |                                  |                                       |                                  |                               |                             |
| Cement Head Type:<br><b>Single</b>   |      |   |   |   |                        | Stage Tool Depth:<br><b>ft</b>               |                                  | Tail Pipe Size:<br><b>in</b>          |                                  |                               |                             |
| Job Scheduled For:   |      | Arrived on Location:<br><b>2005-Jul-21 1:00</b>                                 |   | Leave Location:<br><b>2005-Jul-21 5:00</b>    |                        | Collar Type:                                 |                                  | Tail Pipe Depth:<br><b>ft</b>         |                                  |                               |                             |
|  |      |   |   |   |                        | Collar Depth:<br><b>1892 ft</b>              |                                  | Sqz Total Vol:<br><b>bbl</b>          |                                  |                               |                             |
| Date   | Time | Treating Pressure<br>psi  | Flow Rate<br>bbl/min                        | CMT DENS<br>lb/gal                            | Volume<br>bbl          | Flowmeter Rate<br>bbl/min                    | Flowmeter Tot<br>bbl             | 0                                     | 0                                | Message                       |                             |
| 2005-Jul-21  | 2:35 | -5  | 0.0   | 8.28  | 0.0                    | 0.0  | 0.0                              | 0                                     | 0                                |                               |                             |
| 2005-Jul-21  | 2:35 |   |   |   |                        |  |                                  |                                       |                                  | Start Job                     |                             |
| 2005-Jul-21  | 2:36 | 0   | 0.0   | 8.28  | 0.0                    | 0.0  | 0.0                              | 0                                     | 0                                |                               |                             |
| 2005-Jul-21  | 2:36 | 55  | 0.0   | 8.28  | 0.0                    | 0.3  | 0.3                              | 0                                     | 0                                |                               |                             |
| 2005-Jul-21  | 2:37 | 2124  | 0.0   | 8.28  | 0.0                    | 0.0  | 0.4                              | 0                                     | 0                                |                               |                             |
| 2005-Jul-21  | 2:37 |   |   |   |                        |  |                                  |                                       |                                  | Pressure Test Lines           |                             |
| 2005-Jul-21  | 2:37 | 2097  | 0.0   | 8.28  | 0.0                    | 0.0  | 0.4                              | 0                                     | 0                                |                               |                             |
| 2005-Jul-21  | 2:37 | 1959  | 0.0   | 8.28  | 0.0                    | 0.0  | 0.4                              | 0                                     | 0                                |                               |                             |
| 2005-Jul-21  | 2:38 | 73  | 0.0   | 8.28  | 0.0                    | 0.0  | 0.4                              | 0                                     | 0                                |                               |                             |
| 2005-Jul-21  | 2:38 | 41  | 0.0   | 8.28  | 0.0                    | 0.0  | 0.4                              | 0                                     | 0                                |                               |                             |
| 2005-Jul-21  | 2:39 | 101   | 2.3   | 8.27  | 0.0                    | 1.8  | 0.6                              | 0                                     | 0                                |                               |                             |
| 2005-Jul-21  | 2:39 | 124   | 4.0   | 8.27  | 0.0                    | 4.1  | 2.0                              | 0                                     | 0                                |                               |                             |
| 2005-Jul-21  | 2:40 | 179   | 5.1   | 8.27  | 0.0                    | 5.2  | 4.6                              | 0                                     | 0                                |                               |                             |
| 2005-Jul-21  | 2:40 |   |   |   |                        |  |                                  |                                       |                                  | Start Pumping Spacers         |                             |
| 2005-Jul-21  | 2:40 | 174   | 5.1   | 8.21  | 0.8                    | 5.0  | 6.3                              | 0                                     | 0                                | RECEIVED                      |                             |
| 2005-Jul-21  | 2:40 | 169   | 5.1   | 8.23  | 1.6                    | 5.1  | 7.2                              | 0                                     | 0                                | KANSAS CORPORATION COMMISSION |                             |
| 2005-Jul-21  | 2:41 | 160   | 5.1   | 8.26  | 4.1                    | 5.2  | 9.8                              | 0                                     | 0                                | APR 06 2007                   |                             |
| 2005-Jul-21  | 2:41 | 165   | 5.1   | 8.26  | 6.7                    | 5.2  | 12.3                             | 0                                     | 0                                |                               |                             |
| 2005-Jul-21  | 2:42 | 169   | 5.1   | 8.95  | 9.3                    | 5.1  | 14.9                             | 0                                     | 0                                | CONSERVATION DIVISION         |                             |
| 2005-Jul-21  | 2:42 | 165   | 5.1   | 9.02  | 9.4                    | 5.1  | 15.1                             | 0                                     | 0                                | WICHITA, KS                   |                             |
| 2005-Jul-21  | 2:42 |   |   |   |                        |  |                                  |                                       |                                  | End Spacer                    |                             |
| 2005-Jul-21  | 2:42 |   |   |   |                        |  |                                  |                                       |                                  | Reset Total, Vol = 0.00 bbl   |                             |

| Well            |             | FL                |           | Service Date |        | Customer       |               | Job Number |                             |
|-----------------|-------------|-------------------|-----------|--------------|--------|----------------|---------------|------------|-----------------------------|
| WILLIAMS 'G' #1 |             | PLEASANT P        |           | 05202-Jul-21 |        | OXY USA, INC.  |               | 2205548225 |                             |
| Date            | Time        | Treating Pressure | Flow Rate | CMT DENS     | Volume | Flowmeter Rate | Flowmeter Tot | 0          | Message                     |
|                 | 24 hr clock | psi               | bbf/min   | lb/gal       | bbf    | bbf/min        | bbf           | 0          |                             |
| 2005-Jul-21     | 2:42        |                   |           |              |        |                |               |            | Reset Total, Vol = 9.51 bbl |
| 2005-Jul-21     | 2:42        | 169               | 5.1       | 9.04         | 9.5    | 5.1            | 15.2          | 0          |                             |
| 2005-Jul-21     | 2:42        |                   |           |              |        |                |               |            | Start Mixing Lead Slurry    |
| 2005-Jul-21     | 2:42        | 169               | 5.1       | 9.10         | 0.3    | 5.2            | 0.3           | 0          |                             |
| 2005-Jul-21     | 2:42        | 137               | 4.0       | 9.84         | 2.2    | 4.4            | 2.3           | 0          |                             |
| 2005-Jul-21     | 2:43        | 133               | 4.0       | 12.05        | 4.2    | 4.0            | 4.3           | 0          |                             |
| 2005-Jul-21     | 2:43        | 124               | 4.0       | 12.11        | 6.2    | 4.0            | 6.3           | 0          |                             |
| 2005-Jul-21     | 2:44        | 110               | 3.9       | 11.81        | 8.2    | 3.9            | 8.3           | 0          |                             |
| 2005-Jul-21     | 2:44        | 105               | 4.0       | 11.79        | 10.1   | 4.0            | 10.2          | 0          |                             |
| 2005-Jul-21     | 2:45        | 128               | 4.8       | 11.73        | 12.2   | 4.8            | 12.3          | 0          |                             |
| 2005-Jul-21     | 2:45        | 169               | 5.9       | 11.89        | 15.1   | 5.9            | 15.1          | 0          |                             |
| 2005-Jul-21     | 2:46        | 174               | 5.9       | 11.98        | 18.1   | 5.9            | 18.1          | 0          |                             |
| 2005-Jul-21     | 2:46        | 165               | 6.0       | 11.98        | 21.1   | 6.0            | 21.0          | 0          |                             |
| 2005-Jul-21     | 2:47        | 156               | 6.0       | 12.05        | 24.1   | 6.0            | 24.0          | 0          |                             |
| 2005-Jul-21     | 2:47        | 151               | 6.1       | 12.08        | 27.1   | 6.0            | 27.0          | 0          |                             |
| 2005-Jul-21     | 2:48        | 110               | 5.3       | 11.32        | 29.9   | 5.2            | 29.8          | 0          |                             |
| 2005-Jul-21     | 2:48        | 105               | 5.3       | 11.47        | 32.5   | 5.3            | 32.4          | 0          |                             |
| 2005-Jul-21     | 2:49        | 101               | 5.3       | 11.73        | 35.2   | 5.4            | 35.1          | 0          |                             |
| 2005-Jul-21     | 2:49        | 101               | 5.2       | 11.75        | 37.8   | 5.4            | 37.7          | 0          |                             |
| 2005-Jul-21     | 2:50        | 101               | 5.3       | 11.55        | 40.4   | 5.4            | 40.4          | 0          |                             |
| 2005-Jul-21     | 2:50        | 101               | 5.3       | 11.61        | 43.1   | 5.3            | 43.1          | 0          |                             |
| 2005-Jul-21     | 2:51        | 105               | 5.3       | 11.53        | 45.8   | 5.3            | 45.9          | 0          |                             |
| 2005-Jul-21     | 2:51        | 82                | 4.6       | 11.44        | 48.2   | 4.7            | 48.4          | 0          |                             |
| 2005-Jul-21     | 2:52        | 82                | 4.6       | 12.20        | 50.5   | 4.7            | 50.7          | 0          |                             |
| 2005-Jul-21     | 2:52        | 87                | 4.6       | 12.27        | 52.8   | 4.6            | 53.0          | 0          |                             |
| 2005-Jul-21     | 2:53        | 82                | 4.6       | 12.26        | 55.1   | 4.7            | 55.4          | 0          |                             |
| 2005-Jul-21     | 2:53        | 78                | 4.6       | 12.08        | 57.4   | 4.5            | 57.7          | 0          |                             |
| 2005-Jul-21     | 2:54        | 82                | 4.6       | 11.84        | 59.7   | 4.7            | 60.0          | 0          |                             |
| 2005-Jul-21     | 2:54        | 82                | 4.6       | 11.99        | 62.0   | 4.7            | 62.3          | 0          |                             |
| 2005-Jul-21     | 2:55        | 78                | 4.6       | 12.17        | 64.3   | 4.6            | 64.6          | 0          |                             |
| 2005-Jul-21     | 2:55        | 78                | 4.6       | 12.12        | 66.6   | 4.6            | 67.0          | 0          |                             |
| 2005-Jul-21     | 2:56        | 82                | 4.6       | 12.26        | 68.9   | 4.6            | 69.3          | 0          |                             |
| 2005-Jul-21     | 2:56        | 110               | 5.3       | 12.37        | 71.4   | 5.4            | 71.8          | 0          |                             |
| 2005-Jul-21     | 2:57        | 128               | 5.9       | 12.40        | 74.2   | 5.8            | 74.6          | 0          |                             |
| 2005-Jul-21     | 2:57        | 128               | 5.9       | 12.37        | 77.2   | 5.9            | 77.5          | 0          |                             |
| 2005-Jul-21     | 2:58        | 128               | 5.9       | 12.31        | 80.1   | 5.9            | 80.5          | 0          |                             |
| 2005-Jul-21     | 2:58        | 128               | 5.8       | 12.22        | 83.0   | 5.9            | 83.4          | 0          |                             |
| 2005-Jul-21     | 2:59        | 133               | 5.9       | 12.28        | 85.9   | 5.9            | 86.4          | 0          |                             |
| 2005-Jul-21     | 2:59        | 133               | 5.8       | 12.40        | 88.9   | 5.9            | 89.3          | 0          |                             |
| 2005-Jul-21     | 3:00        | 137               | 5.9       | 12.47        | 91.8   | 6.0            | 92.3          | 0          |                             |
| 2005-Jul-21     | 3:00        | 137               | 5.9       | 12.37        | 94.7   | 6.0            | 95.3          | 0          |                             |
| 2005-Jul-21     | 3:01        | 146               | 5.9       | 12.11        | 97.6   | 5.9            | 98.2          | 0          |                             |
| 2005-Jul-21     | 3:01        | 137               | 5.9       | 11.79        | 100.7  | 5.9            | 101.2         | 0          |                             |
| 2005-Jul-21     | 3:02        | 133               | 5.9       | 11.95        | 103.6  | 5.9            | 104.2         | 0          |                             |
| 2005-Jul-21     | 3:02        | 105               | 5.1       | 12.01        | 106.5  | 5.2            | 107.1         | 0          |                             |
| 2005-Jul-21     | 3:03        | 101               | 5.0       | 12.17        | 109.0  | 5.1            | 109.6         | 0          |                             |
| 2005-Jul-21     | 3:03        | 105               | 5.0       | 12.28        | 111.5  | 5.0            | 112.2         | 0          |                             |
| 2005-Jul-21     | 3:04        | 101               | 5.0       | 12.25        | 114.0  | 5.0            | 114.6         | 0          |                             |
| 2005-Jul-21     | 3:04        | 96                | 5.0       | 12.28        | 116.5  | 5.0            | 117.2         | 0          |                             |
| 2005-Jul-21     | 3:05        | 96                | 4.9       | 12.37        | 118.9  | 5.0            | 119.6         | 0          |                             |
| 2005-Jul-21     | 3:05        | 96                | 4.9       | 12.48        | 121.5  | 4.9            | 122.2         | 0          |                             |
| 2005-Jul-21     | 3:06        | 96                | 4.9       | 12.55        | 124.0  | 5.0            | 124.7         | 0          |                             |
| 2005-Jul-21     | 3:06        | 96                | 4.9       | 12.47        | 126.4  | 4.9            | 127.2         | 0          |                             |
| 2005-Jul-21     | 3:07        | 92                | 4.9       | 12.51        | 129.1  | 5.2            | 129.8         | 0          |                             |

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
**APR 06 2007**  
 CONSERVATION DIVISION  
 WICHITA, KS

| Well            |             |                   | FL         |          | Service Date |                | Customer      |   | Job Number                    |  |
|-----------------|-------------|-------------------|------------|----------|--------------|----------------|---------------|---|-------------------------------|--|
| WILLIAMS 'G' #1 |             |                   | PLEASANT P |          | 05202-Jul-21 |                | OXY USA, INC. |   | 2205548225                    |  |
| Date            | Time        | Treating Pressure | Flow Rate  | OMT DENS | Volume       | Flowmeter Rate | Flowmeter Tot | 0 | Message                       |  |
|                 | 24 hr clock | psi               | bbf/min    | lb/gal   | bbf          | bbf/min        | bbf           | 0 |                               |  |
| 2005-Jul-21     | 3:07        | 96                | 4.9        | 12.59    | 131.5        | 5.0            | 132.3         | 0 |                               |  |
| 2005-Jul-21     | 3:08        | 92                | 4.9        | 12.53    | 134.0        | 5.0            | 134.8         | 0 |                               |  |
| 2005-Jul-21     | 3:08        | 138               | 5.9        | 12.27    | 136.9        | 5.9            | 137.7         | 0 |                               |  |
| 2005-Jul-21     | 3:09        | 128               | 6.1        | 12.32    | 139.9        | 6.2            | 140.7         | 0 |                               |  |
| 2005-Jul-21     | 3:09        | 92                | 4.9        | 12.50    | 142.4        | 5.0            | 143.3         | 0 |                               |  |
| 2005-Jul-21     | 3:10        | 96                | 5.0        | 12.59    | 144.9        | 5.0            | 145.8         | 0 |                               |  |
| 2005-Jul-21     | 3:10        | 119               | 5.9        | 12.56    | 147.6        | 6.0            | 148.5         | 0 |                               |  |
| 2005-Jul-21     | 3:11        | 92                | 5.0        | 12.06    | 150.1        | 5.0            | 151.1         | 0 |                               |  |
| 2005-Jul-21     | 3:11        | 105               | 5.7        | 11.60    | 152.9        | 5.6            | 153.8         | 0 |                               |  |
| 2005-Jul-21     | 3:12        | 110               | 5.6        | 12.08    | 155.8        | 5.6            | 156.6         | 0 |                               |  |
| 2005-Jul-21     | 3:12        | 160               | 6.7        | 12.45    | 158.7        | 6.1            | 159.5         | 0 |                               |  |
| 2005-Jul-21     | 3:13        | 92                | 5.1        | 12.17    | 161.4        | 5.3            | 162.3         | 0 |                               |  |
| 2005-Jul-21     | 3:13        | 87                | 5.0        | 12.09    | 163.9        | 5.1            | 164.8         | 0 |                               |  |
| 2005-Jul-21     | 3:14        | 87                | 5.0        | 11.96    | 166.4        | 5.0            | 167.3         | 0 |                               |  |
| 2005-Jul-21     | 3:14        | 50                | 4.0        | 11.87    | 168.5        | 4.1            | 169.5         | 0 |                               |  |
| 2005-Jul-21     | 3:15        | 50                | 4.0        | 11.82    | 170.5        | 4.0            | 171.6         | 0 |                               |  |
| 2005-Jul-21     | 3:15        | 50                | 4.0        | 11.49    | 172.5        | 4.0            | 173.6         | 0 |                               |  |
| 2005-Jul-21     | 3:16        | 27                | 3.2        | 11.74    | 174.3        | 3.4            | 175.4         | 0 |                               |  |
| 2005-Jul-21     | 3:16        | 92                | 5.2        | 12.25    | 176.6        | 5.2            | 177.7         | 0 |                               |  |
| 2005-Jul-21     | 3:17        | 87                | 5.0        | 12.24    | 179.1        | 5.1            | 180.3         | 0 |                               |  |
| 2005-Jul-21     | 3:17        | 82                | 5.0        | 12.12    | 181.7        | 5.1            | 182.8         | 0 |                               |  |
| 2005-Jul-21     | 3:18        | 105               | 5.2        | 12.15    | 184.2        | 5.1            | 185.3         | 0 |                               |  |
| 2005-Jul-21     | 3:18        | 105               | 5.6        | 12.12    | 187.0        | 5.7            | 188.2         | 0 |                               |  |
| 2005-Jul-21     | 3:19        | 105               | 5.6        | 12.12    | 189.8        | 5.7            | 191.0         | 0 |                               |  |
| 2005-Jul-21     | 3:19        | 105               | 5.6        | 12.20    | 192.6        | 5.7            | 193.8         | 0 |                               |  |
| 2005-Jul-21     | 3:20        | 105               | 5.7        | 11.93    | 195.5        | 5.8            | 196.7         | 0 |                               |  |
| 2005-Jul-21     | 3:20        | 119               | 5.7        | 12.34    | 198.3        | 5.8            | 199.6         | 0 |                               |  |
| 2005-Jul-21     | 3:21        | 114               | 5.7        | 12.28    | 201.2        | 5.7            | 202.5         | 0 |                               |  |
| 2005-Jul-21     | 3:21        | 124               | 6.0        | 12.11    | 204.2        | 6.1            | 205.6         | 0 |                               |  |
| 2005-Jul-21     | 3:22        | 124               | 6.0        | 12.23    | 207.2        | 6.2            | 208.6         | 0 |                               |  |
| 2005-Jul-21     | 3:22        | 119               | 5.8        | 12.32    | 210.1        | 5.9            | 211.6         | 0 |                               |  |
| 2005-Jul-21     | 3:23        | 119               | 5.8        | 12.09    | 213.1        | 5.9            | 214.6         | 0 |                               |  |
| 2005-Jul-21     | 3:23        | 114               | 5.8        | 11.95    | 215.9        | 5.8            | 217.6         | 0 |                               |  |
| 2005-Jul-21     | 3:24        | 119               | 5.8        | 12.17    | 218.8        | 5.9            | 220.5         | 0 |                               |  |
| 2005-Jul-21     | 3:24        | 124               | 5.8        | 12.20    | 221.7        | 5.9            | 223.4         | 0 |                               |  |
| 2005-Jul-21     | 3:25        | 119               | 5.8        | 11.88    | 224.6        | 5.8            | 226.3         | 0 |                               |  |
| 2005-Jul-21     | 3:25        | 69                | 4.6        | 11.81    | 227.2        | 4.9            | 229.0         | 0 |                               |  |
| 2005-Jul-21     | 3:26        | 64                | 4.0        | 11.85    | 229.2        | 4.1            | 231.1         | 0 |                               |  |
| 2005-Jul-21     | 3:26        | 55                | 3.9        | 11.95    | 231.2        | 3.9            | 233.1         | 0 |                               |  |
| 2005-Jul-21     | 3:27        | 60                | 3.9        | 12.13    | 233.1        | 3.9            | 235.0         | 0 |                               |  |
| 2005-Jul-21     | 3:27        |                   |            |          |              |                |               |   | End Lead Slurry               |  |
| 2005-Jul-21     | 3:27        | 64                | 3.9        | 12.82    | 234.4        | 4.0            | 236.4         | 0 |                               |  |
| 2005-Jul-21     | 3:27        |                   |            |          |              |                |               |   | Reset Total, Vol = 234.46 bbl |  |
| 2005-Jul-21     | 3:27        | 60                | 3.9        | 12.85    | 234.5        | 4.0            | 236.4         | 0 |                               |  |
| 2005-Jul-21     | 3:27        | 64                | 3.9        | 12.82    | 0.2          | 4.0            | 0.2           | 0 |                               |  |
| 2005-Jul-21     | 3:27        |                   |            |          |              |                |               |   | Start Mixing Tail Slurry      |  |
| 2005-Jul-21     | 3:27        | 64                | 3.9        | 12.84    | 0.6          | 4.0            | 0.6           | 0 |                               |  |
| 2005-Jul-21     | 3:28        | 60                | 3.9        | 13.14    | 2.4          | 4.0            | 2.6           | 0 |                               |  |
| 2005-Jul-21     | 3:28        | 96                | 4.3        | 14.54    | 4.4          | 4.0            | 4.6           | 0 |                               |  |
| 2005-Jul-21     | 3:29        | 165               | 5.5        | 14.57    | 7.0          | 5.5            | 7.2           | 0 |                               |  |
| 2005-Jul-21     | 3:29        | 160               | 5.4        | 14.56    | 9.8          | 5.5            | 10.0          | 0 |                               |  |
| 2005-Jul-21     | 3:30        | 183               | 5.6        | 14.94    | 12.4         | 5.7            | 12.7          | 0 |                               |  |
| 2005-Jul-21     | 3:30        | 169               | 5.6        | 14.78    | 15.2         | 5.7            | 15.5          | 0 |                               |  |
| 2005-Jul-21     | 3:31        | 165               | 5.7        | 14.34    | 18.0         | 5.7            | 18.3          | 0 |                               |  |

RECEIVED  
KANSAS CORPORATION COMMISSION

APR 06 2007

CONSERVATION DIVISION  
WICHITA, KS

| Well            |             | PLEASANT P        |           |          | Service Date | Customer       |               | Job Number |                              |
|-----------------|-------------|-------------------|-----------|----------|--------------|----------------|---------------|------------|------------------------------|
| WILLIAMS 'G' #1 |             |                   |           |          | 05202-Jul-21 | OXY USA, INC.  |               | 2205548225 |                              |
| Date            | Time        | Treating Pressure | Flow Rate | GMT DENS | Volume       | Flowmeter Rate | Flowmeter Tot | 0          | Message                      |
|                 | 24 hr clock | psi               | bbbl/min  | lb/gal   | bbbl         | bbbl/min       | bbbl          | 0          |                              |
| 2005-Jul-21     | 3:31        | 142               | 5.1       | 14.73    | 20.7         | 5.2            | 21.1          | 0          |                              |
| 2005-Jul-21     | 3:32        | 151               | 5.2       | 14.95    | 23.3         | 5.3            | 23.7          | 0          |                              |
| 2005-Jul-21     | 3:32        | 197               | 6.1       | 14.96    | 25.9         | 5.7            | 26.3          | 0          |                              |
| 2005-Jul-21     | 3:33        | 197               | 6.1       | 14.85    | 29.0         | 6.2            | 29.4          | 0          |                              |
| 2005-Jul-21     | 3:33        | 206               | 6.1       | 14.80    | 32.2         | 6.2            | 32.6          | 0          |                              |
| 2005-Jul-21     | 3:34        | 197               | 6.1       | 14.76    | 35.2         | 6.2            | 35.7          | 0          |                              |
| 2005-Jul-21     | 3:34        | 201               | 6.2       | 14.77    | 38.3         | 6.2            | 38.8          | 0          |                              |
| 2005-Jul-21     | 3:35        | 133               | 5.2       | 14.71    | 41.3         | 5.5            | 41.9          | 0          |                              |
| 2005-Jul-21     | 3:35        | 73                | 3.9       | 14.94    | 43.4         | 4.0            | 44.0          | 0          |                              |
| 2005-Jul-21     | 3:36        | 46                | 2.5       | 14.77    | 45.1         | 3.3            | 45.9          | 0          |                              |
| 2005-Jul-21     | 3:36        | 60                | 2.5       | 14.77    | 46.4         | 3.7            | 47.6          | 0          |                              |
| 2005-Jul-21     | 3:37        | -18               | 0.0       | 14.20    | 47.5         | 1.2            | 49.4          | 0          |                              |
| 2005-Jul-21     | 3:37        |                   |           |          |              |                |               |            | End Tail Slurry              |
| 2005-Jul-21     | 3:37        | -18               | 0.0       | 14.05    | 47.5         | 0.5            | 49.4          | 0          |                              |
| 2005-Jul-21     | 3:37        | -18               | 0.0       | 14.02    | 47.5         | 0.3            | 49.5          | 0          |                              |
| 2005-Jul-21     | 3:37        |                   |           |          |              |                |               |            | Reset Total, Vol = 47.48 bbl |
| 2005-Jul-21     | 3:37        |                   |           |          |              |                |               |            | Drop Top Plug                |
| 2005-Jul-21     | 3:37        | -18               | 0.0       | 13.99    | 0.0          | 0.1            | 0.0           | 0          |                              |
| 2005-Jul-21     | 3:37        |                   |           |          |              |                |               |            | Start Displacement           |
| 2005-Jul-21     | 3:37        | -18               | 0.0       | 13.98    | 0.0          | 0.1            | 0.0           | 0          |                              |
| 2005-Jul-21     | 3:37        | -18               | 0.0       | 13.97    | 0.0          | 0.0            | 0.0           | 0          |                              |
| 2005-Jul-21     | 3:38        | -18               | 0.0       | 13.72    | 0.0          | 0.0            | 0.0           | 0          |                              |
| 2005-Jul-21     | 3:38        | -18               | 0.0       | 13.08    | 0.0          | 0.0            | 0.0           | 0          |                              |
| 2005-Jul-21     | 3:39        | -18               | 0.0       | 12.72    | 0.0          | 0.0            | 0.0           | 0          |                              |
| 2005-Jul-21     | 3:39        | -18               | 0.0       | 12.24    | 0.0          | 0.0            | 0.0           | 0          |                              |
| 2005-Jul-21     | 3:40        | 0                 | 0.0       | 11.90    | 0.0          | 0.0            | 0.0           | 0          |                              |
| 2005-Jul-21     | 3:40        | 32                | 3.5       | 8.76     | 1.4          | 4.4            | 1.7           | 0          |                              |
| 2005-Jul-21     | 3:41        | 37                | 4.4       | 8.70     | 3.3          | 4.6            | 3.9           | 0          |                              |
| 2005-Jul-21     | 3:41        | 78                | 6.3       | 8.33     | 5.5          | 5.7            | 6.2           | 0          |                              |
| 2005-Jul-21     | 3:42        | 32                | 3.7       | 8.31     | 8.2          | 4.2            | 9.0           | 0          |                              |
| 2005-Jul-21     | 3:42        | 32                | 3.7       | 8.62     | 10.0         | 3.8            | 11.0          | 0          |                              |
| 2005-Jul-21     | 3:43        | 50                | 4.0       | 8.38     | 11.9         | 3.9            | 12.9          | 0          |                              |
| 2005-Jul-21     | 3:43        | 55                | 4.2       | 8.35     | 14.0         | 4.3            | 15.1          | 0          |                              |
| 2005-Jul-21     | 3:44        | 55                | 4.2       | 8.30     | 16.1         | 4.3            | 17.3          | 0          |                              |
| 2005-Jul-21     | 3:44        | 60                | 4.2       | 8.30     | 18.2         | 4.3            | 19.5          | 0          |                              |
| 2005-Jul-21     | 3:45        | 69                | 4.2       | 8.32     | 20.3         | 4.3            | 21.6          | 0          |                              |
| 2005-Jul-21     | 3:45        | 73                | 4.2       | 8.35     | 22.4         | 4.2            | 23.7          | 0          |                              |
| 2005-Jul-21     | 3:46        | 133               | 6.0       | 8.44     | 25.1         | 6.2            | 26.4          | 0          |                              |
| 2005-Jul-21     | 3:46        | 133               | 6.0       | 8.30     | 28.1         | 6.2            | 29.5          | 0          |                              |
| 2005-Jul-21     | 3:47        | 114               | 4.9       | 8.33     | 30.9         | 5.1            | 32.4          | 0          |                              |
| 2005-Jul-21     | 3:47        | 114               | 5.0       | 8.32     | 33.4         | 5.0            | 34.9          | 0          |                              |
| 2005-Jul-21     | 3:48        | 137               | 5.2       | 8.32     | 36.0         | 5.4            | 37.5          | 0          |                              |
| 2005-Jul-21     | 3:48        | 137               | 5.2       | 8.30     | 38.6         | 5.4            | 40.1          | 0          |                              |
| 2005-Jul-21     | 3:49        | 160               | 5.2       | 8.31     | 41.2         | 5.3            | 42.8          | 0          |                              |
| 2005-Jul-21     | 3:49        | 156               | 5.2       | 8.31     | 43.8         | 5.4            | 45.5          | 0          |                              |
| 2005-Jul-21     | 3:50        | 174               | 5.2       | 8.30     | 46.4         | 5.4            | 48.1          | 0          |                              |
| 2005-Jul-21     | 3:50        | 169               | 5.2       | 8.30     | 49.0         | 5.3            | 50.8          | 0          |                              |
| 2005-Jul-21     | 3:51        | 197               | 5.2       | 8.30     | 51.7         | 5.3            | 53.4          | 0          |                              |
| 2005-Jul-21     | 3:51        | 211               | 5.2       | 8.30     | 54.3         | 5.3            | 56.1          | 0          |                              |
| 2005-Jul-21     | 3:52        | 211               | 5.2       | 8.30     | 56.9         | 5.3            | 58.8          | 0          |                              |
| 2005-Jul-21     | 3:52        | 215               | 5.2       | 8.30     | 59.5         | 5.3            | 61.4          | 0          |                              |
| 2005-Jul-21     | 3:53        | 247               | 5.8       | 8.30     | 62.2         | 5.8            | 64.1          | 0          |                              |
| 2005-Jul-21     | 3:53        | 261               | 5.7       | 8.30     | 65.0         | 5.8            | 67.0          | 0          |                              |
| 2005-Jul-21     | 3:54        | 275               | 5.7       | 8.30     | 67.8         | 5.8            | 69.8          | 0          |                              |

RECEIVED  
KANSAS CORPORATION COMMISSION

APR 06 2007

CONSERVATION DIVISION  
WICHITA, KS

| Well            |             | F.                |           |          | Service Date |                | Customer      |   | Job Number                    |  |
|-----------------|-------------|-------------------|-----------|----------|--------------|----------------|---------------|---|-------------------------------|--|
| WILLIAMS 'G' #1 |             | PLEASANT P        |           |          | 05202-Jul-21 |                | OXY USA, INC. |   | 2205548225                    |  |
| Date            | Time        | Treating Pressure | Flow Rate | CMT DENS | Volume       | Flowmeter Rate | Flowmeter Tot | 0 | Message                       |  |
|                 | 24 hr clock | psi               | bbbl/min  | lb/gal   | bbbl         | bbbl/min       | bbbl          | 0 |                               |  |
| 2005-Jul-21     | 3:54        | 302               | 5.7       | 8.30     | 70.8         | 5.8            | 72.8          | 0 |                               |  |
| 2005-Jul-21     | 3:55        | 302               | 5.7       | 8.30     | 73.6         | 5.7            | 75.7          | 0 |                               |  |
| 2005-Jul-21     | 3:55        | 318               | 5.7       | 8.30     | 76.4         | 5.7            | 78.6          | 0 |                               |  |
| 2005-Jul-21     | 3:56        | 348               | 5.6       | 8.30     | 79.3         | 5.7            | 81.4          | 0 |                               |  |
| 2005-Jul-21     | 3:56        | 352               | 5.6       | 8.30     | 82.1         | 5.8            | 84.3          | 0 |                               |  |
| 2005-Jul-21     | 3:57        | 366               | 5.7       | 8.30     | 84.9         | 5.7            | 87.1          | 0 |                               |  |
| 2005-Jul-21     | 3:57        | 380               | 5.7       | 8.30     | 87.8         | 5.8            | 90.0          | 0 |                               |  |
| 2005-Jul-21     | 3:58        | 398               | 5.7       | 8.30     | 90.7         | 5.8            | 92.9          | 0 |                               |  |
| 2005-Jul-21     | 3:58        | 426               | 5.7       | 8.30     | 93.5         | 5.8            | 95.8          | 0 |                               |  |
| 2005-Jul-21     | 3:59        | 453               | 5.8       | 8.30     | 96.4         | 5.8            | 98.7          | 0 |                               |  |
| 2005-Jul-21     | 3:59        | 467               | 5.8       | 8.30     | 99.3         | 5.8            | 101.6         | 0 |                               |  |
| 2005-Jul-21     | 4:00        | 494               | 5.8       | 8.30     | 102.1        | 5.8            | 104.5         | 0 |                               |  |
| 2005-Jul-21     | 4:00        | 504               | 5.8       | 8.30     | 105.0        | 5.9            | 107.4         | 0 |                               |  |
| 2005-Jul-21     | 4:01        | 517               | 5.8       | 8.30     | 107.9        | 5.8            | 110.3         | 0 |                               |  |
| 2005-Jul-21     | 4:01        | 536               | 5.8       | 8.30     | 110.8        | 5.8            | 113.2         | 0 |                               |  |
| 2005-Jul-21     | 4:02        | 471               | 2.4       | 8.30     | 113.1        | 2.5            | 115.7         | 0 |                               |  |
| 2005-Jul-21     | 4:02        | 481               | 2.5       | 8.30     | 114.3        | 2.4            | 116.9         | 0 |                               |  |
| 2005-Jul-21     | 4:03        | 485               | 2.4       | 8.30     | 115.5        | 2.5            | 118.1         | 0 |                               |  |
| 2005-Jul-21     | 4:03        | 499               | 2.4       | 8.30     | 116.8        | 2.5            | 119.3         | 0 |                               |  |
| 2005-Jul-21     | 4:04        | 508               | 2.4       | 8.30     | 118.0        | 2.4            | 120.6         | 0 |                               |  |
| 2005-Jul-21     | 4:04        | 513               | 2.4       | 8.30     | 119.2        | 2.5            | 121.8         | 0 |                               |  |
| 2005-Jul-21     | 4:05        | 1030              | 0.0       | 8.30     | 119.6        | 0.0            | 122.3         | 0 |                               |  |
| 2005-Jul-21     | 4:05        | 1039              | 0.0       | 8.30     | 119.6        | 0.0            | 122.3         | 0 |                               |  |
| 2005-Jul-21     | 4:06        | 815               | 0.0       | 8.30     | 119.6        | 0.0            | 122.3         | 0 |                               |  |
| 2005-Jul-21     | 4:06        |                   |           |          |              |                |               |   | End Displacement              |  |
| 2005-Jul-21     | 4:06        |                   |           |          |              |                |               |   | Bump Top Plug                 |  |
| 2005-Jul-21     | 4:06        | 742               | 0.0       | 8.30     | 119.6        | 0.0            | 122.3         | 0 |                               |  |
| 2005-Jul-21     | 4:06        |                   |           |          |              |                |               |   | Reset Total, Vol = 119.61 bbl |  |
| 2005-Jul-21     | 4:06        | 64                | 0.0       | 8.30     | 0.0          | 0.0            | 0.0           | 0 |                               |  |
| 2005-Jul-21     | 4:06        | -5                | 0.0       | 8.30     | 0.0          | 0.0            | 0.0           | 0 |                               |  |
| 2005-Jul-21     | 4:07        |                   |           |          |              |                |               |   | End Job                       |  |
| 2005-Jul-21     | 4:07        | -5                | 0.0       | 8.30     | 0.0          | 0.0            | 0.0           | 0 |                               |  |

  

| Post Job Summary                      |                        |              |                         |   |                               |   |    |  |  |
|---------------------------------------|------------------------|--------------|-------------------------|---|-------------------------------|---|----|--|--|
| Average Pump Rates, bpm               |                        |              |                         |   | Volume of Fluid Injected, bbl |   |    |  |  |
| Slurry                                | N2                     | Mud          | Maximum Rate            | Total Slurry  | Mud                           | Spacer  | N2 |  |  |
| 5                                     |                        |              | 6                       | 287   | 0                             | 10  |    |  |  |
| Treating Pressure Summary, psi        |                        |              |                         |   | Breakdown Fluid               |   |    |  |  |
| Maximum                               | Final                  | Average      | Bump Plug to            | Breakdown   | Volume                        | Density   |    |  |  |
|                                       |                        |              | 1000                    |   | bbbl                          | lb/gal  |    |  |  |
| Avg. N2 Percent                       | Designed Slurry Volume | Displacement | Mix Water Temp          | <input checked="" type="checkbox"/> Cement Circulated to Surface? Volume 90 bbl<br><input type="checkbox"/> Washed Thru Perfs To ft |                               |   |    |  |  |
| %                                     | 287 bbl                | 120.5 bbl    | °F                      |   |                               |   |    |  |  |
| Customer or Authorized Representative |                        |              | Schlumberger Supervisor |   |                               | <input type="checkbox"/> Circulation Lost <input checked="" type="checkbox"/> Job Completed |    |  |  |
| Fillpot, Greg                         |                        |              | Ahrends, Timothy        |   |                               |   |    |  |  |

RECEIVED  
KANSAS CORPORATION COMMISSION

APR 06 2007

CONSERVATION DIVISION  
WICHITA, KS

|             |            |
|-------------|------------|
| Date        | 07/21/05   |
| Company     | OXY        |
| Job Number  | 2205548225 |
| Well Name   | Williams   |
| Well Number | G 1        |
| County      | Haskell    |
| State       | KS         |

# Schlumberger

|              |        |    |
|--------------|--------|----|
| Pipe Size    | 8 5/8  |    |
| Pipe Weight  | 24     | 24 |
| Pipe Depth   | 1933   |    |
| Shoe Length  | 41     |    |
| Insert Depth | 1892   |    |
| Hole Size    | 12 1/4 |    |
| Hole Depth   | 1929   |    |

|            |                 |
|------------|-----------------|
| 1st System |                 |
| 620 sacks  | C               |
| 2.18 yield | D132,D20,S1,D29 |
| 12.2       |                 |
| 12.3 water | 182             |
| cubic ft.  | 1352            |
| height     | 3275            |
| bbls       | 241             |

|                    |     |
|--------------------|-----|
| Pipe Volume        | 123 |
| 265 Annular Volume | 142 |
| Total Cement       | 287 |
| Total Water        | 331 |

|                |        |        |
|----------------|--------|--------|
| Pipe Factor    | 0.0637 | 0.0637 |
| Annular Factor | 0.0735 |        |
| Height Factor  | 2.4231 |        |

|            |        |
|------------|--------|
| 2nd System |        |
| 195 sacks  | C      |
| 1.34 yield | S1,D29 |
| 14.8       |        |
| 6.3 water  | 29     |
| cubic ft.  | 261    |
| height     | 633    |
| bbls       | 46.5   |

Casing lift 794  
Cement lift 453

|            |   |
|------------|---|
| 3rd System |   |
| 0 sacks    |   |
| 0 yield    |   |
| 0          |   |
| 0 water    | 0 |
| cubic ft.  | 0 |
| height     | 0 |
| bbls       | 0 |

Test 2000

0 Mud

10 Spacer

241 Lead 12.2

47 Tail 14.8

120.5 Displacement

1500 Maximum Pressure

|            |   |
|------------|---|
| 4th System |   |
| sacks      |   |
| yield      |   |
| weight     |   |
| water      | 0 |
| cubic ft.  | 0 |
| height     | 0 |
| bbls       | 0 |

Pump time @ 6 BPM

RECEIVED  
KANSAS CORPORATION COMMISSION

APR 06 2007

CONSERVATION DIVISION  
WICHITA, KS



**CONFIDENTIAL**



## Cementing Service Report

| Customer<br><b>OXY USA, INC.</b>  |       |   |   |   |                   | Job Number<br><b>2205547154</b>                                  |                                |  |                                 |   |  |                    |  |              |  |
|---|-------|---|---|---|-------------------|--|--------------------------------|--|---------------------------------|---|--|--------------------|--|--------------|--|
| Well<br><b>WILLIAMS 'G' 1</b>   |       |   | Location (legal)<br><b>Sec 28-T27S-R34W</b> |   |                   | Schlumberger Location<br><b>Perryton, TX</b>                     |                                |  | Job Start<br><b>2005-Jul-29</b> |   |  |                    |  |              |  |
| Field<br><b>PLEASANT P<sup>2</sup></b>  |       | Formation Name/Type                             |   |   | Deviation         |  | Bit Size<br><b>7.88 in</b>     | Well MD<br><b>5,675 ft</b>   | Well TVD<br><b>5,675 ft</b>     |   |  |                    |  |              |  |
| County<br><b>HASKELL</b>  |       | State/Province<br><b>KANSAS</b>                 |   |   | BHP<br><b>psi</b> | BHST<br><b>124 °F</b>  | BHCT<br><b>°F</b>              | Pore Press. Gradient<br><b>psi/ft</b>  |                                 |   |  |                    |  |              |  |
| Well Master:<br><b>0630689976</b>   |       | API / UWI:<br><b>15-081-21589</b>               |   |   |                   | <b>Casing/Liner</b>  |                                |  |                                 |   |  |                    |  |              |  |
| Rig Name<br><b>MURFIN 20</b>  |       | Drilled For<br><b>Gas</b>                       |   | Service Via<br><b>Land</b>                    |                   | Depth, ft<br><b>5675</b>   | Size, in<br><b>5.5</b>         | Weight, lb/ft<br><b>15.5</b>   | Grade                           | Thread  |  |                    |  |              |  |
| Offshore Zone   |       | Well Class<br><b>New</b>                        | Well Type<br><b>Development</b>             |   |                   | <b>Tubing/Drill Pipe</b>   |                                |  |                                 |   |  |                    |  |              |  |
| Drilling Fluid Type   |       | Max. Density<br><b>lb/gal</b>                   | Plastic Vi<br><b>cp</b>                     | Depth,  | Size, in          | Weight, lb/ft  | Grade                          | Thread   |                                 |   |  |                    |  |              |  |
| Service Line<br><b>Cementing</b>  |       | Job Type<br><b>Cem Prod Casing</b>              |   |   |                   | <b>Perforations/Open Hole</b>                                    |                                |  |                                 |   |  |                    |  |              |  |
| Max. Allowed Tubing Pressure<br><b>2000 psi</b>   |       | Max. Allowed Ann. Pressure<br><b>psi</b>        |   | WellHead Connection<br><b>5 1/2" H&amp;SM</b> |                   | Top, ft  | Bottom, ft                     | spf  | No. of Shots                    | Total Interval<br><b>ft</b>                           |  |                    |  |              |  |
| <b>Service Instructions</b><br>CEMENT 5½" PRODUCTION CASING :<br>20 BLS CW100<br>255 SKS 50/50 Poz:H+2%D20+3%M117+ 5 PPS D42+5 PPS D53+0.25<br>%D112+ 0.25 %D65 + 0.25%D46<br>DISPLACE W/FRESH WATER<br>25 SKS 50/50 POZ H + ADDS FOR RAT & MOUSE |       |   |   |   |                   | Treat Down<br><b>Casing</b>                                      | Displacement<br><b>134 bbl</b> | Packer Type  | Packer Depth<br><b>ft</b>       |   |  |                    |  |              |  |
|   |       |   |   |   |                   | Tubing Vol.<br><b>bbl</b>  | Casing Vol.<br><b>135 bbl</b>  | Annular Vol.<br><b>175 bbl</b>   | OpenHole Vol<br><b>310 bbl</b>  |   |  |                    |  |              |  |
|   |       |   |   |   |                   | <b>Casing/Tubing Secured</b> <input checked="" type="checkbox"/> |                                | <b>1 Hole Volume Circulated prior to Cementing</b> <input checked="" type="checkbox"/> |                                 | <b>Casing Tools</b>                                   |  | <b>Squeeze Job</b> |  |              |  |
|   |       |   |   |   |                   | Lift Pressure:<br><b>950 psi</b>                                 |                                | Pipe Rotated <input type="checkbox"/>  |                                 | Pipe Reciprocated <input checked="" type="checkbox"/> |  | Shoe Type:         |  | Squeeze Type |  |
| No. Centralizers:   |       | Top Plugs: <b>1</b>                             | Bottom Plugs: <b>1</b>                      | Shoe Depth: <b>5675 ft</b>                    |                   | Tool Type:   |                                |  |                                 |   |  |                    |  |              |  |
| Cement Head Type:<br><b>Single</b>  |       | Stage Tool Type:                                |   | Tool Depth: <b>ft</b>                         |                   | Stage Tool Depth: <b>ft</b>                                      |                                |  |                                 |   |  |                    |  |              |  |
| Job Scheduled For:  |       | Arrived on Location:<br><b>2005-Jul-29 9:45</b> | Leave Location:<br><b>2005-Jul-29 13:00</b> | Collar Type:                                  |                   | Tail Pipe Size: <b>in</b>  |                                | Tail Pipe Depth: <b>ft</b>   |                                 |   |  |                    |  |              |  |
|   |       |   |   | Collar Depth: <b>5632 ft</b>                  |                   | Sqz Total Vol: <b>bbl</b>  |                                |  |                                 |   |  |                    |  |              |  |
| Date  | Time  | Treating Pressure<br>psi                        | Flow Rate<br>bbl/min                        | CMT DENS<br>lb/gal                            | Volume<br>bbl     | Flowmeter Rate<br>bbl/min  | Flowmeter Tot<br>bbl           | 0  | 0                               | Message   |  |                    |  |              |  |
| 2005-Jul-29   | 10:51 | 0   | 0.0   | 8.29  | 0.0               | 0.0  | 0.0                            | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 10:51 |   |   |   |                   |  |                                |  |                                 | Start Job   |  |                    |  |              |  |
| 2005-Jul-29   | 10:57 | 14  | 0.0   | 8.29  | 0.0               | 0.0  | 0.0                            | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 10:57 | 3049  | 0.0   | 8.29  | 0.1               | 0.1  | 0.4                            | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 10:57 | 2710  | 0.0   | 8.29  | 0.1               | 0.0  | 0.4                            | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 10:57 |   |   |   |                   |  |                                |  |                                 | Pressure Test Lines                                   |  |                    |  |              |  |
| 2005-Jul-29   | 10:58 | 2678  | 0.0   | 8.29  | 0.1               | 0.0  | 0.4                            | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 10:58 | 275   | 0.0   | 8.29  | 0.1               | 0.0  | 0.4                            | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 10:59 | 27  | 0.0   | 8.29  | 0.1               | 0.0  | 0.4                            | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 10:59 | 73  | 0.5   | 8.29  | 0.1               | 0.5  | 0.5                            | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 11:00 | 417   | 5.0   | 8.30  | 2.2               | 5.0  | 2.3                            | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 11:00 | 444   | 5.0   | 8.30  | 4.7               | 5.1  | 4.8                            | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 11:01 | 435   | 5.1   | 8.30  | 7.2               | 5.1  | 7.4                            | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 11:01 | 476   | 5.1   | 8.30  | 9.7               | 5.1  | 9.9                            | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 11:02 | 449   | 5.1   | 8.30  | 12.3              | 5.2  | 12.5                           | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 11:02 | 357   | 4.3   | 8.30  | 14.6              | 4.4  | 14.8                           | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 11:03 | 380   | 4.3   | 8.31  | 16.7              | 4.3  | 17.0                           | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 11:03 | 366   | 4.3   | 8.32  | 18.9              | 4.3  | 19.2                           | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 11:04 | 18  | 0.0   | 8.30  | 20.6              | 0.3  | 21.1                           | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 11:04 | 18  | 0.0   | 8.30  | 20.6              | 0.0  | 21.1                           | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 11:05 | 18  | 0.0   | 8.91  | 20.6              | 4.7  | 22.1                           | 0  | 0                               |   |  |                    |  |              |  |
| 2005-Jul-29   | 11:05 | 9   | 0.0   | 10.53   | 20.6              | 4.9  | 24.5                           | 0  | 0                               |   |  |                    |  |              |  |

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
**APR 06 2007**  
 CONSERVATION DIVISION  
 WICHITA, KS

| Well            |             | F1                |           |          | Service Date |                | Customer      |   | Job Number                   |  |
|-----------------|-------------|-------------------|-----------|----------|--------------|----------------|---------------|---|------------------------------|--|
| WILLIAMS 'G' #1 |             | PLEASANT P        |           |          | 05210-Jul-29 |                | OXY USA, INC. |   | 2205547154                   |  |
| Date            | Time        | Treating Pressure | Flow Rate | CMT DENS | Volume       | Flowmeter Rate | Flowmeter Tot | 0 | Message                      |  |
|                 | 24 hr clock | psi               | bbf/min   | lb/gal   | bbf          | bbf/min        | bbf           | 0 |                              |  |
| 2005-Jul-29     | 11:06       | 9                 | 0.0       | 11.79    | 20.6         | 5.0            | 27.0          | 0 |                              |  |
| 2005-Jul-29     | 11:06       | 5                 | 0.0       | 13.55    | 20.6         | 5.0            | 29.6          | 0 |                              |  |
| 2005-Jul-29     | 11:07       | 5                 | 0.0       | 15.03    | 20.6         | 5.1            | 32.1          | 0 |                              |  |
| 2005-Jul-29     | 11:07       | 5                 | 0.0       | 15.07    | 20.6         | 4.0            | 34.3          | 0 |                              |  |
| 2005-Jul-29     | 11:08       | 5                 | 0.0       | 14.43    | 20.6         | 4.1            | 36.3          | 0 |                              |  |
| 2005-Jul-29     | 11:08       | 55                | 0.0       | 13.76    | 20.6         | 3.7            | 38.4          | 0 |                              |  |
| 2005-Jul-29     | 11:09       | 50                | 0.0       | 13.77    | 20.6         | 2.1            | 39.6          | 0 |                              |  |
| 2005-Jul-29     | 11:09       | 50                | 0.0       | 13.76    | 20.6         | 2.1            | 40.7          | 0 |                              |  |
| 2005-Jul-29     | 11:10       | 0                 | 0.0       | 13.77    | 20.6         | 0.0            | 41.4          | 0 |                              |  |
| 2005-Jul-29     | 11:11       | 5                 | 0.0       | 13.77    | 20.6         | 0.0            | 41.4          | 0 |                              |  |
| 2005-Jul-29     | 11:12       | 46                | 0.0       | 13.39    | 20.6         | 2.0            | 42.4          | 0 |                              |  |
| 2005-Jul-29     | 11:13       | 60                | 0.0       | 13.40    | 20.6         | 2.3            | 43.4          | 0 |                              |  |
| 2005-Jul-29     | 11:13       | 60                | 0.0       | 13.29    | 20.6         | 2.3            | 44.6          | 0 |                              |  |
| 2005-Jul-29     | 11:14       | 14                | 0.0       | 13.18    | 20.6         | 2.5            | 45.9          | 0 |                              |  |
| 2005-Jul-29     | 11:14       | 0                 | 0.0       | 12.99    | 20.6         | 0.0            | 46.0          | 0 |                              |  |
| 2005-Jul-29     | 11:15       | 5                 | 0.0       | 11.34    | 20.6         | 0.0            | 46.0          | 0 |                              |  |
| 2005-Jul-29     | 11:15       | 5                 | 0.0       | 10.59    | 20.6         | 0.0            | 46.0          | 0 |                              |  |
| 2005-Jul-29     | 11:16       | 5                 | 0.0       | 10.00    | 20.6         | 0.0            | 46.0          | 0 |                              |  |
| 2005-Jul-29     | 11:16       |                   |           |          |              |                |               |   | Reset Total, Vol = 20.62 bbl |  |
| 2005-Jul-29     | 11:16       | 5                 | 0.0       | 9.98     | 20.6         | 0.0            | 46.0          | 0 |                              |  |
| 2005-Jul-29     | 11:16       |                   |           |          |              |                |               |   | Start Cement Slurry          |  |
| 2005-Jul-29     | 11:16       | 5                 | 0.0       | 9.92     | 0.0          | 0.0            | 0.0           | 0 |                              |  |
| 2005-Jul-29     | 11:16       | 5                 | 0.0       | 9.75     | 0.0          | 0.0            | 0.0           | 0 |                              |  |
| 2005-Jul-29     | 11:17       | 0                 | 0.0       | 9.65     | 0.0          | 0.0            | 0.0           | 0 |                              |  |
| 2005-Jul-29     | 11:17       | 9                 | 0.0       | 9.56     | 0.0          | 0.0            | 0.0           | 0 |                              |  |
| 2005-Jul-29     | 11:18       | 9                 | 0.0       | 9.48     | 0.0          | 0.0            | 0.0           | 0 |                              |  |
| 2005-Jul-29     | 11:18       | 69                | 3.0       | 9.51     | 0.2          | 0.8            | 0.2           | 0 |                              |  |
| 2005-Jul-29     | 11:19       | 197               | 3.8       | 10.60    | 2.2          | 3.6            | 1.3           | 0 |                              |  |
| 2005-Jul-29     | 11:19       | 128               | 3.6       | 12.07    | 4.1          | 3.0            | 2.9           | 0 |                              |  |
| 2005-Jul-29     | 11:20       | 128               | 3.6       | 14.41    | 5.9          | 2.7            | 4.4           | 0 |                              |  |
| 2005-Jul-29     | 11:20       | 101               | 3.7       | 13.30    | 7.7          | 2.9            | 5.6           | 0 |                              |  |
| 2005-Jul-29     | 11:21       | 439               | 5.5       | 13.78    | 9.9          | 4.5            | 7.4           | 0 |                              |  |
| 2005-Jul-29     | 11:21       | 206               | 6.2       | 14.10    | 13.1         | 5.1            | 9.9           | 0 |                              |  |
| 2005-Jul-29     | 11:22       | 238               | 6.2       | 13.91    | 16.2         | 5.3            | 12.4          | 0 |                              |  |
| 2005-Jul-29     | 11:22       | 192               | 6.3       | 13.77    | 19.3         | 5.4            | 15.1          | 0 |                              |  |
| 2005-Jul-29     | 11:23       | 151               | 6.3       | 13.68    | 22.5         | 5.7            | 17.9          | 0 |                              |  |
| 2005-Jul-29     | 11:23       | 124               | 6.3       | 13.62    | 25.6         | 5.6            | 20.7          | 0 |                              |  |
| 2005-Jul-29     | 11:24       | 128               | 5.6       | 13.55    | 28.6         | 5.7            | 23.5          | 0 |                              |  |
| 2005-Jul-29     | 11:24       | 137               | 5.6       | 13.59    | 31.5         | 5.5            | 26.3          | 0 |                              |  |
| 2005-Jul-29     | 11:25       | 124               | 5.6       | 13.49    | 34.3         | 5.6            | 29.0          | 0 |                              |  |
| 2005-Jul-29     | 11:25       | 124               | 5.6       | 13.12    | 37.1         | 5.5            | 31.8          | 0 |                              |  |
| 2005-Jul-29     | 11:26       | 110               | 5.6       | 13.40    | 39.9         | 5.3            | 34.5          | 0 |                              |  |
| 2005-Jul-29     | 11:26       | 73                | 5.0       | 13.33    | 42.7         | 4.7            | 37.1          | 0 |                              |  |
| 2005-Jul-29     | 11:27       | 78                | 5.0       | 13.55    | 45.2         | 4.5            | 39.4          | 0 |                              |  |
| 2005-Jul-29     | 11:27       | 119               | 5.4       | 13.68    | 48.0         | 5.2            | 42.0          | 0 |                              |  |
| 2005-Jul-29     | 11:28       | 114               | 5.4       | 13.75    | 50.7         | 5.2            | 44.6          | 0 |                              |  |
| 2005-Jul-29     | 11:28       | 105               | 5.4       | 13.79    | 53.4         | 5.2            | 47.2          | 0 |                              |  |
| 2005-Jul-29     | 11:29       | 156               | 6.2       | 13.85    | 56.4         | 6.2            | 50.1          | 0 |                              |  |
| 2005-Jul-29     | 11:29       | 169               | 6.2       | 13.91    | 59.5         | 6.1            | 53.2          | 0 |                              |  |
| 2005-Jul-29     | 11:30       | 160               | 6.2       | 13.90    | 62.6         | 6.1            | 56.2          | 0 |                              |  |
| 2005-Jul-29     | 11:30       | 165               | 6.2       | 13.90    | 65.7         | 6.1            | 59.3          | 0 |                              |  |
| 2005-Jul-29     | 11:31       | 156               | 6.2       | 13.66    | 68.8         | 6.1            | 62.3          | 0 |                              |  |
| 2005-Jul-29     | 11:31       | 73                | 3.0       | 13.82    | 71.5         | 3.9            | 65.2          | 0 |                              |  |
| 2005-Jul-29     | 11:32       | 73                | 3.0       | 14.48    | 73.0         | 3.9            | 67.2          | 0 |                              |  |

RECEIVED  
KANSAS CORPORATION COMMISSION

APR 06 2007

CONSERVATION DIVISION  
WICHITA, KS

| Well            |             | FL                | Service Date |          | Customer      |                | Job Number    |   |                              |
|-----------------|-------------|-------------------|--------------|----------|---------------|----------------|---------------|---|------------------------------|
| WILLIAMS 'G' #1 |             | PLEASANT P        | 05210-Jul-29 |          | OXY USA, INC. |                | 2205547154    |   |                              |
| Date            | Time        | Treating Pressure | Flow Rate    | CMT DENS | Volume        | Flowmeter Rate | Flowmeter Tot | 0 | Message                      |
|                 | 24 hr clock | psi               | bbf/min      | lb/gal   | bbf           | bbf/min        | bbf           | 0 |                              |
| 2005-Jul-29     | 11:32       | 73                | 3.0          | 14.17    | 74.5          | 3.8            | 69.1          | 0 |                              |
| 2005-Jul-29     | 11:33       | 96                | 3.0          | 13.80    | 76.1          | 4.5            | 71.1          | 0 |                              |
| 2005-Jul-29     | 11:33       | 92                | 3.0          | 13.80    | 77.6          | 4.7            | 73.4          | 0 |                              |
| 2005-Jul-29     | 11:34       | -9                | 0.0          | 13.14    | 78.0          | 0.0            | 74.2          | 0 |                              |
| 2005-Jul-29     | 11:35       | 0                 | 0.0          | 13.14    | 78.0          | 0.0            | 74.2          | 0 |                              |
| 2005-Jul-29     | 11:35       | -5                | 0.0          | 13.04    | 78.0          | 0.0            | 74.2          | 0 |                              |
| 2005-Jul-29     | 11:36       | -5                | 0.0          | 11.68    | 78.0          | 0.0            | 74.2          | 0 |                              |
| 2005-Jul-29     | 11:36       | -5                | 0.0          | 10.54    | 78.0          | 0.0            | 74.2          | 0 |                              |
| 2005-Jul-29     | 11:37       | -5                | 0.0          | 10.07    | 78.0          | 0.0            | 74.2          | 0 |                              |
| 2005-Jul-29     | 11:37       | -5                | 0.0          | 9.76     | 78.0          | 0.0            | 74.2          | 0 |                              |
| 2005-Jul-29     | 11:38       | 96                | 4.3          | 8.74     | 78.0          | 4.2            | 75.2          | 0 |                              |
| 2005-Jul-29     | 11:38       | 142               | 5.5          | 8.56     | 78.0          | 5.5            | 77.8          | 0 |                              |
| 2005-Jul-29     | 11:39       | 137               | 5.5          | 8.40     | 78.0          | 5.5            | 80.6          | 0 |                              |
| 2005-Jul-29     | 11:39       | 137               | 5.5          | 8.33     | 78.0          | 5.5            | 83.3          | 0 |                              |
| 2005-Jul-29     | 11:40       | 160               | 5.5          | 8.41     | 78.0          | 5.6            | 86.1          | 0 |                              |
| 2005-Jul-29     | 11:40       | 146               | 5.5          | 7.89     | 78.0          | 18.9           | 91.0          | 0 |                              |
| 2005-Jul-29     | 11:41       | -23               | 0.0          | 8.31     | 78.0          | 0.4            | 93.8          | 0 |                              |
| 2005-Jul-29     | 11:41       | -18               | 0.0          | 8.31     | 78.0          | 0.0            | 93.8          | 0 |                              |
| 2005-Jul-29     | 11:42       |                   |              |          |               |                |               |   | End Cement Slurry            |
| 2005-Jul-29     | 11:42       | -14               | 0.0          | 8.31     | 78.0          | 0.0            | 93.8          | 0 |                              |
| 2005-Jul-29     | 11:42       |                   |              |          |               |                |               |   | Reset Total, Vol = 77.96 bbl |
| 2005-Jul-29     | 11:42       | -14               | 0.0          | 8.31     | 0.0           | 0.0            | 0.0           | 0 |                              |
| 2005-Jul-29     | 11:42       |                   |              |          |               |                |               |   | Start Displacement           |
| 2005-Jul-29     | 11:42       |                   |              |          |               |                |               |   | Drop Top Plug                |
| 2005-Jul-29     | 11:42       | -14               | 0.0          | 8.30     | 0.0           | 0.0            | 0.0           | 0 |                              |
| 2005-Jul-29     | 11:43       | 50                | 3.1          | 8.31     | 0.2           | 5.3            | 0.4           | 0 |                              |
| 2005-Jul-29     | 11:43       | 55                | 4.9          | 8.30     | 2.6           | 5.7            | 3.3           | 0 |                              |
| 2005-Jul-29     | 11:44       | 55                | 5.0          | 8.30     | 5.1           | 5.6            | 6.1           | 0 |                              |
| 2005-Jul-29     | 11:44       | 55                | 5.0          | 8.30     | 7.6           | 5.6            | 8.9           | 0 |                              |
| 2005-Jul-29     | 11:45       | 55                | 5.0          | 8.30     | 10.1          | 5.7            | 11.7          | 0 |                              |
| 2005-Jul-29     | 11:45       | 55                | 5.0          | 8.30     | 12.5          | 5.6            | 14.5          | 0 |                              |
| 2005-Jul-29     | 11:46       | 55                | 5.0          | 8.30     | 15.0          | 5.6            | 17.3          | 0 |                              |
| 2005-Jul-29     | 11:46       | 55                | 5.0          | 8.30     | 17.5          | 6.0            | 20.2          | 0 |                              |
| 2005-Jul-29     | 11:47       | 55                | 5.0          | 8.30     | 20.0          | 6.1            | 23.2          | 0 |                              |
| 2005-Jul-29     | 11:47       | 55                | 5.0          | 8.30     | 22.5          | 6.0            | 26.3          | 0 |                              |
| 2005-Jul-29     | 11:48       | 55                | 5.0          | 8.30     | 25.0          | 6.0            | 29.3          | 0 |                              |
| 2005-Jul-29     | 11:48       | 55                | 4.9          | 8.30     | 27.5          | 6.0            | 32.3          | 0 |                              |
| 2005-Jul-29     | 11:49       | 55                | 5.0          | 8.30     | 30.0          | 6.1            | 35.4          | 0 |                              |
| 2005-Jul-29     | 11:49       | 55                | 5.0          | 8.30     | 32.5          | 5.9            | 38.4          | 0 |                              |
| 2005-Jul-29     | 11:50       | 55                | 5.0          | 8.30     | 35.0          | 5.9            | 41.4          | 0 |                              |
| 2005-Jul-29     | 11:50       | 60                | 5.0          | 8.30     | 37.5          | 6.1            | 44.4          | 0 |                              |
| 2005-Jul-29     | 11:51       | 55                | 5.0          | 8.30     | 39.9          | 6.0            | 47.4          | 0 |                              |
| 2005-Jul-29     | 11:51       | 55                | 5.0          | 8.30     | 42.4          | 6.0            | 50.4          | 0 |                              |
| 2005-Jul-29     | 11:52       | 60                | 5.0          | 8.30     | 44.9          | 6.1            | 53.4          | 0 |                              |
| 2005-Jul-29     | 11:52       | 60                | 5.0          | 8.30     | 47.4          | 6.1            | 56.4          | 0 |                              |
| 2005-Jul-29     | 11:53       | 55                | 5.0          | 8.30     | 49.9          | 5.9            | 59.4          | 0 |                              |
| 2005-Jul-29     | 11:53       | 60                | 5.0          | 8.30     | 52.4          | 6.1            | 62.4          | 0 |                              |
| 2005-Jul-29     | 11:54       | 60                | 5.0          | 8.30     | 54.9          | 6.1            | 65.5          | 0 |                              |
| 2005-Jul-29     | 11:54       | 55                | 5.0          | 8.30     | 57.4          | 6.0            | 68.5          | 0 |                              |
| 2005-Jul-29     | 11:55       | 55                | 5.0          | 8.30     | 59.9          | 5.9            | 71.5          | 0 |                              |
| 2005-Jul-29     | 11:55       | 60                | 5.0          | 8.30     | 62.3          | 6.1            | 74.5          | 0 |                              |
| 2005-Jul-29     | 11:56       | 55                | 5.0          | 8.30     | 64.8          | 6.0            | 77.5          | 0 |                              |
| 2005-Jul-29     | 11:56       | 55                | 5.0          | 8.30     | 67.3          | 5.9            | 80.5          | 0 |                              |
| 2005-Jul-29     | 11:57       | 60                | 5.0          | 8.30     | 69.8          | 6.1            | 83.5          | 0 |                              |

RECEIVED  
KANSAS CORPORATION COMMISSION  
APR 06 2007  
CONSERVATION DIVISION  
WICHITA, KS

| Well            |             | Service Date      |           |          | Customer     |                |               | Job Number    |                               |            |
|-----------------|-------------|-------------------|-----------|----------|--------------|----------------|---------------|---------------|-------------------------------|------------|
| WILLIAMS 'G' #1 |             | PLEASANT P        |           |          | 05210-Jul-29 |                |               | OXY USA, INC. |                               | 2205547154 |
| Date            | Time        | Treating Pressure | Flow Rate | CMT DENS | Volume       | Flowmeter Rate | Flowmeter Tot | 0             | Message                       |            |
|                 | 24 hr clock | psi               | bbf/min   | lb/gal   | bbf          | bbf/min        | bbf           | 0             |                               |            |
| 2005-Jul-29     | 11:57       | 60                | 5.0       | 8.30     | 72.3         | 6.1            | 86.6          | 0             |                               |            |
| 2005-Jul-29     | 11:58       | 55                | 5.0       | 8.30     | 74.8         | 5.9            | 89.5          | 0             |                               |            |
| 2005-Jul-29     | 11:58       | 247               | 5.0       | 8.30     | 77.3         | 5.1            | 92.1          | 0             |                               |            |
| 2005-Jul-29     | 11:59       | 105               | 4.8       | 8.30     | 79.7         | 4.8            | 94.5          | 0             |                               |            |
| 2005-Jul-29     | 11:59       | 160               | 4.8       | 8.30     | 82.0         | 4.8            | 97.0          | 0             |                               |            |
| 2005-Jul-29     | 12:00       | 215               | 4.8       | 8.30     | 84.4         | 4.8            | 99.4          | 0             |                               |            |
| 2005-Jul-29     | 12:00       | 233               | 4.8       | 8.30     | 86.8         | 4.8            | 101.8         | 0             |                               |            |
| 2005-Jul-29     | 12:01       | 270               | 4.8       | 8.30     | 89.2         | 4.8            | 104.2         | 0             |                               |            |
| 2005-Jul-29     | 12:01       | 362               | 4.8       | 8.30     | 91.6         | 4.9            | 106.6         | 0             |                               |            |
| 2005-Jul-29     | 12:02       | 403               | 4.7       | 8.30     | 94.0         | 4.8            | 109.0         | 0             |                               |            |
| 2005-Jul-29     | 12:02       | 462               | 4.8       | 8.30     | 96.4         | 4.8            | 111.4         | 0             |                               |            |
| 2005-Jul-29     | 12:03       | 494               | 4.8       | 8.30     | 98.8         | 4.8            | 113.8         | 0             |                               |            |
| 2005-Jul-29     | 12:03       | 554               | 4.8       | 8.30     | 101.1        | 4.8            | 116.2         | 0             |                               |            |
| 2005-Jul-29     | 12:04       | 586               | 4.8       | 8.30     | 103.5        | 4.8            | 118.6         | 0             |                               |            |
| 2005-Jul-29     | 12:04       | 636               | 4.8       | 8.30     | 105.9        | 4.8            | 121.0         | 0             |                               |            |
| 2005-Jul-29     | 12:05       | 714               | 4.8       | 8.30     | 108.3        | 4.8            | 123.3         | 0             |                               |            |
| 2005-Jul-29     | 12:05       | 764               | 4.8       | 8.30     | 110.7        | 4.8            | 125.7         | 0             |                               |            |
| 2005-Jul-29     | 12:06       | 691               | 3.2       | 8.30     | 113.0        | 4.6            | 128.1         | 0             |                               |            |
| 2005-Jul-29     | 12:06       | 719               | 2.3       | 8.30     | 114.3        | 2.3            | 129.4         | 0             |                               |            |
| 2005-Jul-29     | 12:07       | 760               | 2.3       | 8.30     | 115.4        | 2.3            | 130.6         | 0             |                               |            |
| 2005-Jul-29     | 12:07       | 783               | 2.3       | 8.30     | 116.6        | 2.3            | 131.7         | 0             |                               |            |
| 2005-Jul-29     | 12:08       | 792               | 2.3       | 8.30     | 117.7        | 2.3            | 132.9         | 0             |                               |            |
| 2005-Jul-29     | 12:08       | 824               | 2.3       | 8.30     | 118.8        | 2.3            | 134.0         | 0             |                               |            |
| 2005-Jul-29     | 12:09       | 851               | 2.3       | 8.30     | 120.0        | 2.3            | 135.2         | 0             |                               |            |
| 2005-Jul-29     | 12:09       | 851               | 2.3       | 8.30     | 121.2        | 2.3            | 136.4         | 0             |                               |            |
| 2005-Jul-29     | 12:10       | 1382              | 0.0       | 8.30     | 121.8        | 0.0            | 137.1         | 0             |                               |            |
| 2005-Jul-29     | 12:10       | 1414              | 0.0       | 8.30     | 121.8        | 0.0            | 137.1         | 0             |                               |            |
| 2005-Jul-29     | 12:11       | 1337              | 0.0       | 8.30     | 121.8        | 0.0            | 137.1         | 0             |                               |            |
| 2005-Jul-29     | 12:11       | -9                | 0.0       | 8.30     | 121.8        | 0.0            | 137.1         | 0             |                               |            |
| 2005-Jul-29     | 12:12       | 0                 | 0.0       | 8.30     | 121.8        | 0.0            | 137.1         | 0             |                               |            |
| 2005-Jul-29     | 12:14       |                   |           |          |              |                |               |               | Bump Top Plug                 |            |
| 2005-Jul-29     | 12:14       |                   |           |          |              |                |               |               | End Displacement              |            |
| 2005-Jul-29     | 12:14       | 0                 | 0.0       | 8.30     | 0.0          | 0.0            | 0.0           | 0             | Reset Total, Vol = 121.75 bbl |            |
| 2005-Jul-29     | 12:14       |                   |           |          |              |                |               |               | End Job                       |            |
| 2005-Jul-29     | 12:14       | 5                 | 0.0       | 8.30     | 0.0          | 0.0            | 0.0           | 0             |                               |            |

**Post Job Summary**

|                                       |                        |                         |                        |   |         |   |    |
|---------------------------------------|------------------------|-------------------------|------------------------|---|---------|---|----|
| Average Pump Rates, bpm               |                        |                         |                        | Volume of Fluid Injected, bbl   |         |   |    |
| Slurry                                | N2                     | Mud                     | Maximum Rate           | Total Slurry  | Mud     | Spacer  | N2 |
| 5                                     |                        |                         | 6                      | 70  |         | 20  |    |
| Treating Pressure Summary, psi        |                        |                         |                        | Breakdown Fluid   |         |   |    |
| Maximum                               | Final                  | Average                 | Bump Plug to Breakdown | Volume  | Density |   |    |
|                                       |                        | 1500                    |                        | bbf   | lb/gal  |   |    |
| Avg. N2 Percent                       | Designed Slurry Volume | Displacement            | Mix Water Temp         | <input type="checkbox"/> Cement Circulated to Surface? Volume<br><input type="checkbox"/> Washed Thru Perfs To ft |         |   |    |
| %                                     | 134 bbl                | 134 bbl                 | °F                     |   |         |   |    |
| Customer or Authorized Representative |                        | Schlumberger Supervisor |                        | <input type="checkbox"/> Circulation Lost   |         | <input checked="" type="checkbox"/> Job Completed |    |
| Fillpot, Gregg                        |                        | Ahrends, Timothy        |                        |   |         |   |    |

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
 APR 06 2007  
 CONSERVATION DIVISION  
 WICHITA, KS

|             |            |
|-------------|------------|
| Date        | 07/29/05   |
| Company     | OXY        |
| Job Number  | 2205547154 |
| Well Name   | Williams   |
| Well Number | G 1        |
| County      | Haskell    |
| State       | KS         |

# Schlumberger

|              |       |      |
|--------------|-------|------|
| Pipe Size    | 5 1/2 |      |
| Pipe Weight  | 15.5  | 11.6 |
| Pipe Depth   | 5675  |      |
| Shoe Length  | 43    |      |
| Insert Depth | 5632  |      |
| Hole Size    | 7 7/8 |      |
| Hole Depth   | 5675  |      |

|                |     |
|----------------|-----|
| Pipe Volume    | 135 |
| Annular Volume | 175 |
| Total Cement   | 70  |
| Total Water    | 177 |

|                |        |         |
|----------------|--------|---------|
| Pipe Factor    | 0.0238 | 0.01554 |
| Annular Factor | 0.0309 |         |
| Height Factor  | 5.7718 |         |

Casing lift 3702  
Cement lift 942

|             |      |
|-------------|------|
| 1st System  |      |
| 255 sacks   | H    |
| 1.55 yield  |      |
| 13.8 weight |      |
| 7.1 water   | 43.1 |
| cubic ft.   | 395  |
| height      | 2281 |
| bbls        | 70.4 |

310

|            |   |
|------------|---|
| 2nd System |   |
| sacks      |   |
| yield      |   |
| weight     |   |
| water      | 0 |
| cubic ft.  | 0 |
| height     | 0 |
| bbls       | 0 |

|            |   |
|------------|---|
| 3rd System |   |
| sacks      |   |
| yield      |   |
| weight     |   |
| water      | 0 |
| cubic ft.  | 0 |
| height     | 0 |
| bbls       | 0 |

Test 3000

0 Mud

20 Chemical Wash

70 Lead 13.8

0 Tail 0

134.0 Displacement

2000 Maximum Pressure

|            |   |
|------------|---|
| 4th System |   |
| sacks      |   |
| yield      |   |
| weight     |   |
| water      | 0 |
| cubic ft.  | 0 |
| height     | 0 |
| bbls       | 0 |

Pump Time @ 5 BPM

41 MIN RECEIVED  
KANSAS CORPORATION COMMISSION

APR 06 2007

CONSERVATION DIVISION  
WICHITA, KS



# Cementing Service Report

|                                  |                                 |
|----------------------------------|---------------------------------|
| Customer<br><b>OXY USA, INC.</b> | Job Number<br><b>2205548238</b> |
|----------------------------------|---------------------------------|

|   |   |   |                                       |               |               |              |                |  |  |
|---|---|---|---------------------------------------|---------------|---------------|--------------|----------------|--|--|
| Well<br><b>WILLIAMS 'G' 1</b>   | Location (legal)<br><b>Sec 28-T27S-R34W</b> | Schlumberger Location<br><b>Perryton, TX</b>          | Job Start<br><b>2005-Aug-05</b>       |               |               |              |                |  |  |
| Field<br><b>PLEASANT P...</b>   | Formation Name/Type                         | Deviation   | Well MD<br><b>5,685 ft</b>            |               |               |              |                |  |  |
| County<br><b>HASKELL</b>  | State/Province<br><b>KANSAS</b>             | Bit Size<br><b>7.88 in</b>                            | Well TVD<br><b>5,685 ft</b>           |               |               |              |                |  |  |
| Well Master:<br><b>0630689976</b>   | API / UWI:<br><b>15-081-21589</b>           | BHP<br><b>psi</b>                                     | BHST<br><b>112 °F</b>                 |               |               |              |                |  |  |
| Rig Name<br><b>Workover</b>   | Drilled For<br><b>Gas</b>                   | Service Via<br><b>Land</b>                            | BHCT<br><b>°F</b>                     |               |               |              |                |  |  |
| Offshore Zone   | Well Class<br><b>New</b>                    | Well Type<br><b>Development</b>                       | Pore Press. Gradient<br><b>psi/ft</b> |               |               |              |                |  |  |
| Drilling Fluid Type   | Max. Density<br><b>lb/gal</b>               | Plastic Viscosity<br><b>cp</b>                        |                                       |               |               |              |                |  |  |
| Service Line<br><b>Cementing</b>  | Job Type<br><b>Cem Prod Casing</b>          | <b>Casing/Liner</b>                                   |                                       |               |               |              |                |  |  |
| Max. Allowed Tubing Pressure<br><b>2000 psi</b>   | Max. Allowed Ann. Pressure<br><b>psi</b>    | WellHead Connection<br><b>2 3/8" &amp; 2" Regular</b> |                                       |               |               |              |                |  |  |
| <b>Service Instructions</b><br><b>CEMENT THRU PORT COLLAR :</b><br><b>20 BBLs CW100</b><br><b>285 SKS 50/50 Poz:H+2%D20+3%M117+ 5 PPS D42+5 PPS D53+0.25</b><br><b>%D112+ 0.25 %D65 + 0.25%D46</b><br><b>DISPLACE W/FRESH WATER</b> |   |   | Depth, ft                             | Size, in      | Weight, lb/ft | Grade        | Thread         |  |  |
|   |   |   | 3156                                  | 2.375         | 4.7           |              | 8RD            |  |  |
|   |   |   | <b>Perforations/Open Hole</b>         |               |               |              |                |  |  |
|   |   |   | Top, ft                               | Bottom, ft    | spf           | No. of Shots | Total Interval |  |  |
|   |   |   | 3146                                  | 3147          | 4             | 4            | ft             |  |  |
| Treat Down  |   |   | Displacement                          | Packer Type   | Packer Depth  |              |                |  |  |
| Tubing  |   |   | 17 bbl                                | PORT COLLAR   | ft            |              |                |  |  |
| Tubing Vol.   |   | Casing Vol.   | Annular Vol.                          | Open Hole Vol |               |              |                |  |  |
| 18.2 bbl  |   | bbl   | bbl                                   | bbl           |               |              |                |  |  |

|   |  |   |                                       |
|---|--|---|---------------------------------------|
| Casing/Tubing Secured <input checked="" type="checkbox"/> | 1 Hole Volume Circulated prior to Cementing <input type="checkbox"/> | <b>Casing Tools</b>                             | <b>Squeeze Job</b>                    |
| Lift Pressure:<br><b>750 psi</b>                          | Pipe Rotated <input type="checkbox"/>                                | Pipe Reciprocated <input type="checkbox"/>      | Shoe Type:                            |
| No. Centralizers:   | Top Plugs:   | Bottom Plugs:                                   | Shoe Depth: <b>ft</b>                 |
| Cement Head Type:   | Job Scheduled For:<br><b>8/5/2005 9:00</b>                           | Arrived on Location:<br><b>2005-Aug-05 8:45</b> | Leave Location:<br><b>2005-Aug-05</b> |
|   | Stage Tool Type:   | Stage Tool Depth: <b>ft</b>                     | Tool Type:                            |
|   | Collar Type:   | Collar Depth: <b>ft</b>                         | Tool Depth: <b>ft</b>                 |
|   |  |   | Tail Pipe Size: <b>in</b>             |
|   |  |   | Tail Pipe Depth: <b>ft</b>            |
|   |  |   | Sqz Total Vol: <b>bbl</b>             |

| Date        | Time        | Treating Pressure | Density | Rate    | Volume | 0 | 0 | 0 | Message                        |
|-------------|-------------|-------------------|---------|---------|--------|---|---|---|--------------------------------|
|             | 24 hr clock | psi               | lb/gal  | bbl/min | bbl    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:39        | 0                 | 8.32    | 0.0     | 0.0    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:39        | 0                 | 8.32    | 0.0     | 0.0    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:39        |                   |         |         |        |   |   |   | Pressure Test Lines            |
| 2005-Aug-05 | 9:39        | 0                 | 8.32    | 0.0     | 0.0    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:40        | 69                | 8.31    | 0.0     | 0.3    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:40        | 3003              | 8.31    | 0.0     | 0.4    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:41        | 2724              | 8.31    | 0.0     | 0.4    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:41        | 14                | 8.31    | 0.0     | 0.4    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:42        | 14                | 8.31    | 0.0     | 0.4    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:42        | 14                | 8.31    | 0.0     | 0.4    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:42        |                   |         |         |        |   |   |   | Pressure Test Port Collar Tool |
| 2005-Aug-05 | 9:42        | 9                 | 8.31    | 0.0     | 0.4    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:43        | 124               | 8.31    | 0.4     | 0.6    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:43        | 435               | 8.31    | 0.0     | 0.8    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:44        | 471               | 8.31    | 0.0     | 0.8    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:44        | 467               | 8.31    | 0.0     | 0.8    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:45        | 879               | 8.31    | 0.5     | 1.0    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:45        | 1172              | 8.30    | 0.0     | 1.2    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:46        | 169               | 8.31    | 0.0     | 1.2    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:46        | 0                 | 8.31    | 0.0     | 1.2    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:47        | 0                 | 8.31    | 0.0     | 1.2    | 0 | 0 | 0 |                                |
| 2005-Aug-05 | 9:47        | 0                 | 8.30    | 0.0     | 1.2    | 0 | 0 | 0 |                                |

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
**APR 06 2007**  
 Page 1 of 5  
 CONSERVATION DIVISION  
 WICHITA, KS

| Well            |             | Flow              |         | Service Date |        | Customer      |   |   | Job Number                   |
|-----------------|-------------|-------------------|---------|--------------|--------|---------------|---|---|------------------------------|
| WILLIAMS 'G' #1 |             | PLEASANT P        |         | 05217-Aug-05 |        | OXY USA, INC. |   |   | 2205548238                   |
| Date            | Time        | Treating Pressure | Density | Rate         | Volume | 0             | 0 | 0 | Message                      |
|                 | 24 hr clock | psi               | lb/gal  | bb/min       | bbf    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:47        |                   |         |              |        |               |   |   | Shutdown & Tighten BOP       |
| 2005-Aug-05     | 9:47        | 0                 | 8.30    | 0.0          | 1.2    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:48        | 0                 | 8.30    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:48        | 0                 | 8.30    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:49        | 0                 | 8.30    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:49        | 0                 | 8.30    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:50        | 0                 | 8.30    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:50        | 0                 | 8.30    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:51        | 0                 | 8.30    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:51        | 0                 | 8.31    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:52        | 284               | 8.31    | 0.9          | 0.3    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:52        |                   |         |              |        |               |   |   | Pressure Test Port Collar    |
| 2005-Aug-05     | 9:52        | 586               | 8.31    | 0.9          | 0.4    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:52        | 1282              | 8.31    | 0.8          | 0.7    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:53        | 2000              | 8.31    | 0.3          | 1.1    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:53        | 1941              | 8.30    | 0.0          | 1.1    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:54        | 1936              | 8.30    | 0.0          | 1.1    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:54        | 1932              | 8.30    | 0.0          | 1.1    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:55        | 1932              | 8.30    | 0.0          | 1.1    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:55        | 1314              | 8.30    | 0.0          | 1.1    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:56        | 275               | 8.30    | 0.0          | 1.1    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:56        | 371               | 8.30    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:56        |                   |         |              |        |               |   |   | Open Port Collar             |
| 2005-Aug-05     | 9:56        | 352               | 8.30    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:57        | 339               | 8.31    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:57        | 334               | 8.31    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:58        | 334               | 8.31    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:58        | 9                 | 8.31    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:59        | 0                 | 8.31    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 9:59        | 0                 | 8.31    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:00       | 0                 | 8.31    | 0.0          | 0.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:00       | 105               | 8.30    | 0.0          | 0.3    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:01       | 32                | 8.30    | 0.0          | 0.3    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:01       | 64                | 8.30    | 0.2          | 0.4    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:02       | 156               | 8.30    | 1.1          | 0.8    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:02       | 366               | 8.30    | 2.2          | 1.5    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:03       | 320               | 8.30    | 3.1          | 3.0    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:03       | 311               | 8.30    | 3.1          | 4.5    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:03       |                   |         |              |        |               |   |   | Start Pumping Wash           |
| 2005-Aug-05     | 10:03       | 316               | 8.30    | 3.1          | 0.2    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:04       | 311               | 8.31    | 3.0          | 0.9    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:04       | 490               | 8.32    | 4.0          | 2.7    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:05       | 499               | 8.32    | 4.1          | 4.7    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:05       | 531               | 8.31    | 4.1          | 6.8    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:06       | 554               | 8.32    | 4.1          | 8.8    | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:06       | 563               | 8.33    | 4.1          | 10.9   | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:07       | 591               | 8.31    | 4.2          | 13.0   | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:07       | 595               | 8.32    | 4.1          | 15.1   | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:08       | 577               | 8.32    | 4.1          | 17.1   | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:08       | 563               | 8.31    | 4.2          | 19.2   | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:09       | 563               | 8.31    | 4.2          | 21.3   | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:09       | 549               | 8.41    | 4.2          | 23.4   | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:09       | 540               | 9.01    | 4.1          | 23.9   | 0             | 0 | 0 |                              |
| 2005-Aug-05     | 10:09       |                   |         |              |        |               |   |   | Reset Total, Vol = 23.80 bbl |

RECEIVED  
KANSAS CORPORATION COMMISSION

APR 06 2007

Page 2 of 5  
CONSERVATION DIVISION  
WICHITA, KS

| Well            |             | Flt               | Service Date |         |        | Customer      |   |   | Job Number                |
|-----------------|-------------|-------------------|--------------|---------|--------|---------------|---|---|---------------------------|
| WILLIAMS 'G' #1 |             | PLEASANT P        | 05217-Aug-05 |         |        | OXY USA, INC. |   |   | 2205548238                |
| Date            | Time        | Treating Pressure | Density      | Rate    | Volume | 0             | 0 | 0 | Message                   |
|                 | 24 hr clock | psi               | lb/gal       | bbl/min | bbl    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:09       | 540               | 9.29         | 4.1     | 0.2    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:09       |                   |              |         |        |               |   |   | Start Cement Slurry       |
| 2005-Aug-05     | 10:10       | 526               | 10.83        | 4.0     | 1.5    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:10       | 485               | 12.60        | 4.0     | 3.5    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:11       | 435               | 13.57        | 3.9     | 5.5    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:11       | 389               | 13.67        | 4.0     | 7.5    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:12       | 348               | 13.88        | 3.9     | 9.5    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:12       | 243               | 13.82        | 3.9     | 11.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:13       | 229               | 13.88        | 3.9     | 13.4   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:13       | 201               | 13.89        | 4.0     | 15.4   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:14       | 197               | 13.85        | 4.0     | 17.4   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:14       | 197               | 13.89        | 4.0     | 19.4   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:15       | 206               | 13.86        | 4.0     | 21.4   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:15       | 211               | 13.78        | 4.0     | 23.4   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:16       | 192               | 13.62        | 4.2     | 25.4   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:16       | 201               | 13.72        | 4.0     | 27.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:17       | 197               | 13.86        | 4.1     | 29.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:17       | 211               | 13.80        | 4.0     | 31.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:18       | 211               | 13.77        | 4.1     | 33.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:18       | 206               | 13.55        | 4.1     | 35.6   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:19       | 206               | 13.56        | 4.0     | 37.6   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:19       | 201               | 13.51        | 4.1     | 39.6   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:20       | 188               | 13.69        | 4.0     | 41.7   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:20       | 206               | 13.92        | 4.0     | 43.7   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:21       | 215               | 13.82        | 4.0     | 45.7   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:21       | 229               | 13.88        | 4.0     | 47.6   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:22       | 275               | 14.06        | 3.9     | 49.6   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:22       | 284               | 13.94        | 4.1     | 51.6   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:23       | 275               | 13.69        | 4.0     | 53.7   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:23       | 311               | 13.69        | 4.0     | 55.7   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:24       | 334               | 13.78        | 4.0     | 57.7   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:24       | 375               | 13.80        | 4.1     | 59.7   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:25       | 380               | 13.83        | 4.1     | 61.8   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:25       | 412               | 13.88        | 4.0     | 63.8   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:26       | 412               | 13.88        | 4.0     | 65.8   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:26       | 462               | 13.78        | 4.2     | 67.8   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:27       | 357               | 13.66        | 4.0     | 69.8   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:27       | 453               | 14.28        | 4.0     | 71.9   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:28       | 481               | 14.18        | 3.9     | 73.9   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:28       | 412               | 13.81        | 3.8     | 75.9   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:29       | 444               | 13.78        | 3.9     | 77.8   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:29       | 366               | 13.08        | 3.8     | 79.6   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:29       |                   |              |         |        |               |   |   | Reset Total, Vol = 80 bbl |
| 2005-Aug-05     | 10:29       | 366               | 12.13        | 3.5     | 0.1    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:29       | 435               | 11.30        | 3.7     | 0.2    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:29       |                   |              |         |        |               |   |   | Start Displacement        |
| 2005-Aug-05     | 10:30       | 481               | 8.34         | 4.1     | 2.1    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:30       | 508               | 8.31         | 4.0     | 4.1    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:31       | 595               | 8.31         | 3.9     | 6.1    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:31       | 430               | 8.31         | 4.0     | 8.1    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:32       | 352               | 8.31         | 3.0     | 9.9    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:32       | 494               | 8.31         | 3.0     | 11.4   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:33       | 604               | 8.31         | 3.0     | 12.9   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:33       | 677               | 8.31         | 3.0     | 14.4   | 0             | 0 | 0 |                           |

RECEIVED  
KANSAS CORPORATION COMMISSION

APR 06 2007

CONSERVATION DIVISION  
WICHITA, KS  
Page 3 of 8



| Well            |             | Flow              |         | Service Date |        | Customer      |   |   | Job Number                |
|-----------------|-------------|-------------------|---------|--------------|--------|---------------|---|---|---------------------------|
| WILLIAMS 'G' #1 |             | PLEASANT P        |         | 05217-Aug-05 |        | OXY USA, INC. |   |   | 2205548238                |
| Date            | Time        | Treating Pressure | Density | Rate         | Volume | 0             | 0 | 0 | Message                   |
|                 | 24 hr clock | psi               | lb/gal  | bbl/min      | bbl    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:34       | 728               | 8.31    | 2.9          | 15.8   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:34       | 540               | 8.31    | 0.1          | 17.0   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:34       |                   |         |              |        |               |   |   | Reset Total, Vol = 17 bbl |
| 2005-Aug-05     | 10:34       | 467               | 8.31    | 0.0          | 17.0   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:35       | 462               | 8.31    | 0.0          | 0.0    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:35       | 467               | 8.31    | 0.0          | 0.0    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:35       | 696               | 8.33    | 0.7          | 0.0    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:35       |                   |         |              |        |               |   |   | Close Port Collar & Test  |
| 2005-Aug-05     | 10:36       | 1295              | 8.31    | 0.6          | 0.3    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:36       | 2046              | 8.31    | 0.3          | 0.6    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:37       | 1964              | 8.31    | 0.0          | 0.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:37       | 92                | 8.31    | 0.0          | 0.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:37       | -9                | 8.31    | 0.0          | 0.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:37       |                   |         |              |        |               |   |   | TIH 2 Joints              |
| 2005-Aug-05     | 10:38       | -9                | 8.31    | 0.0          | 0.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:38       | -9                | 8.31    | 0.0          | 0.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:39       | -9                | 8.31    | 0.0          | 0.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:39       | -5                | 8.31    | 0.0          | 0.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:40       | -5                | 8.31    | 0.0          | 0.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:40       | -5                | 8.29    | 0.0          | 0.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:41       | 55                | 8.33    | 3.4          | 0.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:41       | 55                | 8.39    | 5.3          | 3.3    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:42       | 78                | 8.44    | 5.2          | 5.4    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:42       |                   |         |              |        |               |   |   | Wash Pump and Lines       |
| 2005-Aug-05     | 10:42       | 60                | 8.37    | 6.2          | 6.0    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:42       | 46                | 8.41    | 7.5          | 9.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:43       | 41                | 8.41    | 6.8          | 13.1   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:43       | 55                | 8.31    | 7.0          | 19.6   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:44       | 60                | 8.31    | 7.0          | 23.1   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:44       | -9                | 8.31    | 0.0          | 24.4   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:45       | -5                | 8.18    | 0.0          | 24.4   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:45       | -5                | 8.29    | 0.0          | 24.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:46       | -5                | 8.29    | 0.0          | 24.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:46       | -5                | 8.30    | 0.0          | 24.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:47       | -5                | 8.29    | 0.0          | 24.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:47       | -5                | 8.31    | 0.0          | 24.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:48       | -5                | 8.31    | 0.0          | 24.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:48       | -5                | 8.31    | 0.0          | 24.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:49       | -5                | 8.31    | 0.0          | 24.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:49       | -5                | 8.31    | 0.0          | 24.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:50       | -5                | 8.31    | 0.0          | 24.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:50       | -5                | 8.31    | 0.0          | 24.5   | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:51       | -5                | 8.31    | 0.0          | 0.0    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:51       |                   |         |              |        |               |   |   | Reverse Circulate         |
| 2005-Aug-05     | 10:51       | -5                | 8.33    | 0.0          | 0.0    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:51       | 142               | 8.31    | 1.9          | 0.3    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:52       | 238               | 8.31    | 2.5          | 1.4    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:52       | 298               | 8.31    | 2.5          | 2.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:53       | 302               | 8.31    | 2.4          | 3.9    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:53       | 302               | 8.31    | 2.4          | 5.1    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:54       | 307               | 8.31    | 2.4          | 6.3    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:54       | 298               | 8.31    | 2.4          | 7.5    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:55       | 302               | 8.31    | 2.5          | 8.7    | 0             | 0 | 0 |                           |
| 2005-Aug-05     | 10:55       | 298               | 8.31    | 2.4          | 10.0   | 0             | 0 | 0 |                           |

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
 APR 06 2007  
 CONSERVATION DIVISION  
 WICHITA, KS  
 Page 4 of 5

|      |                 |       |            |              |              |          |               |            |            |
|------|-----------------|-------|------------|--------------|--------------|----------|---------------|------------|------------|
| Well | Williams 'G' #1 | Field | Pleasant P | Service Date | 05217-Aug-05 | Customer | OXY USA, INC. | Job Number | 2205548238 |
|------|-----------------|-------|------------|--------------|--------------|----------|---------------|------------|------------|

| Date        | Time        | Treating Pressure | Density | Rate    | Volume | 0 | 0 | 0 | Message                      |
|-------------|-------------|-------------------|---------|---------|--------|---|---|---|------------------------------|
|             | 24 hr clock | psi               | lb/gal  | bbl/min | bbl    | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 10:56       | 302               | 8.31    | 2.4     | 11.2   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 10:56       | 288               | 8.31    | 2.5     | 12.4   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 10:57       | 298               | 8.31    | 2.5     | 13.6   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 10:57       | 298               | 8.31    | 2.4     | 14.8   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 10:58       | 298               | 8.31    | 2.5     | 16.1   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 10:58       | 284               | 8.31    | 2.5     | 17.3   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 10:59       | 211               | 8.31    | 2.5     | 18.6   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 10:59       | 211               | 8.31    | 2.5     | 19.8   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:00       | 146               | 8.31    | 2.5     | 21.1   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:00       | 137               | 8.31    | 2.5     | 22.3   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:01       | 133               | 8.31    | 2.5     | 23.6   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:01       | 137               | 8.31    | 2.5     | 24.8   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:02       | 128               | 8.31    | 2.5     | 26.1   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:02       | 137               | 8.31    | 2.5     | 27.3   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:03       | 142               | 8.31    | 2.5     | 28.6   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:03       | 128               | 8.31    | 2.5     | 29.8   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:04       | 137               | 8.31    | 2.4     | 31.1   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:04       | 142               | 8.31    | 2.5     | 32.3   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:05       | 128               | 8.31    | 2.5     | 33.5   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:05       | 137               | 8.31    | 2.6     | 34.8   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:06       | 137               | 8.31    | 2.5     | 36.1   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:06       | -14               | 8.31    | 0.0     | 36.3   | 0 | 0 | 0 |                              |
| 2005-Aug-05 | 11:06       |                   |         |         |        |   |   |   | Reset Total, Vol = 35.65 bbl |

**Post Job Summary**

|                                       |                        |              |                         |                               |  |             |    |
|---------------------------------------|------------------------|--------------|-------------------------|-------------------------------|--|-------------|----|
| Average Pump Rates, bpm               |                        |              |                         | Volume of Fluid Injected, bbl |  |             |    |
| Slurry                                | N2                     | Mud          | Maximum Rate            | Total Slurry                  | Mud  | Spacer      | N2 |
| 3                                     |                        |              | 4                       | 80                            |  | 20          |    |
| Treating Pressure Summary, psi        |                        |              |                         | Breakdown Fluid               |  |             |    |
| Maximum                               | Final                  | Average      | Bump Plug to            | Breakdown                     | Volume   | Density     |    |
| 750                                   |                        | 500          |                         |                               |  | 8.34 lb/gal |    |
| Avg. N2 Percent                       | Designed Slurry Volume | Displacement | Mix Water Temp          |                               | <input type="checkbox"/> Cement Circulated to Surface?                                     | Volume      |    |
| %                                     | 79 bbl                 | 17 bbl       | °F                      |                               | <input type="checkbox"/> Washed Thru Peris   | To          | ft |
| Customer or Authorized Representative |                        |              | Schlumberger Supervisor |                               |  |             |    |
| William, Wes                          |                        |              | Ousley, John            |                               | <input type="checkbox"/> CirculationLost <input checked="" type="checkbox"/> Job Completed |             |    |

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
 APR 06 2007  
 CONSERVATION DIVISION  
 WICHITA, KS