

KCC
NOV 21 2005

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

TIGHT

CONFIDENTIAL

WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONFIDENTIAL

Operator: License # 32309
Name: Presco Western, LLC
Address: 5480 Valmont, Suite 350
City/State/Zip: Boulder, CO 80301
Purchaser: OneOK
Operator Contact Person: Sherry Glass
Phone: (303) 444-8881
Contractor: Name: Murfin Drilling
License: 30606

Wellsite Geologist: Austin Garner
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

9-25-05	10-04-05	10-19-05
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 081-21615-00-00
County: Haskell
S/2 NE SE Sec. 30 Twp. 30 S. R. 33 East West
1593 feet from (S) N (circle one) Line of Section
642 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Stalker etal Well #: 28-130-30-33
Field Name: Victory

Producing Formation: St. Louis
Elevation: Ground: 2954.4 Kelly Bushing: 2965.4
Total Depth: 5668 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 1678 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 5525 Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.


Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit) *ACT I WITHIN 4-3-07*
Chloride content 4100 ppm Fluid volume 1800 bbls
Dewatering method used Evaporation

Location of fluid disposal if hauled offsite:
Operator: _____
Lease Name: NOV 23 2005 License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: CONSERVATION DIVISION WICHITA, KS Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: *Richard McElaine*
Title: COO
Subscribed and sworn to before me this 21st day of November
20 05
Notary Public: *Sherry E. Glass*
Date Commission Expires: 10/8/06 October 8, 2006



KCC Office Use ONLY
YES Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

X

CONFIDENTIAL

Side Two

KCC

NOV 21 2005

CONFIDENTIAL

Operator Name: Presco Western, LLC

Lease Name: State

Well #: 28-130-30-33

Sec. 30 Twp. 30 S. R. 33 East West

County: Haskell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No (Submit Copy)

List All E. Logs Run:

Dual Induction log, Compensated Neutron/SSD log

Name	Top	Datum
Base Heebner Shale	4016	1060
Morrow	5237	-2274
St. Gen	5327	-2364

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12-1/4"	8-5/8"	23	1634.47	comm/lite	150/575	3% CC/3% cc 1/4# floeal
production	7-7/8"	5-1/2"	15.5	5601.83	ASC	350	2%gel,.05 of 1%FL160,1-% salt

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	5499-5506	RECEIVED KANSAS CORPORATION COMMISSION NOV 23 2005 CONSERVATION DIVISION WICHITA, KS	

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2-7/8"	3085	5525	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method		
10-20-05			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	56	0	27		37.5

Disposition of Gas: Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION: Open Hole Perf. Dually Comp. Commingled Other (Specify)

Production Interval: 5499-5506'

ALLIEL CEMENTING CO., INC. 19667

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>10/12/05</u>	SEC. <u>30</u>	TWP. <u>30s</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>12:00 PM</u>	JOB START <u>2:30 PM</u>	JOB FINISH <u>3:30 PM</u>
LEASE <u>Stalkor</u>		WELL # <u>28-I</u>		LOCATION <u>Satanta 1/2 S 1/4 E 3/4 S W/S</u>		COUNTY <u>Haskell</u>	STATE <u>Ks</u>
OLD OR <u>NEW</u> (Circle one)							

COPY

CONTRACTOR Eldredge Well Services
 TYPE OF JOB CMT Port Collar
 HOLE SIZE _____ T.D. _____
 CASING SIZE 5 1/2 15.50" DEPTH 5525
 TUBING SIZE 2 7/8 DEPTH 3085
 DRILL PIPE _____ DEPTH _____
 TOOL Port Collar DEPTH 3085
 PRES. MAX 1500 MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT 17.5 BBL

OWNER Same

CEMENT
 AMOUNT ORDERED 350 sks Lite + 1/4 # Flo-Seal

RECEIVED
KANSAS CORPORATION COMMISSION

COMMON _____	@	<u>NOV 23 2005</u>
POZMIX _____	@	
GEL _____	@	CONSERVATION DIVISION
CHLORIDE _____	@	WICHITA, KS
ASC _____	@	
<u>Lite weight 350</u>	@	<u>8.80 3080.00</u>
<u>Flo-seal 88#</u>	@	<u>1.70 149.60</u>
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
HANDLING <u>377 sks</u>	@	<u>1.60 603.20</u>
MILEAGE <u>68/sk/mi</u>		<u>678.60</u>
		TOTAL <u>4511.40</u>

EQUIPMENT

PUMP TRUCK CEMENTER Max
 # 373-281 HELPER Andrew
 BULK TRUCK
 # 386 DRIVER Mike
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

Test Csg To 1500 open Tool
Mix 350 sks Lite Displace 17 1/2
BBL close tool Test Csg to
1500 Csg Held Run 2 Jts The Reverse
Hole Clean Cement Did Circulate

SERVICE

DEPTH OF JOB _____		
PUMP TRUCK CHARGE _____		<u>785.00</u>
EXTRA FOOTAGE _____	@	_____
MILEAGE <u>30 mi</u>	@	<u>5.00 150.00</u>
MANIFOLD _____	@	_____
_____	@	_____
_____	@	_____
		TOTAL <u>935.00</u>

CHARGE TO: Presco Western
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
		TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Rodney Gonzalez

Rodney Gonzalez
 PRINTED NAME

ALLIEL CEMENTING CO., INC. 21908

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: OKley

DATE <u>10-5-05</u>	SEC <u>30</u>	TWP. <u>30s</u>	RANGE <u>33w</u>	CALLED OUT	ON LOCATION <u>11:40 AM</u>	JOB START <u>7:00 PM</u>	JOB FINISH <u>8:00 PM</u>
LEASE <u>Stalker Etal</u>	WELL # <u>28-130-30-33</u>	LOCATION <u>Satanta 1 3/4 S W 1/4</u>			COUNTY <u>Haskell</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)				KANSAS CORPORATION COMMISSION			

NOV 23 2005

CONTRACTOR Mc-yin Drlg Rig 21
 TYPE OF JOB Production String
 HOLE SIZE 7 7/8 T.D. 5600
 CASING SIZE 5 1/2 DEPTH 5601.83
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL Port Collar DEPTH 3100
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 21.55
 CEMENT LEFT IN CSG. 21.55
 PERFS. _____
 DISPLACEMENT _____

OWNER Same
 CONSERVATION DIVISION _____
 CEMENT WICHITA, KS
 AMOUNT ORDERED
350 sks ASC, 2% Gel, .05 of 1% PL 160
10% SALT. 500 gals WFR-2

COPY

COMMON	_____	@	_____
POZMIX	_____	@	_____
GEL	<u>7 sks</u>	@	<u>14.00 98.00</u>
CHLORIDE	_____	@	_____
ASC	<u>350 sks</u>	@	<u>11.65 4077.50</u>
	_____	@	_____
SALT	<u>38 sks</u>	@	<u>15.75 598.50</u>
	_____	@	_____
PL 160	<u>165 #</u>	@	<u>8.70 1435.50</u>
	_____	@	_____
WFR-2	<u>500 gals</u>	@	<u>1.00 500.00</u>
	_____	@	_____
HANDLING	<u>415 sks</u>	@	<u>1.60 664.00</u>
MILEAGE	<u>64/65/mile</u>		<u>747.00</u>
			TOTAL <u>8120.50</u>

EQUIPMENT

PUMP TRUCK CEMENTER Dean
 # 373-281 HELPER Jarrod
 BULK TRUCK _____
 # 386 DRIVER Larry
 BULK TRUCK _____
 # _____ DRIVER _____

REMARKS:

pump 500 gals WFR-2
Plug Rat Hole w/15 sks
Plug mouse Hole w/10 sks
pump 325 sks Cement down 5 1/2 csg
lost Circulate after Disp 125 bbls
Slowed Rate to about 2 BPM
lift Press 600# Landed Plug 1200#
Float Held.

Thank you

CHARGE TO: Presco western
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB	_____
PUMP TRUCK CHARGE	<u>1510.00</u>
EXTRA FOOTAGE	@ _____
MILEAGE	<u>30 miles @ 5.00 150.00</u>
MANIFOLD	@ _____
	@ _____
	@ _____
TOTAL <u>1660.00</u>	

5 1/2 PLUG & FLOAT EQUIPMENT

Guide Shoe	_____	<u>160.00</u>
APU Insert	@ _____	<u>235.00</u>
7- Centralizers	@ <u>50.00</u>	<u>350.00</u>
1- Basket	@ _____	<u>140.00</u>
1- Port Collar	@ _____	<u>1750.00</u>
5 1/2 Rubber Plug	@ _____	<u>60.00</u>
TOTAL <u>2695.00</u>		

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Ruby Loyals

Rodney Gonzales
 PRINTED NAME

ALLIED CEMENTING CO., INC.

21873

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>9-26-05</u>	SEC <u>30</u>	TWP. <u>30s</u>	RANGE <u>33w</u>	CALLED OUT	ON LOCATION <u>5:40 AM</u>	JOB START <u>11:15 AM</u>	JOB FINISH <u>12:30 PM</u>
STALKER LEASE <u>ET&I</u>	WELL# <u>28-230-30-33</u>	LOCATION <u>Satanta 1 3/4 S 1 E 3 1/4 S W 3</u>	COUNTY <u>Haskell</u>	STATE <u>KS</u>			

OLD OR NEW (Circle one)

CONTRACTOR Murfin Drlg Rig 21

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 1678

CASING SIZE 8 5/8 DEPTH 1676.70

TUBING SIZE DEPTH 1634.47

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 42.22'

CEMENT LEFT IN CSG. 42.22'

PERFS. 101 1/2

DISPLACEMENT 10474 Bbls

OWNER S&W

CEMENT

AMOUNT ORDERED 150 SKS Com 39cc

575 SKS Lite 39cc 1/4" Flo Seal

COPY

EQUIPMENT

PUMP TRUCK CEMENTER Dean

373-281 HELPER Andrew

BULK TRUCK

347 DRIVER Larry

BULK TRUCK

386 DRIVER Mike

COMMON	<u>150 SKS</u>	@	<u>10.00</u>	<u>1500.00</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>24 SKS</u>	@	<u>38.00</u>	<u>912.00</u>
ASC		@		
Lite weight	<u>575 SKS</u>	@	<u>9.30</u>	<u>5347.50</u>
Flo Seal	<u>144 1/2</u>	@		
				RECEIVED 244.80
				KANSAS CORPORATION COMMISSION
				NOV 23 2005
				CONSERVATION DIVISION
				WICHITA, KS
HANDLING	<u>778 SKS</u>	@	<u>1.60</u>	<u>1244.80</u>
MILEAGE	<u>64 / SK / mile</u>			<u>1400.40</u>
				TOTAL 10649.50

REMARKS:

Cement did circulate

Plug landed.

Float Held

Thank you

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE 1320.00

EXTRA FOOTAGE @

MILEAGE 30 miles @ 5.00 1500.00

MANIFOLD @

TOTAL 1470.00

PLUG & FLOAT EQUIPMENT

Guide shoe	@	<u>235.00</u>
AFH In. Sept	@	<u>325.00</u>
4- Centralizers	@	<u>55.00</u>
1- Basket	@	<u>180.00</u>
8 5/8 Rubber Plug	@	<u>100.00</u>
		TOTAL 1060.00

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Rodney Gonzalez

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

Rodney Gonzalez
PRINTED NAME