Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE CONFIDENTIAL API No. 15 - 009-24754-00-00

API No. 1	5 - 009-247	754-00-00)			NA	
County:							
	SWNE	Sac 31	Tum 2	20 0	n 11		7 10/
1380				(MA)			
1665				1		ine of Sec	
				9		Line of Se	ction
Footages	Calculated	from Ne	arest Ou	tside Se	ction Cor	ner:	
Lease Na	(circle one) ame: Dunc	can	SE	NW	SW Well #:	1	
Field Nar	ne: Kowal	sky					
Producing	g Formation	: Arbuc	kle				
Elevation	: Ground:	1809'		Kellv Bus	shing: 18	318'	
	oth: 3456'						
	of Surface P	_		-			Ear
					· · · · · · · · · · · · · · · · · · ·		
•	Stage Ceme	•				Yes	
	ow depth se						
	te II comple						
feet depti	h to					·····	sx cm
Chloride	Fluid Managet be collected	5,000	ppm	Ò	L- 15 -1	0 +	bbl
Chloride Dewateri	content 3! ng method i	5,000 _{used} Ha	ppm uled uled offs	Fluid v	L- 15 -1	0 +	bbl
Chloride Dewateri Location Operator	content 3.5 ng method i of fluid disp Name: Bol	5,000 used Ha osal if ha b's Oil Se	ppm uled uled offs rvice, IN	Fluid v	olume_	000	bbl
Chloride Dewateri Location Operator Lease Na	content 3! ng method to of fluid disp Name: Bolane: Sieke	5,000 used Ha osal if ha b's Oil Se r SWD	ppm uled uled offs rvice, IN	Fluid vite:	volume_1	1000	
Chloride Dewateri Location Operator Lease Na Quarter_	content 3.5 ng method i of fluid disp Name: Bol	5,000 used Ha osal if ha b's Oil Se r SWD	ppm uled uled offs rvice, IN	Fluid v ite: c. License	volume	1000	
Chloride Dewateri Location Operator Lease Na Quarter_	content 3: ng method i of fluid disp Name: Bol ame: Sieke NW Sec.	5,000 used Ha osal if ha b's Oil Se r SWD	ppm uled uled offs rvice, IN	Fluid v ite: c. License	volume	1000	
Chloride Dewateri Location Operator Lease Na Quarter County: e Kansas or convers months if rd d geologis	content 3: ng method i of fluid disp Name: Bol ame: Sieke NW Sec.	osal if ha b's Oil Se r SWD 35 7	ppm uled uled offs rvice, IN wp. 19 Docl sion, 130 82-3-130 nd subm attached	Fluid v ite: c. License S. R. ket No.: S. Mark O, 82-3-1 tted with with this	e No.: 324 11 D-26,49 et - Room 106 and 8 10 the form, AL	1000 108 East [107] 1000 1	www.chita,
Chloride Dewateri Location Operator Lease Na Quarter_ County: e Kansas or convers nonths if r d geologis submit CP	content 3! ng method i of fluid disp Name: Bol ame: Sieke NW Sec. Stafford Corporation sion of a we requested in st well report	osal if ha osal is osal i	ppm uled offs rvice, INc. 19 Doci	Fluid v ite: c. License S. R. set No.: _ S. Mark 0, 82-3-1 tted with with this abandor	e No.: 324 11 D-26,49 et - Room 06 and 8 the form form. AL	108 East (2078, Wi 32-3-107 a (see rule L CEMEN	West white, chita, apply. 82-3-TING
Chloride Dewateri Location Operator Lease Na Quarter County: E Kansas or convers nonths if r d geologis submit CP	ontent 3! ng method i of fluid disp Name: Bol ame: Sieke NW Sec. Stafford Corporation sion of a we equested in st well report -111 form w	osal if ha osal is osal osal osal osal osal osal osal osa	ppm uled offs rvice, INc. 19 Doci	Fluid v ite: c. License S. R. set No.: _ S. Mark 0, 82-3-1 tted with with this abandor complie	e No.: 324 11 D-26,49 et - Room 06 and 8 the form form. AL led wells.	108 East (2078, Wi 32-3-107 a (see rule L CEMEN	West white, chita, apply. 82-3-TING
Chloride Dewateri Location Operator Lease Na Quarter_ County: e Kansas or convers nonths if r d geologis submit CP	ontent 3! ng method i of fluid disp Name: Bol ame: Sieke NW Sec. Stafford Corporation sion of a we equested in st well report -111 form w	commissell. Rule writing an a shall be a sith all terrotry have by	ppm uled uled offs rvice, IN wp. 19 Docl sion, 130 82-3-13 nd subm attached aporarily peen fully	Fluid v ite: c. License S. R. set No.: S. Mark O, 82-3-1 tted with with this abandor complie	e No.: 324 11 D-26,49 et - Room 106 and 8 the form. AL ned wells.	108 East (2078, Wi 32-3-107 a (see rule L CEMEN	West white, chita, apply. 82-3-TING
Chloride Dewateri Location Operator Lease Na Quarter County: E Kansas or convers nonths if r d geologis submit CP	ontent 3! ng method i of fluid disp Name: Bol ame: Sieke NW Sec. Stafford Corporation sion of a we equested in st well report -111 form w	commissed. Rule writing an ith all terrof	ppm uled offs vice, INo possion, 130 sion, 130 sion, 130 sion attached porarily peen fully coccording to the control of the coccording to the coccordinate to the coccording to the coccording to the coccording to the coccordinate to the	Fluid v ite: C. License S. R. S. Mark D, 82-3-1 tted with with this abandor complie	e No.: 324 11 D-26,49 et - Room 106 and 8 the form. AL ned wells.	108 East (2078, Wi 32-3-107 a (see rule L CEMEN	West white, chita, apply. 82-3-TING
Chloride Dewateri Location Operator Lease Na Quarter County: E Kansas or convers nonths if r d geologis submit CP	ontent 3! ng method i of fluid disp Name: Bol ame: Sieke NW Sec. Stafford Corporation sion of a we equested in st well report -111 form w	commissell. Rule writing and it hall terrottry have to the Letter of If Denied	ppm uled offs rvice, INc. 19 Docl sion, 130 82-3-130 attached apprairly been fully confider	Fluid v ite: C. License S. R. Ket No.: _ S. Mark D, 82-3-1 Itted with with this abandor complied ice Use tiality Att Date:	e No.: 324 11 D-26,49 et - Room 106 and 8 the form. AL ned wells.	108 East (2078, Wi 32-3-107 a (see rule L CEMEN	West white, chita, apply. 82-3-TING
Chloride Dewateri Location Operator Lease Na Quarter County: E Kansas or convers nonths if r d geologis submit CP	ontent 3! ng method i of fluid disp Name: Bol ame: Sieke NW Sec. Stafford Corporation sion of a we equested in st well report -111 form w	commissell. Rule writing an ith all terrotry have be be because of the control of	ppm uled offs vice, IN position, 130 sion, 130 seen fully peen fully confider, Yes	Fluid v ite: c. License S. R. set No.: S. Mark O, 82-3-1 tted with with this abandor complie ice Use	e No.: 324 11 D-26,49 et - Room 106 and 8 in the form. AL and wells. ed with an	108 East (2078, Wi 32-3-107 a (see rule L CEMEN	West white, chita, apply. 82-3-TING

Operator: License # 3293 CUNTIDENTIAL	API No. 15 - 009-24754-00-00
Name: Russell Oil, Inc. RECEIVED	County: Barton
Address: PO Box 1469	NW.NESW.NE Sec. 31 Twp. 20 S. R. 11 East West
City/State/Zip: Plainfield, IL 60544 JUN 2 0 2003	1380 feet from S (N) (circle one) Line of Section
Purchaser: NCRA KCC WICHITA	100
Operator Contact Person: LeRoy Holt II	Footages Calculated from Nearest Outside Section Corner:
Phone: (815) 609-7000	(circle one) NE SE NW SW
Contractor: Name: Sterling Drilling Company	Lease Name: Duncan Well #: 1
License: 5142 JUN 1 6 2003	
Well-the Godenstern	Bradusian Famarian Arbuckle
Designate Type of Completion: CONFIDENTIA	Elevation: Ground: 1809' Kelly Bushing: 1818'
New Well Re-Entry Workover	Total Depth: 3456' Plug Back Total Depth: 3438'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 277 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry · Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 35,000 ppm Fluid volume 1000 bbls
Plug BackPlug Back Total Depth	
Commingled Docket No.	Dewatering method used Hauled
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
· ·	Operator Name: Bob's Oil Service, INc.
Other (SWD or Enhr.?) Docket No	Lease Name: Sieker SWD License No.: 32408
05-27-2003 06-03-2003 06-13-2003	Quarter_NW Sec. 35 Twp. 19 S. R. 11 East 🗸 West
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date	County: Stafford Docket No.: D-26,497
Kansas 67202, within 120 days of the spud date, recompletion, work Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline to TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged we	ith the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-gs and geologist well report shall be attached with this form. ALL CEMENTING IIs. Submit CP-111 form with all temporarily abandoned wells.
Signature: Cuan Suray Abers	KCC Office Use ONLY
Title: President Date: 6-/7-20	203 Letter of Confidentiality Attached
Subscribed and sworn to before me this 17 day of	If Denied, Yes Date:
70013	, Wireline Log Received
19 2005	Geologist Report Received
Notary Public: Crue M. Carlos	UIC Distribution
Date Commission Expires: 12 - 16 ANICE A MCGC COMMISSION EXPIRES:	

COMPOENTIAL

Side Two

ORIGINAL

Operator Name: Ku	sseii Oii, inc.		· · · · · · · · · · · · · · · · · · ·	Lease Nar	ne: Duncan		Well #:		
Sec. 31 Twp. 2	²⁰ S. R. 11	East	West	County: B	arton				
tested, time tool ope temperature, fluid re	thow important tops a on and closed, flowin covery, and flow rate as surveyed. Attach	g and shut-in s if gas to su	pressures, face test, a	whether shut-in	n pressure reache	d static level, hyd	rostatic pressu	res, bottom ho	le
Drill Stem Tests Take (Attach Additional		✓ Yes	□No		✓ Log Forma	tion (Top), Depth	and Datum	☐ Sam	ple
Samples Sent to Ge	ological Survey	Yes	∨ No		Name		Тор	Datu	m
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ✓ Yes	✓ No □ No		See attached sh	eets.		(CC	
ist All E. Logs Run:				JU	N 2 0 2003			f 6 2003	
	nsated Porosit d Sonic, Dual I		Sonic I	Bond KCC	WICHITA			DENTIAL	No.
		Report al		RECORD conductor, surface	New 🗹 Used e, intermediate, produ	uction, etc.			
Purpose of String	Size Hole Drilled	Size C Set (In		Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and F	
Surface	12 1/4"	8 5/8"		25#	277'	60/40	230	2% gel, 3	
Production	7 7/8"	5 1/2"		17#	3455'	ASC	135	na	
		Α	DDITIONAL	. CEMENTING /	SQUEEZE RECOF	BD.			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of (#Sacks Use		***************************************	Percent Additive	S	
Shots Per Foot		ON RECORD -				acture, Shot, Ceme			Depth
3376-3378'	4 holes per foot				none				20041
	Size 7/8" EUE 8rd rd Production, SWD or E	Set At 3433'	roducing Met	Packer At	Liner Run	Yes V N	0		
06-13-2003			caucing Met	Flo	owing Pum	oing Gas L	.ift 🔲 Oth	er (Explain)	
Estimated Production Per 24 Hours	0il 40	Bbls.	Gas	Mcf 0	Water	Bbls.	Gas-Oil Ratio	Gr 38	ravity
Disposition of Gas	METHOD OF (OMPLETION			Production Inte	erval	79 - 10 01		
Vented Sold	Used on Lease ubmit ACO-18.)		Open Hole	Perf.	Dually Comp.	Commingled .		,	***************************************

CO DENTIALLIEC CEMENTING CO., INC.

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT: GIBERD

15407RIGINA!

DATE 5-27-C	SEC. TWI			ALLED OUT AM.	ON LOCATION	6,000 PM	JOB FINISH
LEASE DUNCO	WELL#	LOCATION EI	innoco	El biollates	to a 5mi Bit	COUNTY	STATE A
OLD OR NEW		1		45, Winto	7 - 0 - 1 - 0	1	.1
CONTRACTOR	ST. Jin +	F)		OWNER <	Joseph		
TYPE OF JOB	England		VI. 1011.00.00.00.00.00.00.00				
HOLE SIZE	2/11/1	T.D. 278'		CEMENT			
CASING SIZE	25/81/	DEPTH 272'		AMOUNT OR	DERED 230.	In 75/30 33	ኤ ር ር
TUBING SIZE	0.20	DEPTH		22 rul	DEKED(XZ)()	W 20 2	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
DRILL PIPE				20132			
TOOL	· · · · · · · · · · · · · · · · · · ·	DEPTH					
PRES. MAX		DEPTH		GO1 11 10 11	120		000 -
		MINIMUM		COMMON	138 84	@ <i>7./</i> \$	986.72
MEAS. LINE	TNI CCC + C 1	SHOE JOINT		POZMIX	92 st	@3.80_	
CEMENT LEFT	IN CSG. 15	- and 1	6-20	¶GEL	- 4 sy	@ <i>_10.a</i> o	
PERFS.		JOIL .		CHLORIDE _	7 A.L	@ <i>_30.0</i> 0	210.00
DISPLACEMEN	The 3/4 bb/s	- A B SEPT \$	FTF A I	TIAL		@	
	EQUIPMI	ENT CONFI	DEM	ILL		@	
		P. P. I.			***************************************	@	
PUMP TRUCK	CEMENTER_			M-14-11-12-12-12-14-14-14-14-14-14-14-14-14-14-14-14-14-		@	
# 18)						@	
	HELPER 7	205-3		HANDLING	341 sel	@ <i>1.1</i> S	277.15
BULK TRUCK	A	6		MILEAGE	241 801	05 16	192.80
#342	DRIVER \(\)	uco U					
BULK TRUCK							0 1 0
#	DRIVER	**************************************	******		*	TOTAL	2.056.25
	REMARI	Z C.			SERV	ICE	
1 22.00	- :		,		SERV	ICE	
Kond22d		taluris ela					
DEK herzyy	yr 3030 3	10 cc, 270,14e	<u> </u>	DEPTH OF JO	B, 277		
12 Savas 68	ralport you	erf hein Le	w.Z	PUMP TRUCK	CHARGE		SZ020
H30.	1	1		EXTRA FOOT	AGE	@	
				MILEAGE	16	_@_3\$D	56,00
		4		PLUG 1-85/5	worden	@ 45.00	45m
enre	bil to	staliano				@	
						@	
		- De Ju					
		1/00% Ind					× 21.
A	00 -0	\				TOTAL	621.60
CHARGE TO: 🖳	l'o llerun	, Inc.					
STREET					FLOAT EQU	HDMENE	
· · · · · · · · · · · · · · · · · · ·					FLOAI EQU	JIF WIEN I	
CITY	STATE	ZIP					***************************************
						@	
						@	
						@	
To Allied Cemer	nting Co. Inc						
		· · · · · · · · · · · · · · · · · · ·					
		cementing equipme	ent			TOTAL	
		to assist owner or				IOIAL	
		The above work w					
		on of owner agent of		TAX			
contractor. I have	ve read & underst	and the "TERMS A	AND		312	250 2.63	
	listed on the reve			TOTAL CHARG	GE C.E.	(d00)2	
	4			DICCOIDE	BADA	(D)	TAT 00 TO 1555
_	. 1 /	$\hat{}$		DISCOUNT -	COOLS	IF PAID	IN 30 DAYS
1	1 11 (. / D		1/ ^			
SIGNATURE	X my	Hung M		X (MAY	4 1044	h	
	1				PRINT	FD NAME	
	J	ANY APP	PLICA	BLETAX	į IKMI.	LOTANIE	

WILL BE CHARGED UPON INVOICING

ALLIEF CEMENTING CO., INC. Federal Tax I.D. #149

P.D. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: ORIGINAL

DATE 3 -03 31 20 11 w	100 pm 12 00 mid. S.30 ng 4.30 pm
	D. Flegwood to John BARTON KS
OLD OR NEW (Circle one) house -2 south	PEAST 2 south wast into KCC
CONTRACTOR Steeling #1	OWNER RUSSELL O. (JUN 1 6 2003
TYPE OF JOB Long String 32052	OHARI I (CA 383) C I GUIT I U ZUU3
HOLE SIZE 7 % T.D. 3457	CEMENT
CASING SIZE 5 DEPTH 345	AMOUNT ORDERED JOOSK AS C CONFIDENTIAL
TUBING SIZE DEPTH DRILL PIPE DEPTH	500 gol much Austr
TOOL DEPTH	Δ .
PRES. MAX 15000 MINIMUM 2000	COMMON ASC 150 @ 900 1350.00
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG.	POZMIX@ GEL2111@2000
PERFS.	CHLORIDE@
DISPLACEMENT & BB15	
EQUIPMENT	ASTRUSH SCOGAL @ 1.00 500.00
	@ @
PUMPTRUCK CEMENTER Jack	
# 120 HELPER J.D	HANDLING 1794 @ 1.15 20585
BULK TRUCK # .3 4/ DRIVER OOD	MILEAGE 179 14 05 16 143.20
# 3 4 DRIVER Oon BULK TRUCK	
# DRIVER	TOTAL 2219,05
REMARKS:	SERVICE
Run 81 is & 52csg-circ hR-	
Rup mud flush - dement Rathofe	DEPTH OF JOB
with 15 sx coment-coment esa with	
	PUMP TRUCK CHARGE 1130.co
135 Dx cement - Displace plug with	EXTRA FOOTAGE@
135 Dx cement - Displace plug laith 82 3015 D. Fresh water insent did hold -	EXTRA FOOTAGE @
135 Dx cement - Displace plug lasth 82 3015 D Fresh water - Treat	EXTRA FOOTAGE @
135 Dx cement - Displace plug laith 82 3015 D. Fresh water insent did hold -	EXTRA FOOTAGE@
135 Jx cement - Displace plug with 82 3015 de Fresh water Asent diel hold -	EXTRA FOOTAGE @
135 ix cement - Displace plug lasith 82 3015 of Fresh water insent did hold Thanks CHARGE TO: Russell Oil	EXTRA FOOTAGE
135 Jx cement - Displace plug with 82 3015 de Fresh water Asent diel hold -	EXTRA FOOTAGE@
135 ix cement - Displace plug lasith 82 3015 of Fresh water insent did hold Thanks CHARGE TO: Russell Oil	EXTRA FOOTAGE @
135 Jx cement - Displace plug with 82 BOIS of Fresh water Asent died hold - CHARGE TO: Russell Oil STREET	EXTRA FOOTAGE @ # # # # # # # # # # # # # # # # # #
135 Jx cement - Displace plug with 82 BOIS of Fresh water Asent died hold - CHARGE TO: Russell Oil STREET	EXTRA FOOTAGE @ GOO SCO.CO PLUG 52 ITULBURA @ GOO GOO FLOAT EQUIPMENT L-52 centralizers @ SCO.CO Sco.co ISD.CO.
135 Jx cement - Displace plug with 82 BOIS of Fresh water Asent died hold - CHARGE TO: Russell Oil STREET	EXTRA FOOTAGE @ GSCD S600 PLUG 52 Tubbers @ 6000 60.00 TOTAL 1246.00 FLOAT EQUIPMENT 6 SCOO 30000
CHARGE TO: RUSS @ CITY STATE ZIP	EXTRA FOOTAGE @ GSCD S600 PLUG 52 Tubber @ 600 60.00 TOTAL 1246.00 FLOAT EQUIPMENT 6-52 centralizers @ 5000 300.00 1-52 quide snow @ 150.00 150.00 1-53 Gashelf @ 128.00 128.00
135 Jx cement - Displace plug with 82 BOIS of Fresh water Asent died hold - CHARGE TO: Russell Oil STREET	EXTRA FOOTAGE @ 35D S600 PLUG 52 ITUMBER @ 6000 60.00 TOTAL 1246.00 FLOAT EQUIPMENT 6 S000 3000 150000 15000 15000 15000 15000 15000 15000 15000 15000 15000 15000 15
CHARGE TO: Russ el Cily To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or	EXTRA FOOTAGE @ 35D S600 PLUG 52 ITULIDAR @ 6000 60.00 TOTAL 1246.00 FLOAT EQUIPMENT 6 5000 3000 150000 15000 15000 15000 15000 15000 15000 15000 15000 15000 15000 150000 15000 15000 15000 15000 15000 15000 15000 15000 15000 150000
CHARGE TO: Russ el Cill STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was	EXTRA FOOTAGE @ 35D S600 PLUG 52 ITUMBER @ 6000 60.00 TOTAL 1246.00 FLOAT EQUIPMENT 6 S000 3000 150000 15000 15000 15000 15000 15000 15000 15000 15000 15000 15000 15
CHARGE TO: Russ el Cily To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	EXTRA FOOTAGE @ 35D S600 PLUG 52 ITUMBER @ 6000 60.00 TOTAL 1246.00 FLOAT EQUIPMENT 6 S000 3000 150000 15000 15000 15000 15000 15000 15000 15000 15000 15000 15000 15
CHARGE TO: Russ el Cill STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	EXTRA FOOTAGE @ 35D S600 PLUG 52 ITULIDAR @ 6000 60.00 TOTAL 1246.00 FLOAT EQUIPMENT 6 5000 30000 1-32 quick snow @ 15000 15000 1-32 quick snow @ 128.00 1-32 insert @ 2800 235.00 TOTAL 813.00
CHARGE TO: Russ el Cily To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	EXTRA FOOTAGE MILEAGE PLUG 52 ITUMBER @ 55D S600 PLUG 52 ITUMBER @ 6000 6000 FLOAT EQUIPMENT C. 52 central 2000 9 5000 30000 L. 52 quicke 5000 9 15000 15000 L. 53 Dashet @ 128.00 128.00 L. 53 Loscat @ 235.00 TOTAL 8/3.00 TAX TOTAL CHARGE
CHARGE TO: Russ el Cill STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	EXTRA FOOTAGE @ 35D S600 PLUG 52 ITUMBER @ 6000 60.00 TOTAL 1246.00 FLOAT EQUIPMENT 6 S000 30000 1246.00 1-52 quide snow @ 15000 128.00 1-53 isasket @ 128.00 128.00 1-52 insert @ 2500 255.00 TOTAL 8/3.00
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.	EXTRA FOOTAGE MILEAGE PLUG 52 ITUMBER @ 55D S600 PLUG 52 ITUMBER @ 6000 6000 FLOAT EQUIPMENT C. 52 central 2000 9 5000 30000 L. 52 quicke 5000 9 15000 15000 L. 53 Dashet @ 128.00 128.00 L. 53 Loscat @ 235.00 TOTAL 8/3.00 TAX TOTAL CHARGE
CHARGE TO: Russ el Cill STATE ZIP To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	EXTRA FOOTAGE MILEAGE PLUG 52 ITUMBER @ 55D S600 PLUG 52 ITUMBER @ 6000 6000 FLOAT EQUIPMENT C. 52 central 2000 9 5000 30000 L. 52 quicke 5000 9 15000 15000 L. 53 Dashet @ 128.00 128.00 L. 53 Loscat @ 235.00 TOTAL 8/3.00 TAX TOTAL CHARGE