KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIOMAL

Operator: License #	API No. 15 - 095-21958-0000
MIDCO Exploration Inc	County: Kingman
Address: 414 Plaza Drive, Suite 204	S/2 _SE _ NW Sec. 35 Twp. 28 S. R. 8 ☐ East West
City/State/Zip. Westmont, IL 60559	2310 feet from S / (O (circle one) Line of Section
Purchaser: ONEOK	1980 feet from E / (W) (circle one) Line of Section
Operator Contact Person: Earl J. Joyce, Jr.	Footages Calculated from Nearest Outside Section Corner:
Phone: (630) 655-2198	(circle one) NE SE NW SW
Contractor: Name: Duke Drilling Co., Inc.	Lease Name: Ramsey Well #: 2
License: 5929	Field Name: Garlisch SW
Wellsite Geologist: N/A	Producing Formation: Mississippi
Designate Type of Completion:	Elevation: Ground: 1629' Kelly Bushing: 1640'
✓ New Well Re-Entry Workover	Total Depth: 4280' Plug Back Total Depth:
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 265 Feet
GasENHRSIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	Day The same of th
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content 26,000 ppm Fluid volume 550 bbls
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 26,000 ppm Fluid volume 550 bbls
Plug Back Plug Back Total Depth	Dewatering method used_vacuum available fluids
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name: MIDCO Exploration, Inc.
04-16-2005 04-22-2005 05-16-2005	Lease Name: Biggs #4 License No.: 5254
Spud Date or Date Reached TD Completion Date or	Quarter_NW Sec. 13 Twp. 28S S. R. 8 East V West
Recompletion Date Recompletion Date	County: Kingman Docket No.: D-28327
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. All requirements of the statutes, rules and regulations promulgated to regulate.	or or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-104 and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge	
Signature: [Wellow of]	KCC Office Use ONLY
Title: Vice-President Date: 06/23/2005	Letter of Confidentiality Received
Subscribed and sworn to before me this 23rdday of	If Denied, Yes Date:
20. 05	Wireline Log Received
Notary Public: Manay 2. Macyunas Date Commission Expires: OFFICIAL SEAL!	Geologist Report Received
Notary Public: Wantey	UIC Distribution
Date Commission Expires: Nancy L. Macyunas	15 <u>4</u>
Notary Public, State of Illinoi My Commission Exp. 06/24/20	. 10

•

COUDENTIAL

perator Name: MIC	OCO Exploration	, Inc.	Leas	se Name:_	Ramsey		_ Well #: 2		
Sec35Twp2			t Cour	nty: Kingn	nan				
ested, time tool oper emperature, fluid red	n and closed, flowing covery, and flow rate	and base of formatio g and shut-in pressu es if gas to surface to final geological well	res, whether est, along with	shut-in pre	ssure reached	static level, hydro	ostatic pressu	ests giving interval res, bottom hole led. Attach copy of all	
Drill Stem Tests Taken ☐ Yes ☑ No			o	✓ L	Log Formation (Top), Depth and Datum			Sample	
(Attach Additional Sheets) Samples Sent to Geological Survey ☐ Yes ✓ No		o	Name Heebner			Top 3133	Datum -1493		
Cores Taken		☐ Yes 🗸 N	0	Toro	oronto		3140	-1500	
Electric Log Run (Submit Copy)		✓ Yes N	o	Lans	sing		3395	-1755	
, , , , , , , , , , , , , , , , , , , ,				Hertha B/KC			3803	-2163	
List All E. Logs Run:							3996	-2356	
Dual Induction Microlog	n, Dual Comp	ensated Poros	sity,	Miss	sissippi		4089	-2449	
<u> </u>		CAS Report all strings	SING RECORE set-conductor,			ction, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	12 1/4"	8 5/8"	24#		265'	60/40 poz	250	3%cc 2% gel	
Production	7 7/8"	4 1/2"	10.5#	700000000000000000000000000000000000000	4271'	ASC	190	3%cc 5% Kolseal	
		ADDITIO	DNAL CEMEN	TING / SQL	JEEZE RECOR	D			
Purpose: Depth Type of Cement Perforate Protect Casing Plug Back TD Plug Off Zone		#Sac	ks Used Type and Percent Additives				es		
Shots Per Foot		TON RECORD - Bridge)e	Acid, Fra	acture, Shot, Cemen	t Squeeze Reco	ord	
Specify Footage of Each Interval Perforat 4090-94; 4098-4104						Mmount and Kind of M /2% mud clear		Depth	
	1888 617, 1888 1181								
					750 gal 15% mud clean-up acid RECEIVED KANSAS CORPORATION CO				
							THE CONTRACTOR OF STREET, STRE	JUN 2 4 2005	
			The second secon						
TUBING RECORD 2:	Size 3/8"	Set At 3995	Packer	At	Liner Run	Yes ✓ No		CONSERVATION DIVISIO WICHITA, KS	
Date of First, Resumer WOPL	d Production, SWD or	Enhr. Producing	g Method	√ Flowing	g Pump	ing Gas Li	ft Ott	ner (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls. Gas 250	Mcf	Wate	er I	3bls. (Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF	COMPLETION			Production Inte	rval			
Vented ✓ Sold (If vented, Su	Used on Lease	Open I	lole ✓ Pe	erf. 🔲 C	ually Comp.	Commingled _	· INNANANANANANANANANANANANANANANANANANAN		

ALLIED CEMENTING CO., INC. Federal Tax I.D.#

ينMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

NEDICINE LODGE

DATE 1/-16-05	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
	WELL#	-		TO I BALL PALK	7	COUNTY	
OLD OR NEW Ci			1	•	NO; 17-10	A / /- S/ * * *	1/60
OLD OR NEW CI	- Cie One)		5108 SKEN 1 HE	11/21) E/S			
CONTRACTOR 1	JUKE 1			OWNER /1/	CO EXA		
TYPE OF JOB	URFACE			-			
HOLE SIZE 12	14		265	CEMENT		,	
CASING SIZE	85/8	DEF	TH 215	AMOUNT OF	RDERED 250	5x 60:40	12 % gel
TUBING SIZE		DEF	TH	+390 C	<u> </u>		<u> </u>
DRILL PIPE	4/2	DEF	тн 2651				
TOOL		DEF	TH	***************************************			
PRES. MAX	50 pt		IIMUM 100	COMMON	150 A	@ 8,7	0 1305,00
MEAS. LINE	/	SHO	DE JOINT	POZMIX	10-0	@ 4.70	
CEMENT LEFT IN	I CSG	131	A CONTRACTOR OF THE PROPERTY O	GEL	4	@ <u>14,0</u>	
PERFS.				CHLORIDE		@ <i>38.0</i>	•
DISPLACEMENT	153/4	Who 15	163H WATER	ASC		@	
DIGI EM CEDIVIDA VI					CEIVED	@ 	
	EQU	IPMENT		CANCAS CARD	PRATION COMMISSION	@ 	
					1	@	
PUMP TRUCK	CEMENT	ER BILL	MCANOO	JUN	2 4 2005	@	
# 302	HELPER \mathfrak{d}	DELAYNE	WEST	18 P 2 P 2 P 2 P 2 P 2 P 2 P 2 P 2 P 2 P	(ATION TO HOLOR)		
BULK TRUCK					<u>/ATIONDIVISION</u> CHITA, KS		
# 381	DRIVER 📞	EMPY C	USNENDERAY	A85	Pully 100	@	
BULK TRUCK	may provide in the committee in the committee and with a separation of the interior in territories in					@	
#	DRIVER					@	0 1/10 -
**************************************		***************************************			262		
				MILEAGE	35 X262		550.20
	REN	MARKS:				TOTA	AL 3104.40
PIFE ON SOTT	on see	ak eiker	KATION, MIX				
FIRST DO bols	PETITE	IT IS TH	GET WATER		SERV	TCE.	
MX REMINDE			_			TCE	
WATER, STOP				DEPTH OF JO	OR 245		
STAKT DISPLAN				DUMBTRIC	K CHARGE		1700
3NUT W. 21	on the	1 10/2/	10 .7 2015				670,00
5/00 10.32		***************************************		EXTRA FOO		@	
	***************************************		er bir antisk karlara reman militara nephana ang anamina nikapalindan jugar ang kananga, na asara ping profit nasarraba	MILEAGE _		@_ <i>5.00</i>	175,00
	·			- MANIFOLD	HEAD RENT		0 75.0
				West of the second seco			
,			1			@	
CHARGE TO: 1	JCO EX	3		Northead Maries Maries			_
STREET						TOTA	AL 920.00
CITY	ST/	ATE	ZIP	по при	TO T T T T T T T T T T T T T T T T T T		
					PLUG & FLOA	XT EQUIPMI	ENT
				1 1000)	4UC 85/8"	@ <i>55.00</i>	0 55.00
To Allied Cement	ting Co. I	nc				@	
			nenting equipment	4		@	
and furnish ceme							
		•					
contractor to do v						mom.	· <- <- ^
			of owner agent or			1017	AL <u>55.00</u>
contractor. I have							
CONDITIONS" I	listed on tl	he reverse	side.	TAX			
		AN	APPLICABI	E TATOTAL CHAI	RGE		
		* * .	THAD CHAD	CED	Store		
		U	BON INNOIC	INC	CELEBET .	IF PA	AID IN 30 DAYS
A	× 1 ×	N An	1 Like	LIVO .	111 m	0.1	\mathcal{N}
SIGNATURE	aud!	AN M	ary reld	1)901	dH Ma.	11-1101	cΧ
<u> </u>			2 1		DRINI	TED NAME	<u> </u>

ALLIED CEMENTING CO., INC. 20493

Federal Tax I.D.# SERVICE POINT: P.O. BOX 31 Medicine Lodge RUSSELL, KANSAS 67665 LOCATION , LD OR NEW (Grele one) CONTRACTOR rtion TYPE OF JOB 4275 **CEMENT** HOLE SIZE T.D. AMOUNT ORDERED 25 5x 60:40:4 190 5x ASC +5#Kolseal +.7%6as Bl 500 Bals ASF 50 Bal Mulskanl Jag CAUSTIC BEADS 50# **CASING SIZE DEPTH** TUBING SIZE DEPTH DRILL PIPE **DEPTH** TOOL PRES. MAX @ 4.70 47.00 POZMIX MEAS. LINE CEMENT LEFT IN CSG @ 14,00 GEL **CHLORIDE** PERFS. DISPLACEMENT ASC_*190* @ _ EQUIPMENT 500 d @ 1.25 @ 22.90 PUMP TRUCK #343 CEMENTER _ @ 1.00 BULK TRUCK #. 364 BULK TRUCK ره د DRIVER 269 @ 1,60 HANDLING MILEAGE 35 X 269 X D6 **REMARKS:** TOTAL 6009.60 trechwater **SERVICE** DEPTH OF JOB 427/ PUMP TRUCK CHARGE EXTRA FOOTAGE **MILEAGE** @ 5.00 _ MANIFOLD Head Rental @75.00 RECEIVED CHARGE TO: Midco KANSAS CORPORATION COMMISSION TOTAL 1620.00 JUN 2 4 2005 CONSERVATION DIVISION WINDUCKS FLOAT EQUIPMENT @ *200.00* tch Down plug @*300,00* _ @ 45.00 To Allied Cementing Co., Inc. Urbo Buttalizelos 55,00 385,00 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was TOTAL 1200,00 done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the very side CABLE TAX TAX ___ TOTAL CHARGE WILL BE CHARGED UPON INVOICING DISCOUNT . IF PAID IN 30 DAYS