

KANSAS CORPORATION COMMISSION RECEIVED
 OIL & GAS CONSERVATION DIVISION
 WELL COMPLETION FORM NOV 29 2005

Form ACO-1
 September 1999
 Form Must Be Typed

WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONFIDENTIAL

KCC WICHITA ORIGINAL

Operator: License # 4767
 Name: Ritchie Exploration, Inc.
 Address: P.O. Box 783188
 City/State/Zip: Wichita, KS 67278-3188
 Purchaser: Plains
 Operator Contact Person: John Niemberger
 Phone: (316) 691-9500
 Contractor: Name: American Eagle Drilling
 License: 33493

Wellsite Geologist: Brad Rine
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

8/1/05	8/10/05	8/10/05
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 195-22298-00-00
 County: Trego
NE SE SW Sec. 33 Twp. 15 S. R. 23 East West
870 feet from (S) / N (circle one) Line of Section
2300 feet from E / (W) (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW (SW)
 Lease Name: Schwartzkopf 33C Well #: 1

Field Name: _____
 Producing Formation: Cherokee Sand
 Elevation: Ground: 2434' Kelly Bushing: 2440'
 Total Depth: 4525' Plug Back Total Depth: 4484'
 Amount of Surface Pipe Set and Cemented at 205' Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set 1783 Feet
 If Alternate II completion, cement circulated from 1783'
 feet depth to surface w/ 160 sx cmt.

Drilling Fluid Management Plan ACT IF WITHIN
 (Data must be collected from the Reserve Pit) 4-3-07
 Chloride content 51000 ppm Fluid volume 875 bbls
 Dewatering method used evaporation

Location of fluid disposal if hauled offsite:
 Operator Name: KCC
 Lease Name: KCC
 License No: 001
 Quarter: _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

CONFIDENTIAL

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____
 Title: Production Manager Date: November 28, 2005
 Subscribed and sworn to before me this 28th day of November
 20 05.
 Notary Public: Debra K. Phillips
 Date Commission Expires: 5/14/07

DEBRA K. PHILLIPS
 Notary Public - State of Kansas
 My Appt. Expires 5/14/07

KCC Office Use ONLY
YES Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: Ritchie Exploration, Inc. Lease Name: Schwartzkopf 33C Well #: 1
Sec. 33 Twp. 15 S. R. 23 [] East [x] West County: Trego

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken [x] Yes [] No (Attach Additional Sheets)
Samples Sent to Geological Survey [x] Yes [] No
Cores Taken [] Yes [x] No
Electric Log Run [x] Yes [] No (Submit Copy)

[] Log Formation (Top), Depth and Datum [x] Sample
Name Top Datum

List All E. Logs Run:

Compensated Density/Neutron PE Log
Dual Induction Log

SEE ATTACHED RECEIVED
NOV 29 2005
KCC WICHITA

Table with 8 columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Rows include Surface and Production data.

Table with 5 columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives. Includes a list of purposes like Perforate, Protect Casing, etc.

Table with 4 columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record, Depth. Includes handwritten 'KCC' and 'CONFIDENTIAL' stamps.

Table with 4 columns: Tubing Record (Size, Set At, Packer At, Liner Run), Date of First Resumerd Production, Producing Method, Estimated Production (Oil, Gas, Water, Gravity).

Disposition of Gas METHOD OF COMPLETION Production Interval
[] Vented [] Sold [] Used on Lease [] Open Hole [x] Perf. [] Dually Comp. [] Commingled
[] Other (Specify)



RECEIVED
NOV 29 2005
KCC WICHITA

#1 Schwartzkopf 33C
870' FSL & 2300' FWL
Section 33-15S-23W
Trego County, Kansas
API# 15-195-22298-00-00
2434' GL: 2440' KB

<u>Sample Tops</u>			<u>Ref.</u> <u>Well</u>
Anhydrite	1818'	+622	-5
B/Anhydrite	1856'	+584	-8
Heebner	3807'	-1367	-8
Lansing	3846'	-1406	-5
Muncie Shale	3988'	-1548	-3
B/KC	4118'	-1678	-7
Pawnee	4233'	-1793	-2
Cherokee Shale	4349'	-1909	-3
Congl. Shale	4394'	-1954	-3
Upper Kutina Sand	4396'	-1956	-3
Middle Kutina Sand	4400'	-1960	+3
Mississippian	4450'	-2010	flat
RTD	4525'	-2085	

P.O. Box 783188
Wichita, Kansas 67278-3188

(316) 691-9500
Fax (316) 691-9550
rei@ritchie-exp.com

8100 E. 22nd St. N., Bldg. 700
Wichita, Kansas 67226-2328

ALLIED CEMENTING CO., INC.

17957

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

RECEIVED
NOV 29 2005
KCC WICHITA

SERVICE POINT:

Ness City ✓

DATE <u>8-2-05</u>	SEC. <u>33</u>	TWP. <u>15</u>	RANGE <u>23</u>	CALLED OUT <input checked="" type="checkbox"/>	ON LOCATION <u>5:30 AM</u>	JOB START <u>6:00 AM</u>	JOB FINISH <u>6:45 AM</u>
LEASE <u>Schunety/Kopf</u>	WELL # <u>1</u>	LOCATION <u>Ransom Jct 4N to C.L.</u>			COUNTY <u>Jago</u>	STATE <u>Ka</u>	
OLD OR (NEW) (Circle one)		<u>1/2 E N into</u>					

CONTRACTOR American Eagle

TYPE OF JOB Surface

HOLE SIZE 12 1/8 T.D. 210'

CASING SIZE 8 5/8 DEPTH 205

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

DISPLACEMENT 12.3 BBLs

OWNER Ritchie

CEMENT 150

AMOUNT ORDERED 150 dx Common

3% CC 2% Gel

COMMON	<u>150</u>	@	<u>8.70</u>	<u>1305.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>14.00</u>	<u>42.00</u>
CHLORIDE	<u>5</u>	@	<u>36.00</u>	<u>190.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>158</u>	@	<u>1.60</u>	<u>252.80</u>
MILEAGE	<u>17.6</u>	<u>158 min.</u>		<u>180.00</u>
TOTAL				<u>1969.80</u>

EQUIPMENT

Ness

PUMP TRUCK CEMENTER [Signature]

224 HELPER [Signature]

BULK TRUCK

342 DRIVER [Signature]

BULK TRUCK

_____ DRIVER _____

REMARKS:

Ran 8 5/8 casing to bottom
Circ, Mix 150 dx common 3%
CC, 2% gel. Released 8 5/8 TWP
& displaced with 12.3 BBLs water.
Cement did circ, was in cellar.

Thanks!

SERVICE

DEPTH OF JOB	<u>210'</u>		
PUMP TRUCK CHARGE			<u>670.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>17</u>	@	<u>5.00</u>
		@	
		@	
		@	
TOTAL <u>755.00</u>			

CHARGE TO: Ritchie Exploration

STREET P.O. Box 783188

CITY Wichita STATE Ka ZIP 67278-3188

PLUG & FLOAT EQUIPMENT

MANIFOLD		@	
<u>1-8 5/8 TWP</u>		@	<u>55.00</u>
		@	
		@	
		@	
TOTAL <u>55.00</u>			

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE [Signature]

[Signature]
PRINTED NAME

Thank you

ALLIED CEMENTING CO., INC.

21616

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

RECEIVED
NOV 29 2005
KCC WICHITA
SERVICE POINT: OAKLEY

DATE <u>8-10-05</u>	SEC <u>33</u>	TWP <u>15S</u>	RANGE <u>23W</u>	CALLED OUT	ON LOCATION <u>2:30 AM</u>	JOB START <u>9:00 AM</u>	JOB FINISH <u>9:45 AM</u>
LEASE <u>Schwartz Kopf</u>	WELL # <u>33C</u>	LOCATION <u>WAKEENEY 22S-1/2E-N 40TR60</u>	COUNTY <u>KS</u>	STATE <u>KS</u>			

CONTRACTOR AMERICAN EAGLE DRILLING, L.L.C. OWNER SAME

TYPE OF JOB PRODUCTION STRING

HOLE SIZE 7 7/8" T.D. 4525'
 CASING SIZE 5 1/2" DEPTH 4503'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL PORT COLLAR DEPTH 1799'
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 20'
 CEMENT LEFT IN CSG. 20'
 PERFS. _____
 DISPLACEMENT 106 3/4 BBL

CEMENT AMOUNT ORDERED
150 SKS 60/40 POZ 10% SALT 3/4 OF 1%
60-31 2% GEL SUPPLY TO LOCATION

COMMON	<u>90 SKS</u>	@	<u>8 70</u>	<u>783 00</u>
POZ MIX	<u>60 SKS</u>	@	<u>4 70</u>	<u>282 00</u>
GEL		@		
CHLORIDE		@		
ASC		@		
SALT	<u>14 SKS</u>	@	<u>15 75</u>	<u>220 50</u>
CD-31	<u>97 #</u>	@	<u>6 25</u>	<u>606 25</u>
DEFORMER	<u>50 #</u>	@	<u>5 75</u>	<u>287 50</u>
HANDLING	<u>167 SKS</u>	@	<u>1 60</u>	<u>267 20</u>
MILEAGE	<u>64 PER SK / ME / E</u>			<u>180 00</u>
	<u>MINIMUM CHARGE</u>			<u>45 00</u>
TOTAL				<u>2607 45</u>
				<u>2626 45</u>

EQUIPMENT

PUMP TRUCK # 191 CEMENTER TERRY
 HELPER WAYNE
 BULK TRUCK # 377 DRIVER ALAN
 BULK TRUCK # _____ DRIVER _____

REMARKS:

MIX 15 SKS RAY HOLE MIX 135 SKS
60/40 POZ 10% SALT 3/4 OF 1% CD-31
WITH DEFORMER WASH TRUCK
4 LINES DISPLACED 106 3/4 BBL WATER
PLUG LANDED AT 1400 PSI.
FLOAT HELD.

THANK YOU

CHARGE TO: RITCHIE EXPLORATION
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB	<u>4503'</u>		
PUMP TRUCK CHARGE			<u>1320 00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>17 ME</u>	@	<u>5 00</u>
MANIFOLD		@	
TOTAL			<u>1405 00</u>

PLUG & FLOAT EQUIPMENT

5 1/2"			
1-6 1/2" IDE SHO E	@		<u>160 00</u>
1-AFU INSERT	@		<u>235 00</u>
6-TURBO CENTRALIZERS	@	<u>60 00</u>	<u>360 00</u>
2-BASKETS	@	<u>140 00</u>	<u>280 00</u>
Blue 1-PORT COLLAR	@		<u>1750 00</u>
1-RUBBER PLUG			<u>60 00</u>
TOTAL			<u>2845 00</u>

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE _____
 TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

ALLIED CEMENTING CO., INC.

17250 ✓

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

RECEIVED

NOV 29 2005

SERVICE POINT:

Near City

DATE <u>8-16-05</u>	SEC. <u>33</u>	TWP. <u>15</u>	RANGE <u>23</u>	CALL TIME <u>7:00am</u>	LOCATION <u>NEAR CITY</u>	JOB START <u>10:30am</u>	JOB FINISH <u>12:00pm</u>
LEASE <u>Schwartz Keys 33c</u>	WELL # <u>1</u>	LOCATION <u>Near City 16N 1/2E N.5</u>			COUNTY <u>Trego</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR H-D Well Service

TYPE OF JOB Port Collar

HOLE SIZE _____ T.D. _____

CASING SIZE 5 1/2 DEPTH _____

TUBING SIZE 2 DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL Port Collar DEPTH 1785

PRES. MAX 300 MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT

AMOUNT ORDERED - used 1605x

475 6/40 6 1/2 Seal

1/4" Flo Seal per 5x

COMMON	<u>96</u>	@	<u>8.70</u>	<u>835.20</u>
POZMIX	<u>64</u>	@	<u>4.70</u>	<u>300.80</u>
GEL	<u>10</u>	@	<u>14.00</u>	<u>140.00</u>
CHLORIDE		@		
ASC		@		
<u>Flo Seal</u>	<u>40</u>	@	<u>1.70</u>	<u>68.00</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>506</u>	@	<u>1.60</u>	<u>809.60</u>
MILEAGE	<u>17.6</u>	@	<u>506</u>	<u>516.12</u>
TOTAL				<u>2669.72</u>

EQUIPMENT

PUMP TRUCK CEMENTER Mike

224 HELPER J. Weighouse

BULK TRUCK

357 DRIVER D. Ouyon

BULK TRUCK

_____ DRIVER _____

REMARKS:

test say 1000#, brace wire, mix cement
Drop 2" 6 OAL, shut tool, run out

Thanks

CHARGE TO: Ritchie Explor.

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB 1785

PUMP TRUCK CHARGE 1320.00

EXTRA FOOTAGE @ _____

MILEAGE 17 @ 5.00 85.00

TOTAL 1405.00

PLUG & FLOAT EQUIPMENT

MANIFOLD yes @ 75.00 75.00

TOTAL 75.00

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____