

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM

CONFIDENTIAL

WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 31885  
Name: M & M Exploration, Inc.  
Address: 60 Garden Center, Suite 102  
City/State/Zip: Broomfield, CO 80020  
Purchaser:  
Operator Contact Person: Mike Austin  
Phone: ( 303 ) 438-1991  
Contractor: Name: Kaler Oil Company  
License: 33607  
Wellsite Geologist: Pat Balthazor/Bill Goff  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)  
If Workover/Re-entry: Old Well Info as follows:  
Operator:  
Well Name:  
Original Comp. Date: Original Total Depth:  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No.  
 Dual Completion  Docket No.  
 Other (SWD or Enhr.?)  Docket No.  
June 17, 2005 July 7, 2005 July 7, 2005  
Spud Date or July 7, 2005  
Recompletion Date Date Reached TD Completion Date or  
Recompletion Date

KCC  
JUL 29 2005  
CONFIDENTIAL  
RECEIVED  
AUG 04 2005  
KCC WICHITA


API No. 15 - 023-20614-0000  
County: Cheyenne  
N/2 S/2 N/2 SW Sec. 12 Twp. 4 S. R. 37  East  West  
City/State/Zip: 860 feet from  N (circle one) Line of Section  
1340 feet from E  W (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW  SW  
Lease Name: Jones Well #: 1  
Field Name:  
Producing Formation:  
Elevation: Ground: 3392 Kelly Bushing: 3399  
Total Depth: 4955 Plug Back Total Depth:  
Amount of Surface Pipe Set and Cemented at 423 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set Feet  
If Alternate II completion, cement circulated from  
feet depth to w/ sx cmt.

**Drilling Fluid Management Plan** *ALT I PEA WITH*  
(Data must be collected from the Reserve Pit) *4-23-07*  
Chloride content 900 ppm Fluid volume 700 bbls  
Dewatering method used Evaporate then backfill  
Location of fluid disposal if hauled offsite:  
Operator Name:  
Lease Name: License No.:  
Quarter Sec. Twp. S. R.  East  West  
County: Docket No.:

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: *Michael M. Goff*  
Title: President Date: July 29, 2005  
Subscribed and sworn to before me this 29 day of July  
2005  
Notary Public: *J. J. A. [Signature]*  
Date Commission Expires: 12-05-2007



**KCC Office Use ONLY**  
*YES* Letter of Confidentiality Received  
If Denied, Yes  Date:  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

✓

X

Operator Name: M & M Exploration, Inc. Lease Name: Jones Well #: 1  
 Sec. 12 Twp. 4 S. R. 37  East  West County: Cheyenne

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

Log Formation (Top), Depth and Datum  Sample

Name	Top	Datum
Stone Corral	3147	+252
Heebner Shale	4222	-823
Cherokee Shale	4707	-1308
Mississippian	4913	-1514

**Array Induction, Density/Neutron, MicroLog, Sonic**

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	23#	423	Common	190	3% CC, 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method
	<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 19636

**CONFIDENTIAL**

**KCC**

JUL 29 2005

**ORIGINAL**

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

*Oaklee*

**CONFIDENTIAL**

DATE <i>6-17-05</i>	SEC. <i>12</i>	TWP. <i>43</i>	RANGE <i>32w</i>	CALLED OUT	ON LOCATION <i>7:45 AM</i>	JOB START <i>8:50 AM</i>	JOB FINISH <i>9:15 AM</i>
LEASE <i>Jones</i>	WELL # <i>1</i>	LOCATION <i>Mc Donald 2w 3 1/4 S 1w</i>		COUNTY <i>Cherokee</i>	STATE <i>KS</i>		
OLD OR NEW (Circle one)							

CONTRACTOR *Nep Drlg*

TYPE OF JOB *Surface*

HOLE SIZE *12 1/4* T.D. *436'*

CASING SIZE *8 5/8* DEPTH *432*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. *15'*

PERFS.

DISPLACEMENT *26 1/2 Bbls*

OWNER *Sam*

CEMENT

AMOUNT ORDERED *300 sks com 390cc 290gel*

*Used 190 sks*

COMMON	<i>190 sks</i>	@	<i>10.00</i>	<i>1900.00</i>
POZMIX		@		
GEL	<i>4 sks</i>	@	<i>14.00</i>	<i>56.00</i>
CHLORIDE	<i>7 sks</i>	@	<i>38.00</i>	<i>266.00</i>
ASC		@		

EQUIPMENT

PUMP TRUCK CEMENTER *Dean*

# *373-281* HELPER *Larry*

BULK TRUCK

# *386* DRIVER *Mike*

BULK TRUCK

# DRIVER

**RECEIVED**  
AUG 04 2005  
KCC WICHITA

HANDLING	<i>316 sks</i>	@	<i>1.60</i>	<i>505.60</i>
MILEAGE	<i>64 sk/mile</i>			<i>1554.72</i>
<b>TOTAL</b>				<i>4282.32</i>

**REMARKS:**

*Cement did circulate*

*Thank you*

CHARGE TO: *M + M Exploration*

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB			
PUMP TRUCK CHARGE			<i>670.00</i>
EXTRA FOOTAGE	@		
MILEAGE	<i>82 miles</i>	@	<i>5.00</i>
MANIFOLD	@		
	@		
	@		

**TOTAL** *1080.00*

**PLUG & FLOAT EQUIPMENT**

	@		
	@		
	@		
	@		
	@		

**TOTAL** \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE *[Signature]*

*W.T. Kater*  
PRINTED NAME

# ALLIED CEMENTING CO., INC. 19619

**CONFIDENTIAL**

KCC  
JUL 29 2005

**ORIGINAL**

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley, KS

**CONFIDENTIAL**

DATE <u>7-7-05</u>	SEC. <u>12</u>	TWP. <u>4S</u>	RANGE <u>37W</u>	CALLED OUT <u>12:30 AM</u>	ON LOCATION <u>3:00 AM</u>	JOB START <u>4:00 AM</u>	JOB FINISH <u>9:00 AM</u>
LEASE <u>Jones</u>	WELL # <u>#1</u>	LOCATION <u>McDonald 2W-3 1/2 S-12W</u>			COUNTY <u>Cherokee</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>125-61W</u>				

CONTRACTOR Nebraska Dalg  
 TYPE OF JOB PTA  
 HOLE SIZE 7 7/8 T.D. 4955'  
 CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE 4 1/2 DEPTH 4475'  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER SAME  
 CEMENT AMOUNT ORDERED 145 SK 60/40 POS  
60 gel 1 1/4 # flo-seal

**EQUIPMENT**

PUMP TRUCK CEMENTER Fuzzy  
 # 373-281 HELPER Andrew  
 BULK TRUCK DRIVER Jarrod  
 BULK TRUCK DRIVER \_\_\_\_\_

COMMON	<u>87</u>	@	<u>10.00</u>	<u>870.00</u>
POZMIX	<u>58</u>	@	<u>4.70</u>	<u>272.60</u>
GEL	<u>7</u>	@	<u>14.00</u>	<u>98.00</u>
CHLORIDE		@		
ASC		@		
<u>Flo-seal</u>	<u>36 #</u>	@	<u>1.70</u>	<u>61.20</u>
<b>RECEIVED</b>				
<u>AUG 04 2005</u>				
<b>KCC WICHITA</b>				
HANDLING	<u>154</u>	@	<u>1.60</u>	<u>246.40</u>
MILEAGE	<u>.06 x SK x mile</u>			<u>757.68</u>
<b>TOTAL</b>				<u>2305.88</u>

**REMARKS:**

35 SKS @ 4475'  
35 SKS @ 2345'  
40 SKS @ 470'  
10 SKS @ 40' w/ plus  
10 SKS @ MH  
15 SKS @ RH  
Job complete @ 8:45 am  
Tunnels Fuzzy + crew

**SERVICE**

DEPTH OF JOB	<u>4475'</u>			
PUMP TRUCK CHARGE			<u>1370.00</u>	
EXTRA FOOTAGE		@		
MILEAGE	<u>82</u>	@	<u>5.00</u>	
MANIFOLD		@		
		@		
		@		
<b>TOTAL</b>				<u>1780.00</u>

CHARGE TO: MAM Exploration  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

<u>1.85 1/8 plug</u>	@	<u>35.00</u>	
	@		
	@		
	@		
	@		
<b>TOTAL</b>			<u>35.00</u>

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

SIGNATURE Pat Brunswick