

TIGHT

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY DESCRIPTION OF WELL & LEASE
CONFIDENTIAL

ORIGINAL

Operator: License # 32309
Name: Presco Western, LLC
Address: 1775 Sherman Street, Suite 2950
City/State/Zip: Denver, CO 80203
Purchaser: Plains
Operator Contact Person: Richard J. Gray
Phone: (303) 864-1881 x.103
Contractor: Name: Murfin, Inc.
License: 30606
Wellsite Geologist: N/A

RECEIVED

MAY 20 2004

KCC WICHITA

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

4/27/04 5/2/04 5/13/04
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 081-21525-0000
County: Haskell
NE NE SE Sec. 30 Twp. 30 S. R. 33 East West
2512 feet from S / N (circle one) Line of Section
611 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Hon Well #: 1-930
Field Name: Lemon Victory

Producing Formation: Lansing
Elevation: Ground: 2948' Kelly Bushing: 2957'
Total Depth: 4250' Plug Back Total Depth: 4250'
Amount of Surface Pipe Set and Cemented at 1557 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 3100 Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan ATI WHM
(Data must be collected from the Reserve Pit) 2-27-07
Chloride content 7500 ppm Fluid volume 1500 bbls
Dewatering method used Dried and Filled

Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____
Title: President Date: 5/17/04

Subscribed and sworn to before me this 17th day of MAY,
2004.

Notary Public: James R. B. H.
Date Commission Expires: 11-9-04

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Presco Western, LLC Lease Name: Hon Well #: 1-930
 Sec. 30 Twp. 30 S. R. 33 East West County: Haskell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of well stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

KCC
MAY 17 2004
CONFIDENTIAL

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

Gamma Ray Neutron
 Sonic Cement Bond

RECEIVED
MAY 20 2004
KCC WICHITA

Log Formation (Top), Depth and Datum Sample

Name	Top	Datum
Heebner	3970'	
Lansing A	4105'	
Lansing B	4145'	

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	23	1557'	Common	150	3%CC
					Lite	550	3%CC+1/4# Flo
Production	7 7/8"	4 1/2"	11.6	4241'	ASC	175	10% Salt 2% Gel

ADDITIONAL CEMENTING / SQUEEZE RECORD WFR-2 500 Gals.

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone Port Collar	3100'	Lite	500	1/4# Flo-seal

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	
		Amount	Depth
4	4107-18'; 4126-39'	Acidize w/500 gals. NEFE HCl, flush w/30 bb	4126-39'
		fresh water.	
		Acidize w/500 gals. NEFE HCl, flush w/25 bb	4107-18'
		fresh water.	
		Acidize w/1000 gals. NEFE HCl, flush w/30 bb	4126-39'

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 3/8"	4192'		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr. First Prod. 5/13/04 Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	104 BOPD		100 BWPD		

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.) METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled 4107-4139'
 Other (Specify)

ALLIED CEMENTING CO., INC.

5916

Federal Tax I.D.# 48-07278601 7 2004

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

CONFIDENTIAL

OAKLEY

DATE <u>4-28-04</u>	SEC. <u>30</u>	TWP. <u>30S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>1:00 AM</u>	JOB START <u>4:15 PM</u>	JOB FINISH <u>5:30 AM</u>
LEASE <u>How</u>	WELL # <u>1-930</u>	LOCATION <u>SATANTA 1/2 S - 1 E - 1/2 S - 33 W</u>	COUNTY <u>HASKELL</u>	STATE <u>Ks</u>			
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR <u>MURFEN DRILL RIG # 22</u>	OWNER <u>SAME</u>
TYPE OF JOB <u>SURFACE</u>	
HOLE SIZE <u>12 1/4"</u> T.D. <u>1560'</u>	CEMENT
CASING SIZE <u>8 5/8"</u> DEPTH <u>1557'</u>	AMOUNT ORDERED <u>150 SKS COM 3% CL</u>
TUBING SIZE DEPTH	<u>550 SKS LATE 3% CL 1/4" HO-SEAL</u>
DRILL PIPE DEPTH	
TOOL DEPTH	
PRES. MAX MINIMUM	COMMON <u>150 SKS @ 8 35/40 1252 50</u>
MEAS. LINE SHOE JOINT <u>42.87'</u>	POZMIX @
CEMENT LEFT IN CSG. <u>42.87'</u>	GEL @
PERFS.	CHLORIDE <u>21 SKS @ 30 30 630 30</u>
DISPLACEMENT <u>96 1/2 BBL</u>	<u>LATE 550 SKS @ 7 3/4 4042 50</u>

EQUIPMENT

PUMP TRUCK # <u>191</u> CEMENTER <u>TERRY</u> HELPER <u>WAYNE MAX</u>
BULK TRUCK # <u>361</u> DRIVER <u>LOANEE</u>
BULK TRUCK # <u>309</u> DRIVER <u>MIKE</u>

HANDLING <u>721 SKS @ 1 1/5 829 15</u>
MILEAGE <u>054 PER SK / MILE 1081 50</u>
TOTAL <u>8035 85</u>

REMARKS:

CEMENT DID NOT CIRCULATE
PLUG DIDN'T LAND
FLOAT HELD

SERVICE

DEPTH OF JOB <u>1557'</u>
PUMP TRUCK CHARGE <u>850 10</u>
EXTRA FOOTAGE @
MILEAGE <u>30 MZ @ 3 50 105 50</u>
PLUG @
@
@

THANK YOU

RECEIVED

MAY 20 2004

TOTAL 955 10

CHARGE TO: PRESCO WESTERN

STREET _____

CITY _____ STATE _____ ZIP _____

KCC WICHITA

FLOAT EQUIPMENT

<u>1-GUIDE SHOE @ 190 20</u>
<u>1-AFU INSER @ 242 20</u>
<u>3-CENTRALIZERS @ 33 99 20</u>
<u>1-BASKET @ 180 20</u>
<u>1-8 5/8 Rubber Plug @ 100 20</u>
TOTAL <u>811 20</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE

Rodney Gonzales

Rodney Gonzales

PRINTED NAME

ALLIED CEMENTING CO., INC.

5919

Federal Tax I.D.# 48-0778601 7 2004

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

CONFIDENTIAL

SERVICE POINT:
OAKLEY

DATE <u>5-2-04</u>	SEC. <u>30</u>	TWP. <u>30S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>12:00 AM</u>	JOB START <u>5:45 AM</u>	JOB FINISH <u>6:30 AM</u>
LEASE <u>HON</u>	WELL # <u>1-930</u>	LOCATION <u>SATANTA 1/25-1E-1/25-W20</u>	COUNTY <u>HASKELL</u>	STATE <u>KS</u>			

OLD OR NEW (Circle one)

CONTRACTOR MURFIN DRILL RIG #22 OWNER SAME

TYPE OF JOB Production string

HOLE SIZE 7 7/8" T.D. 4250'

CASING SIZE 4 1/2" DEPTH 4250'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL PORT COLLAR DEPTH 3100'

PRES. MAX 1000 PSI MINIMUM 200 PSI

MEAS. LINE SHOE JOINT 32.58'

CEMENT LEFT IN CSG. 32.58'

PERFS.

DISPLACEMENT 67 BBL

CEMENT AMOUNT ORDERED

175 SKS ASC 10% SALT 2966L

500 GAL WFR-2

COMMON	@		
POZMIX	@		
GEL		<u>3 SKS</u>	@ <u>10¢</u> <u>30¢</u>
CHLORIDE	@		
ASC		<u>175 SKS</u>	@ <u>9.8¢</u> <u>1723.75</u>
SALT		<u>16 SKS</u>	@ <u>15¢</u> <u>240</u>
WFR-2		<u>500 GAL</u>	@ <u>1.00</u> <u>500</u>
	@		
	@		
HANDLING		<u>194 SKS</u>	@ <u>1.15</u> <u>223.10</u>
MILEAGE		<u>0.54 PER SK/MILE</u>	<u>291.00</u>

TOTAL 3007.85

EQUIPMENT

PUMP TRUCK CEMENTER TERRY

191 HELPER WAINE

BULK TRUCK DRIVER JARROD

377

BULK TRUCK DRIVER

REMARKS:

MIX 500 GAL WFR-2 MIX 10 SKS

CEMENT MOUSE HOLE MIX 15 SKS

RAT HOLE MIX 150 SKS ASC 10% SALT

2966L + DISPLACE 67 BBL WATER

PLUG LANDER

FLOAT HELD

SERVICE

DEPTH OF JOB 4250'

PUMP TRUCK CHARGE 1130.00

EXTRA FOOTAGE @

MILEAGE 30 MI @ 3.50 105.00

PLUG @

@

@

THANK YOU RECEIVED

TOTAL 1235.00

CHARGE TO: PRESCO WESTERN

STREET KCC WICHITA

CITY _____ STATE _____ ZIP _____

KCC WICHITA FLOAT EQUIPMENT

4 1/2"

1- GUIDE SHOC	@	<u>125.00</u>
1- AFU INSERT	@	<u>210.00</u>
7- CENTRALIZERS	@ <u>40.00</u>	<u>280.00</u>
1- BASKET	@	<u>116.00</u>
1- PORT COLLAR	@	<u>1600.00</u>
1- RUBBER PLUG	@	<u>40.00</u>

TOTAL 2371.00

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE 2371.00

DISCOUNT 400.00 IF PAID IN 30 DAYS

SIGNATURE Rodney Gonzalez

PRINTED NAME

ALLIED CEMENTING CO., INC.

5927

Federal Tax I.D.# 48-0727860 2004

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

CONFIDENTIAL

SERVICE POINT:

Oakley

DATE <u>5-6-04</u>	SEC. <u>30</u>	TWP. <u>30S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>12:00 PM</u>	JOB START <u>12:30 PM</u>	JOB FINISH <u>2:15 PM</u>
LEASE <u>Hon</u>	WELL# <u>1-930</u>	LOCATION <u>Satanta 1/2 S 1E 1/2 S W/3</u>			COUNTY <u>Haskell</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Border line well service

OWNER Sgme

TYPE OF JOB Port Collar

HOLE SIZE _____ T.D. _____

CEMENT

CASING SIZE 4 1/2 DEPTH _____

AMOUNT ORDERED

TUBING SIZE 2 7/8 DEPTH 30 99

500 sks Lite 1/4" P/O Seal

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 1400# MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 1 1/2 Bbls

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

Li.Teweight 500 sks @ 7.75 3875.00

_____ @ _____

Flo Seal 125# @ 1.40 175.00

_____ @ _____

_____ @ _____

HANDLING 539 sks @ 1.25 673.75

MILEAGE 54/mile/st 808.50

EQUIPMENT

PUMP TRUCK CEMENTER Brian

373-281 HELPER Andrew

BULK TRUCK _____

218 DRIVER Mike

BULK TRUCK _____

356 DRIVER Jim

TOTAL 5532.25

REMARKS:

SERVICE

Pressure up on Port collar 1400# ok
open Tool pump had small blow
Mix 500 sk Lite 1/4" P/O Seal. No
circulation. Shut Disp 1 1/2 Bbls.
Shut Tool press to 1400# ok
ran 1 joint reverse. Tub Clean

DEPTH OF JOB _____ 650.00

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE 30 Miles @ 4.00 120.00

PLUG _____ @ _____

_____ @ _____

_____ @ _____

CHARGE TO: Presco western

RECEIVED

TOTAL 770.00

MAY 20 2004

STREET _____

KCC WICHITA FLOAT EQUIPMENT

CITY _____ STATE _____ ZIP _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE 6302.25

DISCOUNT 630.23 IF PAID IN 30 DAYS

5672.02

SIGNATURE Rodney Gonzalez

Rodney Gonzalez

PRINTED NAME