Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE CONFIDENTIAL

ORIGINAL

Operator: License # 33397	API No. 15 - 011-23062-00-00
Name: Running Foxes Petroleum	County: Bourbon
Address: 14550 E Easter Ave., Ste. 1000	
City/State/Zip: Centennial, CO 80112 JUN 1 5 ZUU3	660 feet from S (N)(circle one) Line of Section
Purchaser: Seminole Energy	660 feet from E W (circle one) Line of Section
Operator Contact Person: Steven Tedesco	Footages Calculated from Nearest Outside Section Corner:
Phono / 303 \ 277-7016	(circle one) NE SE (NW) SW
Phone: (303) 277-7016 Contractor: Name: MOKAT Licenses, 5831	Lease Name: Rhodes Well #: 4-24
License: 5831	Field Name: Wildcat
Contractor: Name: MOKAT License: 5831 Wellsite Geologist: None Designate Type of Completion:	Producing Formation: Drywood, Rowe, AW, BW
Contractor: Name: MOKAT License: 5831 Wellsite Geologist: None Designate Type of Completion: New Well Re-Entry Workover	Elevation: Ground: 890 Kelly Bushing: 890
New Well Re-Entry Workover	Total Depth: 621 Plug Back Total Depth:
OilSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
	If yes, show depth setFeet
Dry Other (Core, WSW, Expl., Cathodic, etc)	If Alternate II completion, cement circulated from 620
If Workover/Re-entry: Old Well Info as follows:	
Operator:	feet depth to surface w/ 75 sx cmt. ACTIL WHM 473-07
Well Name:	Drilling Fluid Management Plan
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:
2/24/05 2/28/05 3/25/05	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	
recompletion bate recompletion bate	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs of TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. All requirements of the statutes, rules and regulations promulgated to regulationer or complete and correct to the best of my knowledge.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
Signature: Scerekaugt	KCC Office Use ONLY
Title: Exec. Asst. Date: 6/16/05	VBS Letter of Confidentiality Received
	If Denied, Yes Date:
A CONTROL OF THE STATE OF THE S	Wireline Log Received
20 05 $1 1$	Geologist Report Received
Notary Public: Litera W Jung	JIC Distribution
O Mos	

Operator Name: F	Running Foxes Pe	roleum		Lease	e Name	Rhodes		Well #: _4-	-24
Sec. 24 Two			East West	Count	y: Bou	urbon			
temperature, fluid	Show important top: pen and closed, flow recovery, and flow ra ogs surveyed. Attacl	tes if gas	to surface test	along with f	Detail hut-in p final ch	all cores. Repo pressure reache part(s). Attach e	ort all final copies d static level, hy xtra sheet if mor	s of drill stems drostatic press e space is nee	tests giving interval ures, bottom hole ded. Attach copy of a
Drill Stem Tests Ta			Yes ✓ No	4.)	✓	Log Forma	ition (Top), Depti	n and Datum	Sample
Samples Sent to G	Geological Survey		Yes ✓ No		1	me		Тор	Datum
Cores Taken			Yes ✓ No		Drywood Rowe		455 460		
Electric Log Run (Submit Copy)		1	Yes No			utral		460 481	
List All E. Logs Rui	n.				Riv	erton		509	
Gamma Ray Dual Induction	//Neutron/CCL on Resistivity ed Neutron Dei	neity			Mis	ssissippian		518	
			CASING port all strings set-c	RECORD		New Used	otion ata	***************************************	
Purpose of String	Size Hole Drilled	:	Size Casing Set (In O.D.)	Weig	ht	Setting	Type of	# Sacks	Type and Percent
Surface	12.25	8-5/8	Jet (III O.D.)	Lbs./	Fī.	Depth 20	Class A	Used 20	Additives None
Long String	6.75	4.5				620	owc	75	2% gel
								,	
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Тур	ADDITIONAL	#Sacks L	***************************************	UEEZE RECORI		Percent Additives	5
Shots Per Foot	PERFORATI	ON RECO	RD - Bridge Plugs	s Set/Type		Acid Fra	cture Shot Comer	+ C	
4	Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
4	Drywood 459-461, Rowe 465-468, AW 479-482				Perf				
4	BW 486-488, Scammon 417-420, Weir-Pittsburg 388-391, Tebo 317-322					Perf			
						1 011			
	Size 3/8	Set A 620	ŧ	Packer At		Liner Run	Yes No		
Date of First, Resumer	d Production, SWD or E	nhr.	Producing Metho		Flowing	y	g Gas Lit	t Othe	er (Explain)
Estimated Production Per 24 Hours	Oil	3bls.	Gas M	Nof	Wate			as-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C	OMPLETIC				Production Interv	al		
Vented ✓ Sold (If vented, Su	Used on Lease		Open Hole Other (Specify)	✓ Perf.	D	ually Comp.	Commingled		

CUNSCLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

AUTHORIZTION

KCC JUN 1 § 2005

2024 TICKET NUMBER____

LOCATION Oxtawa KS

CONFIDENTIAL

FOREMAN Fred Mader
KET ODICINIAL

CONFIDENTIAL CEMENT ORIGINAL										
DATE	CUSTOMER#	WELL	NAME & NUMBER		SECTION	TOWNSHIP	RANGE	COUNTY		
3-4-05	6960	Rhodes	#4-24		24	26	23	BB		
CUSTOMER			4			T 55,455	TRUCK#	DRIVER		
Run	NING FO	res Petro	leum	4 }	TRUCK #	DRIVER	TRUCK#	DRIVER		
MAILING ADDRE	ESS Ø				<u>372</u>	F. Mader	***	,		
14550	DE East	er Ave S	te 1000	_	368_	A. Bochtle				
CITY		STATE	ZIP CODE		370	J. Polidor				
Center	rial	Co.	80112	4 4	122	C. Kanedy				
JOB TYPE LO	/	HOLE SIZE	63/4	HOLE DEPTH	620	CASING SIZE & W	EIGHT <u> イを</u>			
CASING DEPTH	46170	DRILL PIPE		TUBING			OTHER			
SLURRY WEIGH	IT	SLURRY VOL		WATER gal/sk CEMENT LEFT in				CASING 1/2 Rubber Plug		
DISPLACEMENT	7.8	DISPLACEMENT	r psi	MIX PSI		RATE_ 4/32/	<i>7</i>)			
REMARKS:										
M	R.B. SKS	owe Co	went w	1 10 # K	Iseal 1/2"	* Flo. Seul	per sac	<i>J</i> <		
Flus										
WITH	Flush sump clean. Displace. 42" Rubberplug to Casmy ID. With 9.8 BBL Fresh water. Pressore to 480 + PSI. Rolease.									
Dres	ssure Y	o sex	Float	Value.	Chick 1	Ylus dept	h 14/111	reline.		
RECEIVED										
KANSAS CORPORATION COMMISSION Les Mode										
JUN 17 2005										
Co. Rep. Clifton Beth										
CONSERVATION DIVISION										
ACCOUNT CODE	QUANITY	or UNITS	DI	ESCRIPTION of	NS SERVICES or PR	ODUCT	UNIT PRICE	TOTAL		
5401		/	PUMP CHARG	ie Ceren	cut Pour	ب		75000		
5406		/4	MILEAGE Trick already on leaso.					- Application of the Control of the		
5407	3. 9	101	Ton	milecy	o.			263,32		
5502 C	. 4	hrs	803	BL Vac	Truck	-		32000		

5401) PUMP CHARGE Community Puris 5406 0/14- MILEAGE Trick of rody on leaso. 5407 3.901 700 Mileage. 263.32 5502C, 4hrs 80384 Vac Truck 320°2 1/26 1/107 25K Flo Seal 1/104 17 Kol Seal 241.35 4404 1 4/2 RubbarPlug 37.00 6.370 SALESTAX 85.36 ESTIMATED 27.5.5	CODE			
1126 75 sks Owc Cernent 75250 1107 25k Flo Seal 84.00 1110A 17 Kol Seal 261.35 4404 1 42 Rubber Plug 37.00	5401)	PUMP CHARGE Commet Punis	75000
1126 75 sks Owc Cernent 75250 1107 25k Flo Seal 84.00 1110A 17 Kol Seal 261.35 4404 1 42 Rubber Plug 37.00	5406	U/A-	MILEAGE Truck already on lease.	with the property of the state
1126 75 sks Owc Cernent 75250 1107 25k Flo Seal 84.00 1110A 17 Kol Seal 261.35 4404 1 42 Rubber Plug 37.00	5407	3.901	Ton mileage.	263,32
1126 75 sks Owc Cernent 75250 1107 25k Flo Seal 84.00 1110A 17 Kol Seal 261.35 4404 1 42 Rubber Plug 37.00	5502 C.	Hhrs	80 BBL Vac Truck	32000
6.370 SALES TAX 85.36				
6.370 SALES TAX 85.36				
6.370 SALES TAX 85.36	1126	7500 sks	OWC Cement	952,50
6.370 SALES TAX 85.36		QsK	Flo Seal	
6.370 SALES TAX 85.36	1110 A	17	Kol Seal	281.35
6.370 SALES TAX 85.36	4404	Ì	4'z Rubber Plus	37,00
6.370 SALES TAX 85.36			0	
6.370 SALES TAX 85.36				
6.370 SALES TAX 85.36				
6.370 SALES TAX 85.36				
6.370 SALES TAX 85.36		And the state of t		
6.370 SALES TAX 85.36				<u> </u>
				* **
			1 2%	 C-3/
			0.376	

TOTAL

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer shall be responsible for and secure capacity against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.