# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33344	API No. 15 - 099-23463-00-00
Name: Quest Cherokee, LLC	County: LABETTE
Operator: License # 33344  Name: Quest Cherokee, LLC  Address: P O Box 100  City/State/Zip: Benedict, KS 66714  Purchaser: Bluestem Pipeline, LLC  Operator Contact Person: Douglas L. Lamb	
City/State/Zip: Benedict, KS 66714	660 feet from S / (N)(circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC	1980 feet from E / (circle one) Line of Section
Operator Contact Person: Douglas L. Lamb	Footages Calculated from Nearest Outside Section Corner:
Phone: (620 ) 698-2250	(circle one) NE SE (NW) SW
Contractor: Name: MOKAT	Lease Name: HINKLE, BEN E. Well #: 34-1
License: 5831	Field Name: CHEROKEE BASIN CBM
Wellsite Geologist: MICHAEL EBERS	Producing Formation: NOT YET COMPLETE
Designate Type of Completion:	Elevation: Ground: 912 Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 911.65 Plug Back Total Depth: 906.65
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 22' Feet
✓ GasENHRSIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 906.65
Operator:	feet depth to SURFACE w/ 116 sx cmt.
Well Name:	ALT THE WHIN  Drilling Fluid Management Plan 3-6-07
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	,
Other (SWD or Enhr.?) Docket No	Operator Name:
05-17-2004 05-18-2004 06-09-2004	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or Recompletion Date	QuarterSecTwpS. REast West County:Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.  All requirements of the statutes, rules and regulations promulgated to regulations.	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	
Signature: Jonglas Kant	KCC Office Use ONLY
Title: Manager Date: 10/04/04	Letter of Confidentiality Received
Subscribed and sworn to before me this 4th day of Cholor	If Denied, Yes Date:
4	Wireline Log Received
2004.	Geologist Report Received
Notary Public: Semmer R. Houston ( A HOUSE)	UIC Distribution
Date Commission Expires: July 30, 2005 Notery Public My April Expires	R. HOUSTON

Side Two

ORIGINAL

Operator Name: Quest Cherokee, LLC			Lease Na	Lease Name: HINKLE, BEN E.			Well #: 34-1		
	32 S. R. 19		County:	LABETTE					
ested, time tool ope emperature, fluid re	n and closed, flowing covery, and flow rate	and base of formations g and shut-in pressure s if gas to surface test final geological well sit	s, whether shut t, along with fina	in pressure reache	d static level, hydi	ostatic pressure	es, bottom hole		
Orill Stem Tests Take		☐ Yes 🗸 No		✓ Log Forma	tion (Top), Depth	and Datum	Sample		
Samples Sent to Geological Survey				Name Lenapah Lime			Datum +8 <b>79</b> '		
Cores Taken	g,	☐ Yes ✓ No		Altamont Lime		30' 57'	+852'		
Electric Log Run		✓ Yes No		Pawnee Lime		37 199'	+710'		
(Submit Copy)						313'	+596'		
ist All E. Logs Run:				Oswego Lime		446'	+463'		
DUAL INDUC' COMP. DENS		Verdigris Lime Mississippi Lime			+52'				
				✓ New Used ce, intermediate, produ	uction, etc.		Control of the second s		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft		Type of Cement	# Sacks Used	Type and Percent Additives		
Surface	11	8-5/8"	24.75#	22'	"A"	5			
Production	6 3/4	4-1/2"	10.5#	906.65	"A"	116			
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	ADDITION Type of Cement	IAL CEMENTING #Sacks Us	sed		Percent Additives			
Shots Per Foot		Plugs Set/Type Perforated				d Depth			
	NONE WAITING	ON PIPELINE							
					RECEIUS				
				Packer At Liner Run					
				KCC	WO:				
TUBING RECORD	Size	Set At	Packer At	Liner Run	Yes N				
Date of First, Resume	rd Production, SWD or I	Enhr. Producing N	y	Flowing Pum	passana		er (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity		
Disposition of Gas	METHOD OF	COMPLETION		Production Int	erval				
Vented Sold	Used on Lease ubmit ACO-18.)	☐ Open Ho ☐ Other <i>(Sp</i>		Dually Comp.	Commingled				



## 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

# ORIGINAL

TICKET NUMBER 24458

LOCATION Chancele

### FIELD TICKET

DATE CUSTOMER ACCT # WELL NAME QTR/QTR	SECTION TWP RGE COUNTY FORMATION 34 325 196 LB
CHARGE TO QUEST Cheroker UC	OWNER
MAILING ADDRESS P.O. BOX 100	OPERATOR
CITY & STATE Benedict, Kansas 66714	CONTRACTOR

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	. TOTAL AMOUNT
5401	1-well	PUMP CHARGE CEMENT PUMP		60750
1110	11 5K	gilsonite		213.40
1107	1 5K	flo-seol		3773
1118	2 sk	Premium gel + ( 2 ahead)		2450
12.15 A	1gal	KEL		7:03
11118	15 gal	Sadium Silicate		15022
	729	COCTATI CITICALO.		130=
	4			
* 1		;		
1123	3360 gal	City water (80 bbl)		37 80
9		,		
	-	4		
		REO		,
		BLENDING & HANDLING TON-MILES MINIMUM STAND BY TIME MILEAGE	_	
	A second	007	<b>*</b> D	
, j		BLENDING & HANDLING KC 2200	s yet	
5407	46 mi	TON-MILES MINIMUM NIC.		19000
		STAND BY TIME	4	
		MILEAGE	1	
5501C	3 hr	WATER TRANSPORTS		1741799
5502C	3 hr 3 hr	VACUUM TRUCKS		2250
		FRAC SAND		
1126	110 sk	CEMENT OWC (116 SK 7	Total)	1243.00
		n 1	SALES TAX	1117
		(owe; 5" gilsonite; 14 flo-seal)		
lavin 2790				
			ESTIMATED TOTAL	3101.75

CUSTOMER or AGENTS SIGNATURE	CIS FOREMAN Todd H. TINJIE	
CUSTOMER or AGENT (PLEASE PRINT)	DATE	

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

## RECEIVED 0CT 1 5 2004 KCC WICHITA

TICKET NUMBE	31854
LOCATION A	_n
Same and the same	*
FOREMAN	odd A. Tindle

### TREATMENT REPORT

# ORIGINAL

MAX RATE MIN RATE

DATE	CUSTOMER #	WELL NAME	FORMATION	<u>;</u>	TRUCK #	DRIVER	TRUCK #	DRIVER
6-9-04	6628	Hinkly 34	-/		255	John		
SECTION	TOWNSHIP	RANGE	COUNTY	r	206	ives		
24	124	196	LB	,	140	Tim		
CUSTOMER			<u> </u>	,	370	Joc		
Quest (	herokee UC			,				
MAILING ADDF	RESS			2				
<i>P.O. BOX</i> CITY	100			. :				
				,				
Ernedica STATE	ŧ.							
STATE		ZIP CODE						
Kansas		66714		]		TYPE OF T	REATMENT	
				4	[ ] SURFACE	PIPE	[ ] ACID BREA	KDOWN
TIME ARRIVED	ON LOCATION				[4]PRODUCTI	ON CASING	[ ] ACID STIM	ULATION
	WELL	DATA	***	- 	[ ] SQUEEZE	CEMENT	[ ] ACID SPOT	TTING <sup>.</sup>
HOLE SIZE	6-14	PACKER DEPT		1 12 /	PLUG & AE	BANDON	[ ] FRAC	
TOTAL DEPTH	9114	PERFORATION	IS		[ ] PLUG BACK [ ] FRAC + NITRO			TROGEN
		SHOTS/FT		2	[ ] MISP. PUN	<b>I</b> P	[ ]	
CASING SIZE	41/2	OPEN HOLE			[ ] OTHER [ ]		[ ]	
CASING DEPT	H 906							
CASING WEIG	HT	TUBING SIZE			PRESSURE LIMITATIONS			
CASING CONE	NOITION	TUBING DEPT	H	1	THEORETICAL		INSTRUCTE	
		TUBING WEIG	HT	1	SURFACE PIPE			
	A STATE OF THE PARTY OF THE PAR	TUBING CONDITION		1	ANNULUS LONG	STRING		. \
TREATMENT	VIA Cement la	ead 12.5	Tail 13.9	1 ;	TUBING			
		-		-				8
INSTRUCTION	PRIOR TO JOB	Preulate	WITKESK	40:20	gel ahead	PUN .	but dye	w/15ge
		ment unti	due res	ura, 160	15h punipi	punp pi	ug w/Kle	Water
Set floar								
AUTH	ORIZATION TO P	ROCEED		TITLE			D	ATE
			_			-		
TIME	STAGE	BBL'S	INJ RATE	PROPPANT	SAND / STAGE	PSI		
AM / PM	JUNGE	PUMPED	11010112	PPG	0,410,701,102			
							BREAKDOWN	PRESSURE
							DISPLACEME	NT
							MIX PRESSUF	RE
							MIN PRESSUR	RE
				,			ISIP	
						The second secon	15 MIN.	

#### **TERMS**

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current

Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

### SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer be responsible for and secure COMS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

### **WARRANTIES - LIMITATION OF LIABILITY**

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.