KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

00044	ONIONAL
Operator: License # 33344	API No. 15 - 099-23468-00-00
Name: Quest Cherokee, LLC	County: LABETTE
Address: P O Box 100	
City/State/Zip: Benedict, KS 66714	feet from S / (N) (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC	660 feet from (E) / W (circle one) Line of Section
Operator Contact Person: Douglas L. Lamb	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 698-2250	(circle one) (VE)* SE NW SW
Contractor: Name: MOKAT	Lease Name: CURNETTE, KENNETH Well #: 29-1
License: 5831	Field Name: CHEROKEE BASIN CBM
Wellsite Geologist: MICHAEL EBERS	Producing Formation: NOT YET COMPLETE
Designate Type of Completion:	Elevation: Ground: 870 Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 787 Plug Back Total Depth: 784.80'
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20 Fee
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFee
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 784.80'
Operator:	feet depth to SURFACE w/ 102 sx cmt.
Well Name:	A series
Original Comp. Date:Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
05-15-2004 05-17-2004 05-28-2004	Lease Name: License No.:
05-15-2004 05-17-2004 05-28-2004 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulaterein are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: 6/ongles 2 Land	KCC Office Use ONLY
Title: Manager Date: 10/04/04	Letter of Confidentiality Received
Subscribed and sworn to before me this 1th day of 000000	If Denied, Yes Date:
20 04.	Wireline Log Received
Notary Public: Jennify R. & buston 1 JENNIFE	Geologist Report Received R.R. HOUSTON UIC Distribution
Date Commission Expires: Out 30, 2005 My Appt, Expires /	ic - State of Mansas One Ot - 31 2004

Side Two

ORIGINAL

Operator Name: Qu	est Cherokee, Ll	_C		Lease	e Name:	CURNETTE,	KENNETH	Well #: _29-1		
	32 S. R. 19		West		y: LABE				***************************************	
INSTRUCTIONS: S tested, time tool ope temperature, fluid red Electric Wireline Log	n and closed, flowing covery, and flow rate	g and shut-in s if gas to su	pressures, v rface test, al	whether s long with	hut-in pre	essure reached	static level, hydr	ostatic pressure	s, bottom	n hole
Drill Stem Tests Take		☐ Yes	√ No		✓ L	og Forma	tion (Top), Depth	and Datum	□s	ample
Samples Sent to Geological Survey ☐ Yes ☑ No					Name Lenapah Lime			Top ABSENT		atum BSENT
Cores Taken		Yes	√ No		Alta	mont Lime		ABSENT	Α	BSENT
Electric Log Run (Submit Copy)		✓ Yes	No		Paw	nee Lime		144'	+	725'
, , , , , ,					Osw	ego Lime		230'	+(639'
List All E. Logs Run:					Verd	digris Lime		381 1/2'	+4	487 1/2'
DUAL INDUCTOMP. DENS	TION LOG HTY NEUTRON	l LOG			Miss	sissippi Lime	Э	745"	+	124'
		Report a	CASING I		1	ew Used ermediate, produ	ction, etc.			
Purpose of String	Size Hole Drilled		Casing n O.D.)		eight i. / Ft.	Setting Depth	Type of Cement	# Sacks Used		nd Percent Iditives
Surface	11	8-5/8"		24.75#	ŧ	20'	"A"	5		
Production	6 3/4	4-1/2"		10.5#		784'80"	"A"	102		
			ADDITIONAL	CEMENT	ING / SQ	JEEZE RECOR	lD			
Purpose: Perforate Protect Casing Plug Back TD	Depth Top Bottom	Type of Cement		#Sack	s Used	Type and Percent Additives				
Plug Off Zone					***************************************		Market Barrier			
Shots Per Foot		ION RECORD Footage of Eac			e		acture, Shot, Ceme Amount and Kind of N	flaterial Used)		Depth
	NONE- WAITIN	G ON PIPE	LINE					RECEIVED OCT 18 2004 KCC WICHITA		
									VED	
							l.	_ 18;	nn.	
								CC MC		
									"IA	
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes N	o		
Date of First, Resume	rd Production, SWD or	Enhr. F	Producing Met	hod	Flowin	g Pum	oing Gas L	ift Othe	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat		Bbls.	Gas-Oil Ratio	(quinter ()	Gravity
Disposition of Gas	METHOD OF	COMPLETION				Production Inte	erval			
Vented Sold	Used on Lease		Open Hole	Pei	rf.	Dually Comp.	Commingled			
• • •	•	L.	Tours (Sheci	'Y)						



211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

ORIGINAL

TICKET NUMBER 24439

LOCATION Chandle

FIELD TICKET

	29.	. /						
S/28/04 CU	STOMER ACCT # WELL N 6628 CUNNUH	VAME	QTR/QTR	SECTION 29	TWP 了ス	RGE 19	COUNTY Lubete	FORMATION
' /						I		
	Juest Cherroke		<u>C</u>	OWNER				
MAILING ADDRESS	s PO BOX 100	O	Name in the second of the seco	OPERATOR				
CITY & STATE	erident KS	667	14/	CONTRACTO	OR			
ACCOUNT CODE	QUANTITY or UNITS		DESCRIPTION (OF SERVICES	OR PRODU	ICT	UNIT PRICE	TOTAL AMOUNT
5401	1 Well	PUMP CI	HARGE C	enent	Ring	0		675 20
1118	2 Sacks	Prem	601	<i>p</i> .				2360
1110	10 Secks		sonite	,		, , , , , , , , , , , , , , , , , , , ,		19400
			3 6277 7 500000					
1/07	1 Sack	6	elloFlok	Sim.				3775
1315		KCI	(Hasa.					2200
1116	15 960	Sar	A. W. Fr.	Harili		,		15000
	3			Nis			,	
1123	4000 601	Cif	y work					4500
				-				
				\$1 1		Dr.	2004 117A	
C.1-2			G & HANDLING	4		" EC!	3/10	- 10 - 10
5407	Min Milege	TON-MILE STAND B	- 1 /C / 1	sery		(C)	"YED	19000
		MILEAGE		apt.	KO	7.8	2004	
5501	2 1	WATER T	RANSPORTS		<u> </u>	·WIN	7.	16000
		VACUUM	TRUCKS	, , , , , , , , , , , , , , , , , , , ,			7/7/4	760
		FRAC SA	ND	•	,			
								£1.73
1126	98	CEMENT	OWC	Cement	***************************************			1107, 12
				·			SALES TAX	102.03
				-				
Ravin 2790		1		<u> </u>			ESTIMATED TOTAL	27/7/78
							Ĺ	- And the second second
CUSTOMER or AGE	:NTS SIGNATURE	•		_CIS FOREMAI	v	cay,	· Con-	
				•			-	
CUSTOMER or AGE	NT (PLEASE PRINT)						DATE	10

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER	31827
LOCATION	
FOREMAN	

TR	EΔ	TIV	IEN	ΙT	RE	PO	RT
						. •	

ORIGINAL

15 MIN. MAX RATE MIN RATE

		29-1							
DĄ/TE /	CUSTOMER #	WELL NAME	FORMATION	1	TRUCK #	DRIVER	TRUCK #	DRIVER	
508/01	6628	Curwitte		,	197	HYL			
SECTION	TOWNSHIP	RANGE	COUNTY		401	Larry			
29	32	19	Labette		103	Clarg			
USTOMER	1								
CX	1165- (Tryloter	110						
AILING ADDF	RESS		ec'					****	
PO	Wox .	100							
CITÝ ,	The second secon								
	Andre D	Enidect ZIP CODE		;	,		•	1 mg	
STATE			, .	,				•	
A	15	66	0714			TYPE OF T	REATMENT		
				1	[]SURFACE	PIPE	[] ACID BREA	KDOWN	
TIME ARRIVED	ON LOCATION	7,30 -	11,00		PRÓDUCT	ION CASING	[] ACID STIMU	JLATION	
	WELL	DATA		_	[] SQUEEZE	CEMENT	[] ACID SPOT	TING	
HOLE SIZE	o 5,4	PACKER DEPTI	Н	a.	[] PLUG & AE	BANDON	[]FRAC		
TOTAL DEPTH	787	PERFORATION	S]	[] PLUG BAC	K	[] FRAC + NIT	ROGEN	
		SHOTS/FT			[] MISP. PUMP		[]		
CASING SIZE	hough the	OPEN HOLE			[]OTHER				
CASING DEPT	н 783			,					
CASING WEIG	нт	TUBING SIZE		•		PRESSURE I	LIMITATIONS	y	
CASING CONE	DITION	TUBING DEPTH	1				THEORETICAL	INSTRUCTE	
		TŲBING WEIGH	HT		SURFACE PIPE	NAME OF THE OWNER, WASHINGTON, WASHING WASHINGTON, WASHINGTON, WASHINGTON, WASHINGTON, WASHINGTON, WAS			
		TUBING CONDI	TION		ANNULUS LONG	STRING			
TREATMENT \	MA COMEN	1 Funk	<u> </u>]	TUBING				
		<i>.</i>		· ·				4.5	
NSTRUCTION	PRIOR TO JOB	Break Cil	culations	Houp	2 Sach 1	bene Gil	til Burn	13y = 5 5	
	CLASSIO 8					then Store	Course Hay	105	
70 ge 1		OM	L Cold P	,	Hing May	to 12 Hours 6		Persure on	
AUTHO	DRIZATION TO P	ROCEED		TITLE			D/	ATE .	
V			•			-	the state of the s		
TIME	STAGE	BBL'S	INJ RATE	PROPPANT	SAND / STAGE	PSI			
AM / PM	01/101	PUMPED		PPG)				
			,	:			BREAKDOWN	PRESSURE	
				,			DISPLACEMEN	IT ,	
				0-	şi.		MIX PRESSUR	E	
				TE(EIVED		MIN PRESSUR	Ę	
				OCT	LUZU		ISIP		

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer s be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.