Kansas Corporation Commission Oil & Gas Conservation Division

WELL COMPLETION FORM

Form ACO-1 September 1999 ORIGINAL

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 30638	API No. 15 - 205 - 25829 - 00-00
Name: Little Joe Oil co	County: Wilson
Address: 7300 320th rd	Sust Ste Sec. 2 Twp. 27 S. R. 16 Y East West
city/state/zip: Chambe KS 66720	feet from (S) / N (circle one) Line of Section
Purchaser: CM T	feet from (E) W (circle one) Line of Section
Operator Contact Person: Joe Greer, Jr.	Footages Calculated from Nearest Outside Section Corner:
Phone: 1/20, 401,-7389	(circle one) NE SE NW SW
Contractor: Name: Little Jac Oil ECENED	Lease Name: Beck Well #: 8-04
Contractor: Name: Little Jac O' RECEIVED License: 30638	Field Name: Buffalo Vilas
1 PQ 1 P	TAroducing Formation: Catheman
Wellsite Geologist: Designate Type of Completion: New Well Re-Entry Workover Oil SWD SIOW Temp. Abd.	Elevation: Ground: WA Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1033 Plug Back Total Depth:
Oil SWD Temp. Abd.	Amount of Surface Pipe Set and Cemented at 71/2 201 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	Drilling Fluid Management Plan ALTT WHW
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan ACTIL WHW (Data must be collected from the Reserve Pit) 3-15-07-
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No	Operator Name:
9-7-04 9-28-04 9-28-04	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec TwpS. R East West
Troompount Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1: 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements.
Signature: Jal Aleer J	KCC Office Use ONLY
Title: Operator Date: 4-11-05	Letter of Confidentiality Attached
Subscribed and swarp to before me this // Amm i	If Denied, Yes Date:
Subscribed and sworn to before me thisday of	Wireline Log Received
2005.	Geologist Report Received
Notary Public:	UIC Distribution
Date Commission Expires: 1-14-07	

Operator Name:	14the J	oe O	ilco	Lease Na	ıme:	Beck		_ Well #: _ %	-04	
Sec. 12 Two. 2	7 s. 77 180	East		County: _	_V	uilson				
INSTRUCTIONS: Shortested, time tool open a temperature, fluid recovered temperature fluid recovered to the tool of	and closed, flowing very, and flow rates	and shut-in if gas to s	n pressures, urface test, a	whether shut- long with fina	in pres	sure reached s	static level, hydro	static pressur	es, bottom h	ole
Drill Stem Tests Taken (Attach Additional St	neets)	Yes	: XNo		Log	g Formatio	on (Top), Depth a	nd Datum	San	nple
		Yes	No No	Name		ı		Тор	Dat	um .
		Yes	es No .		,					
List All E. Logs Run:										
	,		0.4.9.11.0	PEOCH		(\$\)				
		Report		RECORD conductor, surfa	New ce, interi	Used mediate, product	tion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		Weight Lbs. / Ft		Setting Depth	Type of Cement	# Sacjs Used	Type and Addit	
	53/4	27/8	8rd	6,30	>	1033	5401	115		
	×									***************************************
			ADDITIONAL	CEMENTING	/ SQUE	EEZE RECORD)			
Purpose:	Depth Top Bottom	Type of Cement #Sacks Used		Г	Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone	1033									
		<u> </u>							, , ,	*
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Sel/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
l		H-450-0-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1								
		,								
				,						
									`	
TUBING RECORD	Size	Set At	4	Packer At		Liner Run	Yes No			m dictiva anni me e sudan sama dang dan sujan salah in
Date of First, Resumerd	Production, SWD or E	Enhr.	Producing Me		Flowing	Pumpi	ng Gas Li	ft Oth	er (Explain)	
Estimated Production Per 24 Hours	,875	Bbls.	Gas Non	Mcf	Water	В	bis. (Sas-Oil Ratio	**************************************	Gravity
Disposition of Gas	METHOD OF C	COMPLETIO			٤٦	Production Inter	val			
Vented Sold (If vented, Sun	Used on Lease	. [Open Hole Other (Spec	Perf.	Du	ually Comp.	Commingled _		,	

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER 2184

LOCATION Eureka

FOREMAN Brad Butter

TREATMENT REPORT & FIELD TICKET ORIGINAL

DATE	CUSTOMER#	T WELL NAME &	NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY	
	3039	Beck #0		10	27	16E	Wilson	
9-28-04	1 2024	Deck 0	0-07			101	10110012	
CUSTOMER	ittle Joe	Oil CD.	28 Contract of the Contract of	TRUCK#	DRIVER	TRUCK#	DRIVER	
MAILING ADDRE		A STATE OF THE STA	a di	446	Rick			
P	0. Box 16	62		442	Anthony	,	1	
CITY		STATE ZIP CO	DE .	434	Jim	1	:	
YaTes C	enter	Ks. 667	83					
JOB TYPE LONGSTOING HOLE SIZE 53/4" HOLE DEPTH 1050 CASING SIZE & WEIGHT								
CASING DEPTH	101/2	DRILL PIPE	TUBING	1040 23	1/8"	OTHER		
SLURRY WEIGHT 13316, SLURRY VOL 33 Bbl, WATER gal/sk CEMENT LEFT in CASING 0								
DISPLACEMENT		DISPLACEMENT PSI 5	00 MIX RSI Zana	ded Plus 1200	RATE	BPM		
REMARKS: Safety Meeting: Rig 40 To 21/6" Tubing, break circulation with 10 Bbl. City water,								
Mixed 115 sks. Thick Set cement at 133/bs. Plant, Shutdown washout pump & Lines								
Release F	Plus - Disp	lace Plug with	6 Bbli WaTer.					
Fi	nal pumping	w 500 PSI - B	umord Plug To.	1200 RT. "	sait amini	Release F	ressour_	
man fr	Held - cle	se Tubing in w.	the OPSI -	- 600d ce	Ment Telwa	25 To Surfe	ace	
			complete- Tel			, 0		
1200			į į					
The state of the s	,				1			
			(Cart			-	F N 13	

Thank you

412			P		
ACCOUNT CODE	QUANITY or UNITS	DESCRIPTIO	of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	RECEIVED	710.00	710,00
5406	25	MILEAGE	APR 1 4 2005	2.35	58,75
	1		,		
			KCC WICHITA		
1126 A	115 5Ks.	Thick SET CEN	nent	11.85	1,362.75
	·		ger		
5407	6.33 Ton	Tow mitegse	Bulk Truck	MIC	225.00
5502C	4 His.	80 Bbl. VACT	TUCK	78.00	312.00
1123	3000 GAL.	City water		11.50 1000	34.50
	-x		100		ý,
4402	7	21/8" Top Kus	ber flug	15.00	15,00
		:			
		Ž			
	To the second se	3			,
			1		
		1		,	00.00
		· · · · · · · · · · · · · · · · · · ·	6,3%	SALES TAX	88,97
		्र संबंध	- ~ 9	ESTIMATED	2806.97

AUTHORIZTION Called by Little Joe

TITLE

ESTIMATED TOTAL

2,806.7

TERMS-

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer shall be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS'S liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.