

AUG 25 2004

CONSERVATION DIVISION  
WICHITA, KS

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

CONFIDENTIAL

Form ACO-1  
September 1999  
Revised 11/99

Operator: License # 32334  
 Name: Chesapeake Operating, Inc.  
 Address: P. O. Box 18496  
 City/State/Zip: Oklahoma City, OK 73154-0496  
 Purchaser: Duke  
 Operator Contact Person: Jim Reisch, Barbara Bale  
 Phone: (405) 848-8000  
 Contractor: Name: Murfin Drilling  
 License: 30606  
 Wellsite Geologist: Wes Hansen  
 Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_  
06/02/04    06/17/04    07/26/04  
 Spud Date or    Date Reached TD    Completion Date or  
 Recompletion Date       Recompletion Date

API No. 15 - 081-21532 - 0000  
 County: Haskell  
SE SE NE Sec. 2 Twp. 30 S. R. 34  East  West  
2210 feet from S / (N) (circle one) Line of Section  
330 feet from (E) W (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one) (NE) SE NW SW  
 Lease Name: MLP Light Well #: 2-2  
 Field Name: Eubank South  
 Producing Formation: Chester  
 Elevation: Ground: 2982' Kelly Bushing: 2993'  
 Total Depth: 5573' Plug Back Total Depth: \_\_\_\_\_  
 Amount of Surface Pipe Set and Cemented at 930' Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set 2996' Feet  
 If Alternate II completion, cement circulated from \_\_\_\_\_  
 feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan ALT I WHM 2-12-07  
 (Data must be collected from the Reserve Pit)  
 Chloride content 1500 ppm Fluid volume 300 bbls  
 Dewatering method used \_\_\_\_\_  
 Location of fluid disposal if hauled offsite: \_\_\_\_\_  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_


**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jim Reisch  
 Title: Asset Manager Date: 08/24/04  
 Subscribed and sworn to before me this 24th day of August,  
20 04.  
 Notary Public: Lucretia A. Morris #00018352  
 Date Commission Expires: 11/27/04

**KCC Office Use ONLY**

Letter of Confidentiality Attached  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution



Operator Name: Chesapeake Operating, Inc. Lease Name: MLP Light Well #: 2-2  
 Sec. 2 Twp. 30 S. R. 34  East  West County: Haskell

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run: DIL; CNL/FDC; Sonic	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Name</th> <th style="text-align: left;">Top</th> <th style="text-align: left;">Datum</th> </tr> </thead> <tbody> <tr> <td>Heebner</td> <td>4058</td> <td>-1065</td> </tr> <tr> <td>Lansing</td> <td>4158</td> <td>-1165</td> </tr> <tr> <td>Stark Shale</td> <td>4602</td> <td>-1609</td> </tr> <tr> <td>Cherokee Shale</td> <td>4933</td> <td>-1940</td> </tr> <tr> <td>Morrow Shale</td> <td>5262</td> <td>-2269</td> </tr> <tr> <td>St. Genevieve</td> <td>5490</td> <td>-2497</td> </tr> </tbody> </table>	Name	Top	Datum	Heebner	4058	-1065	Lansing	4158	-1165	Stark Shale	4602	-1609	Cherokee Shale	4933	-1940	Morrow Shale	5262	-2269	St. Genevieve	5490	-2497
Name	Top	Datum																				
Heebner	4058	-1065																				
Lansing	4158	-1165																				
Stark Shale	4602	-1609																				
Cherokee Shale	4933	-1940																				
Morrow Shale	5262	-2269																				
St. Genevieve	5490	-2497																				

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
Surf	12-1/4	9-5/8	36#	930'	450 Lite 150 Cl. C	450 150	3 % CC
Squeeze					350 85:15 150 Cl. C	Poz 350	2% cc
Prod	5-1/2	7-7/8	15.5#	5,575	230 Cl. H	230	
Port Collar				2,996'	Lite	450	1/4# flo-seal

Purpose: <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
	2	5364-69'	Frac 1080 bbl 70Q 20# gel + 63,000# 20/40 sand
	5377-83'		

TUBING RECORD		Size 2-7/8"	Set At 5300'	Packer At None	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 07/30/04			Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls. 30	Gas Mcf 102	Water Bbls. 30	Gas-Oil Ratio 3400	Gravity 36

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 5973

Federal Tax I.D.# 48-0727860 **KCC**

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

AUG 2 2004

SERVICE POINT:

Onley, KS

**CONFIDENTIAL**

DATE <u>6-3-04</u>	SEC. <u>2</u>	TWP. <u>30</u>	RANGE <u>34 W</u>	CALLED OUT <u>5:00 AM</u>	ON LOCATION <u>10:30 AM</u>	JOB START <u>5:30 PM</u>	JOB FINISH <u>7:00 AM</u>
LEASE <u>MLP Light</u>		WELL # <u>2-2</u>	LOCATION <u>Sadanta 2nd W side</u>	COUNTY <u>Wichita</u>	STATE <u>KS</u>	RECEIVED	
OLD OR <u>NEW</u> (Circle one)			KANSAS CORPORATION COMMISSION				

CONTRACTOR Murphy 21

TYPE OF JOB Plugback @ 746'

HOLE SIZE 12 1/4" T.D. 806

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 10.5

OWNER Same AUG 25 2004

CEMENT CONSERVATION DIVISION  
AMOUNT ORDERED 500 SKS WICHITA, KS

3" 70cc on side 5\* 5.1 / SK

in 250 SKS.

COMMON	<u>100</u>	@	<u>8.55</u>	<u>885.00</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>3</u>	@	<u>30.00</u>	<u>90.00</u>
<u>Gilson 4c</u>	<u>500<sup>lb</sup></u>	@	<u>.50</u>	<u>250.00</u>
		@		
		@		
		@		
HANDLING	<u>543</u>	@	<u>1.25</u>	<u>678.75</u>
MILEAGE	<u>35 x 543 x .05</u>			<u>950.25</u>

### EQUIPMENT

PUMP TRUCK CEMENTER Fuzzy max

# 373 HELPER Andrew

BULK TRUCK DRIVER Lannie

# 315

BULK TRUCK DRIVER Larry

# 212

TOTAL 2854.00

### REMARKS:

Mix + pump 10 CSKS common 3 1/2 cc  
5 1/2 Gilsonite / SK to a depth of  
746' and displace with 10.5  
BBS water. Sit on GHS.  
Con-ghc 4:00pm  
Truck released @ 7:00am

Thanks  
Fuzzy

CHARGE TO: Chesapeake Operating

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

### SERVICE

DEPTH OF JOB	<u>746'</u>			
PUMP TRUCK CHARGE			<u>520.00</u>	
EXTRA FOOTAGE	<u>446</u>	@	<u>1.50</u>	<u>223.00</u>
MILEAGE	<u>35</u>	@	<u>4.00</u>	<u>140.00</u>
PLUG		@		
		@		
<u>waiting time 12hr</u>	<u>100</u>	@	<u>12.00</u>	<u>1200.00</u>
				<u>3083.00</u>
TOTAL				<u>3083.00</u>

### FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE 4083.00

DISCOUNT 4083.00 IF PAID IN 30 DAYS

SIGNATURE

Ernie D. [Signature]

PRINTED NAME

# ALLIED CEMENTING CO., INC. 13441

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Cherokee KS

DATE <u>6-1-04</u>	SEC. <u>02</u>	TWP. <u>30</u>	RANGE <u>34 W</u>	CALLED OUT <u>9:00 AM</u>	ON LOCATION <u>12:30 PM</u>	JOB START <u>3:30 PM</u>	JOB FINISH
MPL LEASE <u>Light</u>	WELL# <u>2-2</u>	LOCATION <u>Saratoga 2 KCC</u>	<u>W. side</u>	COUNTY <u>RECEIVED</u>	STATE <u>KS</u>	KANSAS CORPORATION COMMISSION	
OLD OR <u>NEW</u> (Circle one)				AUG 24 2004		AUG 25 2004	

CONTRACTOR MOR #21

TYPE OF JOB \_\_\_\_\_

HOLE SIZE 12 1/4 T.D. 929'

CASING SIZE 9 5/8 DEPTH 930'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 46.90

CEMENT LEFT IN CSG. 40'

PERFS. \_\_\_\_\_

DISPLACEMENT 6 3/4 BALS

### EQUIPMENT

PUMP TRUCK # 373 CEMENTER Max HELPER Andrew

BULK TRUCK # 361 DRIVER Ken

BULK TRUCK # 309 DRIVER Larry

~~CONFIDENTIAL~~

CONSERVATION DIVISION  
WICHITA, KS

CEMENT

AMOUNT ORDERED 450 ~~15:85:8:370~~

CC: 1/4" flo seal drill 150 class  
230 cc

COMMON	<u>150-C</u>	@ <u>10<sup>65</sup></u>	<u>1597<sup>50</sup></u>
POZMIX		@	
GEL		@	
CHLORIDE	<u>19</u>	@ <u>30<sup>00</sup></u>	<u>570<sup>00</sup></u>
	<u>A-15:18.8</u>	@ <u>9<sup>00</sup></u>	<u>4050<sup>00</sup></u>
	<u>Flo seal 112</u>	@ <u>1<sup>00</sup></u>	<u>156<sup>00</sup></u>
		@	
WAIT TIME	<u>18 hrs</u>	@ <u>1<sup>00</sup></u>	<u>1800<sup>00</sup></u>
HANDLING	<u>623 X</u>	@ <u>1.25</u>	<u>778<sup>75</sup></u>
MILEAGE	<u>35 X .05 X 623</u>		<u>1090<sup>25</sup></u>
			<u>30</u>
			TOTAL <u>10093</u>

### REMARKS:

Cement 85lb bag. total depth of 930' with 450 lb 1 to 330cc 1/4" class  
followed by 150 class 230cc  
displace to within 40' of bottom  
cement did not circulate  
plug down @ 8:30am under temp  
survey for lunch job first bar @  
710' @ 3:30pm wait for  
retainer Sub complete @ 5:00pm

### SERVICE

DEPTH OF JOB	<u>930'</u>	@	<u>1.30</u>	<u>1215<sup>00</sup></u>
PUMP TRUCK CHARGE				<u>1130</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>35</u>	@ <u>4<sup>00</sup></u>		<u>140<sup>00</sup></u>
PLUG	<u>9 5/8</u>	@ <u>135<sup>00</sup></u>		<u>1215<sup>00</sup></u>
		@		<u>135<sup>00</sup></u>
		@		
			TOTAL	<u>1405<sup>00</sup></u>

CHARGE TO: Cherokee Operations

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

### FLOAT EQUIPMENT

<u>9 5/8</u>	<u>insert</u>	@ <u>242<sup>00</sup></u>	<u>242<sup>00</sup></u>
<u>9 5/8</u>	<u>C.S.</u>	@ <u>240<sup>00</sup></u>	<u>480<sup>00</sup></u>
<u>9 5/8</u>	<u>cent</u>	@ <u>33<sup>00</sup></u>	<u>99<sup>00</sup></u>
<u>9 5/8</u>	<u>basket</u>	@ <u>180<sup>00</sup></u>	<u>540<sup>00</sup></u>
		@	

136100

TOTAL ~~136100~~

12589.30

TAX \_\_\_\_\_

TOTAL CHARGE 11330.37

DISCOUNT 1258.93 IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Emile [Signature]

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 13442

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

AUG 25 2004

SERVICE POINT:  
CARKWKS

DATE: 6-5-04	SEC. 02	TWP. 30	RANGE 34 W	CALLED OUT 5:00 pm	ON LOCATION 10:00 pm	JOB START 2:00 am	JOB FINISH 3:15 AM
M/LP - Light LEASE	WELL # 2-2	LOCATION SAKANA 2N-W side			COUNTY Haskell	STATE KS	
OLD OR NEW (Circle one) <u>NEW</u>				RECEIVED KANSAS CORPORATION COMMISSION			

CONTRACTOR MUR 21

TYPE OF JOB retainer thru drill pipe

HOLE SIZE 9 5/8 I.D. 9 3/4

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2 DEPTH 650'

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINK \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 83/4

OWNER same AUG 25 2004

CEMENT CONSERVATION DIVISION WICHITA, KS

AMOUNT ORDERED 350 15.85: 890 seal

390 cc 1/4 # 10 seal

150 CLASS C 290 cc

COMMON	150	@ 10 <sup>05</sup>	1597 <sup>00</sup>
POZMIX		@	
GEL		@	
CHLORIDE	15	@ 30 <sup>00</sup>	450 <sup>00</sup>
15:85:890 seal	350	@ 9 <sup>00</sup>	3150 <sup>00</sup>
10 seal	87	@ 1 <sup>40</sup>	121 <sup>80</sup>
HANDLING	368	@ 1 <sup>25</sup>	460 <sup>00</sup>
MILEAGE	35	@ 2.05	717 <sup>50</sup>
			TOTAL 6423 <sup>30</sup>

### EQUIPMENT

PUMP TRUCK # 373 CEMENTER Fuzzy - Max

BULK TRUCK # 212 DRIVER Mike

BULK TRUCK # 361 DRIVER Leslyne

HELPER A. Nelson

### REMARKS:

Mix + pump 350 sks 15.85: 890 seal 390 cc  
1/4 # 10 seal followed by  
150 sks class C 290 cc.  
Displace to retainer. Pull out  
of retainer + wash out long  
way. Cement did not circulate.  
Job complete @ 3:15 AM

THANKS  
Fuzzy

### SERVICE

DEPTH OF JOB 650'

PUMP TRUCK CHARGE 890<sup>00</sup>

EXTRA FOOTAGE @ \_\_\_\_\_

MILEAGE 35 @ 4<sup>00</sup> 140<sup>00</sup>

PLUG @ \_\_\_\_\_

CHARGE TO: Champion Operating

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

### FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE 6437<sup>97</sup>

DISCOUNT 715<sup>30</sup> IF PAID IN 30 DAYS

SIGNATURE 

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 13443

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

KCC  
AUG 25 2004

SERVICE POINT:  
OAKLEY KS

DATE 6-6-04	SEC. 02	TWP. 30	RANGE 34	CALLED OUT <b>CONFIDENTIAL</b>	ON LOCATION 3:30pm	JOB START 5:00pm	JOB FINISH 6:00pm
LEASE M.L.P. light	WELL.# 2-2	LOCATION Salanda 200 w grade			COUNTY	STATE	
OLD OR <u>NEW</u> (Circle one)				RECEIVED KANSAS CORPORATION COMMISSION			

CONTRACTOR MUR #21

TYPE OF JOB circ. cement to surface thru rods

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 9 5/8 DEPTH 930

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2 DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 28714

OWNER SAME

CEMENT

AMOUNT ORDERED 450 15:85:89 seal  
390 cc 114# flo seal 5# gilsonite  
150 CLASS 'C' 390 cc

COMMON	<u>150</u>	@	<u>10.85</u>	<u>1597.50</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>20</u>	@	<u>30.00</u>	<u>600.00</u>
	<u>450 15:85:89 seal</u>	@	<u>9.00</u>	<u>4050.00</u>
	<u>Gilsonite 2250#</u>	@	<u>0.90 lb</u>	<u>1125.00</u>
	<u>Cl seal</u>	@	<u>1.40 lb</u>	<u>156.80</u>
HANDLING	<u>664</u>	@	<u>1.25</u>	<u>830.00</u>
MILEAGE	<u>35 X 664 x .05</u>			<u>1162.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER F-224 - MAY

# 373 HELPER Andrew

BULK TRUCK

# 361 DRIVER Lance

BULK TRUCK

# 377 DRIVER Harry

TOTAL 9521.30

REMARKS:

Depth @ well Cement 9 5/8 casing to a depth of 375'  
with 450 SK 15:85:89 seal  
390cc 114# flo seal 5# gilsonite/SK  
followed by 150 SKs CLASS 'C'  
390cc Displace plus to 375'  
cement did not circulate  
wait on temp survey job  
complete @ 6:00pm

SERVICE

DEPTH OF JOB 6100'

PUMP TRUCK CHARGE 580.00

EXTRA FOOTAGE @ \_\_\_\_\_

MILEAGE @ \_\_\_\_\_

PLUG 1- 9718 @ 50.00

THANKS  
T-224

TOTAL 630.00  
10150.80

CHARGE TO: Chesapeake Operating

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT 10150.80 IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 13444

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
OKLEWKS

DATE <u>6-7-04</u>	SEC. <u>02</u>	TWP. <u>30</u>	RANGE <u>34W</u>	CALLED OUT <u>10:30 AM</u>	ON LOCATION <u>9:00 AM</u>	JOB START <u>5:30 PM</u>	JOB FINISH <u>6:30 PM</u>
LEASE <u>MLP Light</u>	WELL # <u>2-2</u>	LOCATION <u>SANDHILL 2nd W side</u>			COUNTY <u>Harrell</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)				KANSAS CORPORATION COMMISSION			

CONTRACTOR WHA #21

TYPE OF JOB 1-inch top 90'

HOLE SIZE 12 1/4 I.D. 9 1/2

CASING SIZE 9 5/8 DEPTH 930'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER Same **AUG 25 2004**

CEMENT CONSERVATION DIVISION WICHITA, KS

AMOUNT ORDERED 150 SKS 10M 3% CC

**KCC**  
**AUG 25 2004**  
**CONFIDENTIAL**

COMMON	<u>150</u>	@	<u>8.85</u>	<u>1327.50</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>5</u>	@	<u>30.00</u>	<u>150.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>155</u>	@	<u>1.25</u>	<u>193.75</u>
MILEAGE	<u>155 x 35 x .05</u>			<u>271.25</u>
TOTAL				<u>1942.50</u>

### EQUIPMENT

PUMP TRUCK CEMENTER Fuzzy

# 373 HELPER Andrew

BULK TRUCK

# 315 DRIVER Harry

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

### REMARKS:

Mix & pump 150 SKS common 3% CC down 90' of 1 inch pipe

Cement did circulate to surface

Job complete @ 6:30 AM

### SERVICE

DEPTH OF JOB	<u>90'</u>		
PUMP TRUCK CHARGE			<u>520.00</u>
EXTRA FOOTAGE		@	
MILEAGE		@	
PLUG		@	
		@	
		@	
TOTAL			<u>520.00</u>
			<u>2462.50</u>

CHARGE TO: Chesapeake Operating

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

### FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_ 25

TOTAL CHARGE 2216

DISCOUNT 246.25 IF PAID IN 30 DAYS

SIGNATURE

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 13483

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
OAKLEY

DATE <u>6-17-04</u>	SEC. <u>2</u>	TWP. <u>30</u>	RANGE <u>34W</u>	CALLED OUT	ON LOCATION <u>1:00 PM</u>	JOB START <u>6:00 PM</u>	JOB FINISH <u>7:00 PM</u>
LEASE <u>MLP LEANT</u>	WELL.# <u>2-2</u>	LOCATION <u>SATANTA 2N-WINTO</u>		KANSAS CORPORATION COMMISSION		CORRECTED SIGNATURE	
OLD OR <u>NEW</u> (Circle one)				AUG 25 2004			

CONTRACTOR MURFIN DRILL RIG # 21 OWNER SAME

TYPE OF JOB PRODUCTION STRENGTH

HOLE SIZE 7 7/8" T.D. 5377'

CASING SIZE 5 1/2" DEPTH 5581'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL PORT COLLAR DEPTH 2996'

PRES. MAX 1800 PSI MINIMUM 1500 PSI

MEAS. LINE SHOE JOINT 44.91'

CEMENT LEFT IN CSG. 44.91'

PERFS.

DISPLACEMENT 131 3/4 BBL

CEMENT	AMOUNT ORDERED	PRICE	TOTAL
CONSERVATION DIVISION WIGHTA, KS	<u>230 SKS "H" 10% GYP-SEAL</u>	<u>9.30</u>	<u>2139.00</u>
<u>10% SALT 6" ROL-SEAL 18 OF 12 FL-160</u>	<u>230 SKS</u>	<u>15.00</u>	<u>3450.00</u>
<u>500 GAL MUD CLEAN</u>	<u>1380.00</u>	<u>17.85</u>	<u>24531.00</u>
<u>CLASS "H"</u>	<u>23 SKS</u>	<u>9.00</u>	<u>2070.00</u>
POZMIX			
GEL			
CHLORIDE			
<u>SALT 25 SKS</u>	<u>15.00</u>	<u>375.00</u>	
<u>ROL-SEAL 1380.00</u>	<u>17.85</u>	<u>24531.00</u>	
<u>GYP-SEAL 23 SKS</u>	<u>9.00</u>	<u>2070.00</u>	
<u>FL-160 173.00</u>	<u>1.75</u>	<u>302.75</u>	
<u>MUD CLEAN 500 GAL</u>	<u>1.25</u>	<u>625.00</u>	
HANDLING <u>309 SKS</u>	<u>1.25</u>	<u>386.25</u>	
MILEAGE <u>054 PER SKI MILE</u>		<u>540.00</u>	

EQUIPMENT KCC

PUMP TRUCK # 191 CEMENTER TERRY AUG 25 2004

BULK TRUCK # 361 HELPER WAYNE

BULK TRUCK # 361 DRIVER LARRY

BULK TRUCK # DRIVER

CONFIDENTIAL

TOTAL 6473.55

### REMARKS:

MEX 500 GAL MUD CLEAN, MEX 15 SKS CEMENT RPT HOLE, MEX 10 SKS CEMENT MOUND HOLE, MEX 205 SKS CLASS "H" 10% GYP-SEAL 10% SALT 6" ROL-SEAL 18 OF 12 FL-160 & DISPLACE 131 3/4 BBL.

Phulo Landed

FLOAT HELD

THANK YOU

### SERVICE

DEPTH OF JOB	<u>5581'</u>	
PUMP TRUCK CHARGE		<u>1428.00</u>
EXTRA FOOTAGE		
MILEAGE	<u>35 MI</u>	<u>4.00</u>
PLUG		

TOTAL 1568.00

CHARGE TO: CHESAPEAKE OPERATING, CO.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

### 5 1/2" FLOAT EQUIPMENT

<u>1- GUIDE SHOE</u>	<u>120.00</u>
<u>1- SURE SEAL Float collar</u>	<u>320.00</u>
<u>11- TURBO CENTRALIZERS 40%</u>	<u>440.00</u>
<u>1- BASKET</u>	<u>128.00</u>
<u>1- RUBBER PLUG</u>	<u>60.00</u>
<u>1- PORT COLLAR</u>	<u>1750.00</u>

TOTAL 2818.00

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Walt Prothor

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

Walt Prothor  
PRINTED NAME



# ALLIED CEMENTING CO., INC.

13832

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE: <u>7/13/04</u>	SEC: <u>2</u>	TWP: <u>30</u>	RANGE: <u>34</u>	CALLED OUT	ON LOCATION: <u>10:30 AM</u>	JOB START: <u>11:00</u>	JOB FINISH: <u>12:45</u>
LEASE: <u>MLP Light</u> WELL.# <u>2-2</u>				LOCATION: <u>Satanta 2N w/s</u>		COUNTY: <u>Haskell</u>	STATE: <u>KS</u>
OLD OR <u>NEW</u> (Circle one)				RECEIVED KANSAS CORPORATION COMMISSION			

CONTRACTOR Superior Service OWNER Same **AUG 25 2004**

TYPE OF JOB Cmt Port Collar

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 5 1/2 DEPTH \_\_\_\_\_

TUBING SIZE 2 3/8 DEPTH 2997

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL Port Collar DEPTH 2993

PRES. MAX 2000 MINIMUM 50

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 17.4 BBL

EQUIPMENT **KCC**  
**AUG 24 2004**

CEMENT CONSERVATION DIVISION  
WICHITA, KS

AMOUNT ORDERED

450 sks Lite + 13# Flo-seal

150 sks Class C

COMMON	<u>150 sks C</u>	@	<u>10.65</u>	<u>1597.50</u>
POZMIX		@		
GEL		@		
CHLORIDE		@		
	<u>Lite weight 450 sks</u>	@	<u>7.75</u>	<u>3487.50</u>
	<u>Flo-seal 113#</u>	@	<u>1.40</u>	<u>158.20</u>
		@		
		@		
HANDLING	<u>635</u>	@	<u>1.25</u>	<u>793.75</u>
MILEAGE	<u>58/st/mi</u>			<u>111.25</u>
TOTAL				<u>7148.20</u>

PUMP TRUCK # 191 CEMENTER Max HELPER Wayne **CONFIDENTIAL**

BULK TRUCK # 315 DRIVER Larry

BULK TRUCK # 361 DRIVER Fuzzy

REMARKS:

Test Csg to 2000 PSI open tool  
~~5000~~ Take Rate 3 BBL/min @ 500  
PSI Mix Cmt Displace 17 BBL  
Close Tool Test Csg to 2000 PSI  
Csg Hold Run in 2 Sts Thg Reverse  
Hdc Clean No circulation

SERVICE

DEPTH OF JOB	<u>2993</u>		
PUMP TRUCK CHARGE			<u>650.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>35 mi</u>	@	<u>4.00</u> <u>140.00</u>
PLUG		@	
		@	
		@	
TOTAL			<u>770.00</u>

CHARGE TO: Chesapeake Operating

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT ~~\_\_\_\_\_~~ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_