## RECEIVED

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

### SEP 16 2005

### WELL COMPLETION FORM

# KCC WICHWALL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 03194	API No. 15 - 051-25417-00-00
Name: Tri United, Inc.	County: Ellis County
Address: 950 270th ave	AP_SW_SE_NWSec. 2 Twp. 15 S. R. 18 East x West
City/State/Zip: Hays, Ks 67601	2970 feet from N (circle one) Line of Section
Purchaser: EOTT	3680' feet from W (circle one) Line of Section
Operator Contact Person: Eugene Leiker	Footages Calculated from Nearest Outside Section Corner:
Phone: (785) 628-3670	, . (circle one) NE GE NW SW
Contractor: Name: Tri United, Inc	Lease Name: Brull Well #: A-1 twin
License: 03194	Field Name: Leiker North
Wellsite Geologist: Eugene Leiker	Producing Formation: Arbuckle
Designate Type of Completion:	Elevation: Ground: 2002 Kelly Bushing: 2007
X New Well Re-Entry Workover	Total Depth: 3603 Plug Back Total Depth: NA
	Amount of Surface Pipe Set and Cemented at 210' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐Yes ☑No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1172'
Operator:	feet depth to surface w/ 225sks 60/40 sx cmt.
Well Name:	6% Gel & 4flc + 50sks Com 3% cc
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 54,000 ppm Fluid volume 700 bbls
Plug Back Plug Back Total Depth	Dewatering method used Evaporation
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	·Operator Name:
	Lease Name: License No.:
5-31-05	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, worko Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged well	
If requirements of the statutes, rules and regulations promulgated to regulate are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements
ignature: Engere E Lüker	KCC Office Use ONLY
itle: President Date: 9-13-05	Letter of Confidentiality Attached
12	If Denied, Yes Date:
ubscribed and sworn to before me this 13 day of Supt	, Wireline Log Received
Otary Public Musa hammel TE	RESA J. TRAMNELL Geologist Report Received  NOTARY PUBLIC UIC Distribution  STATE OF KANSAS
ate Commission Expires: 8-20-07	Appt. Exp. 8/21/07

310e 1W0

Operator Name:	rri United	l, Inc	Lease Name:	Bru11		Well #: A-	l twin .	
Sec. 2 Twp. 1	L5 <sub>S. R.</sub> 18	East X West	County:	Ellis Co	unty			
tested, time tool open temperature, fluid reco	and closed, flowin overy, and flow rate	and base of formations pag and shut-in pressures, as if gas to surface test, a final geological well site	whether shut-in pr along with final cha	essure reached	static level, hydr	rostatic pressur	es, bottom hole	
Drill Stem Tests Taken Yes ☑ You (Attach Additional Sheets)			Log Formation (Top), D			Depth and Datum XXAmple		
Samples Sent to Geol	ogical Survey	Yes No	Nan An	<sup>ne</sup> hydrite		Top 1172'	1208 +835	
Cores Taken Electric Log Run <i>(Submit Copy)</i>		Yes XNo Yes XNo	He LK	ebner		3247 ' 3294 ' 3592 '	3250' -124 3521' -128 3603' -158	
List All E. Logs Run:								
Time	Log only							
		CASING Report all strings set-c	RECORD X N					
Purpose of String	Size Hole Drilled	Size Casing	Weight	Setting	Type of	# Sacjs	Type and Percent	
Surface	101/4	Set (In O.D.) 8 5/8	20#	210 '	Com	160sks	Additives  3%cc& 2%ge1	
production		4 1/2	11.5#	3596'	ASC	160sks	2%ge1,	
	,	- 1					,	
Purpose:	Depth		CEMENTING / SQL	JEEZE RECORD			7	
Perforate X Protect Casing	Top Bottom	Type of Cement	#Sacks Used #Sacks Used		Type and Percent Additives			
	1172'to S	urface 60/40	50sks com	⅓1b FLC	3%cc	6% Gel		
Shots Per Foot	PERFORATION Specify F	DN RECORD - Bridge Plugs ootage of Each Interval Perfo	Set/Type prated	Acid, Frac	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
	Open Hole	Completion 3	3596-3603					
LIDINO DECORE								
JBING RECORD	Size 2 7/8	Set At 3590 '	Packer At	Liner Run	Yes No			
rte of First, Resumerd Pro		nr. Producing Metho	d Flowing	X Pumping		Other (	Explain)	
timated Production Per 24 Hours	Oil Bt	ols. Gas M	of Water 310	Bbl	s. Ga	s-Oil Ratio	Gravity 40	
sposition of Gas	METHOD OF CO	MPLETION	<del> </del>	Production Interva	.!		+0	
Vented Sold (if vented, Sumit A	Used on Lease CO-18.)	X Open Hole Other (Specify)	Perf. Du	ally Comp.	Commingled			

### Federal Tax I.D.# 48-0727860

REMIT TO P.O. BO RUSSI		NSAS 676	65		SER'	VICE POINT:	
DATE 5-21-05	SEC.	TWP.	RANGE	CALLED OUT 4:00 for	ON LOCATION	JOB START	JOB FINISH
LEASE BOUL	WELL#	3-1 Twin	LOCATION Hay 18:	3 + Antonino Ra	11 15	COUNTY	STATE
OLD OR NEW (Cir	cle one)		Finto	, in the same of t	1/2-	6//5	(7F2,
	ri Unit	ed		OWNER			
HOLE SIZE 104	arace	T.D		CEMENT			
	5		PTH "90"		RDERED 160 sk	s Com 3	860 28 FO
TUBING SIZE		DEI	PTH TH		- <del></del>	<del>- (0::1</del>	10-C 100 CE
DRILL PIPE		DEI		-			
TOOL PRES. MAX		DEI					
MEAS. LINE			NIMUM DE JOINT			_@	_
CEMENT LEFT IN	CSG 15		DE JOIN I	POZMIX GEL		_@	
PERFS.	000.			CHLORIDE		_@ @	
DISPLACEMENT	125 8	Shl		ASC_		_	-
		IPMENT			T. T	_	•
	EQU.	AL IVIISIVI				_	- ¥.
PUMP TRUCK C	'EMENTE	ER Steve					-
	ELPER /				•	@	
BULK TRUCK		J. J. S	***************************************	-		_ @	
#213 D	RIVER	eith				_ @	-
BULK TRUCK						_@	-
#D	RIVER			HANDLING		_ @ 	-
				MILEAGE		_ @	-
	REM	IARKS:	•			TOTAL	
Cement d.	J Cir	rulate				IOIAL	-
					SERVI	CE	
				DEPTH OF IO	B	<b>\</b>	
					CHARGE		
				EXTRA FOOT	AGE	@	
				MILEAGE			
- nank	100			The second secon	NOTION II A BRIDGE TAYEN	_@	
				REC	EIVED	_ @	
CILL D CE TO T	å .			SEP	1 6 200 <del>5</del>	@	
CHARGE TO: Trick					-		l :
STREET				KCCV	NICHITA	TOTAL	-
CITY	STA	TE	ZIP	. 1	PLUG & FLOAT	EQUIPMEN	T
				MANUEOLD		@	. 1
				WANIFULD	en Plug		-
To Allied Cementin	ng Co. In	nc.		- 0 * - Caracie	EN 1103	. @	
You are hereby requ			enting equipment			@	
and furnish cement	er and he	lper to as	sist owner or				
contractor to do wo							
done to satisfaction						TOTAL	
contractor. I have r	ead & ur	derstand	the "TERMS AND				
CONDITIONS" lis				TAX			
				TOTAL CHARG	GE		
				DISCOUNT		— IF PAII	) IN 30 DAYS
CICNIATURE	11 -	. 1 .1					
SIGNATURE	JAn 2	Let &	·4				
	<b></b>				PRINTE	O NAME	

### Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SER	SERVICE POINT:			
ROBBELL, IN 1101 IS 07 005			Kirwell	1	
DATE 6-1-05 SEC TWP. RANGE C	CALLED OUT	ON LOCATION	JOB START イムデ州 COUNTY	JOB FINISH	
LEASE PRILL WELL # A-17win LOCATION Hay 18	3 1 Antonina	, Pal	FILE	STATE Kausa	
OLD OR NEW (Circle one)	1	- 1344	12113		
ODDOR THE W (CHOICE ONE)	10				
CONTRACTOR Ti Changel	OWNER				
TYPE OF JOB ( Trailet Gament	CHIA KICINIES			•	
HOLE SIZE T.D.	CEMENT	anenen 236	1 toko	1961	
CASING SIZE 42 //5 //5 DEPTH TUBING SIZE DEPTH	5/6 Flo	RDERED 225	18 00 140	Dove	
TUBING SIZE DEPTH DRILL PIPE DEPTH	715 FIO		om sacc		
TOOL DEPTH			:		
PRES. MAX ACOps: MINIMUM	COMMON_	185	_@_ <i>\B.?O</i>		
MEAS. LINE SHOE JOINT	POZMIX	90	_@_ <i>4.70</i>		
CEMENT LEFT IN CSG. 201	GEL		_@_/4.00	i i	
PERFS. 1/72'	CHLORIDE _	2	_@ <i>_38.00</i>	710.00	
DISPLACEMENT 18 BA	ASC	50=	_@ _@_/ <i>.2O</i> _	85.00	
EQUIPMENT	FLOSFAL	. 30-	@ <i>,</i>	85.00	
			_		
PUMP TRUCK CEMENTER Stew					
HELPER (Cais			@		
BULK TRUCK  # 213 DRIVER KETT			@		
BULK TRUCK			@	- <u> </u>	
# 282 DRIVER Paul	HANDLING	288	@ @/.ل	4100.8	
	MILEAGE	,06/5K)W		570.2	
REMARKS:	MILLI IGE _	7-17-1		3328.6	
			IOIAL	00/0	
Mix 225 ks 6040 60 Gel 4/6 Flo		SERV	· ·		
Mix 30.5ks (cm 32 Cl		SERVI			
Deskin 18 Rd & Station	DEPTH OF J	OB			
	PUMP TRUC	CK CHARGE		285.00	
Convert And Circulate	EXTRA FOO	TAGE	@		
	MILEAGE _	33mi	<u> </u>	1105.0	
- / Nank icu	And the second s			_	
,	RECEIVED @				
11 11 1				T	
CHARGE TO: // United	- SEP 1 6 2005				
STREET		CWICHITA	IOIAL	- 95000	
CITYSTATEZIP	NU	O AAIOI II II .		1	
CITTSTATEZII		PLUG & FLOA	T EQUIPMEN	NT	
	MANIFOLD		@ ·	***************************************	
	1 45" Ru	Hay Place		48.00	
To Allied Cementing Co., Inc.		-2r2			
You are hereby requested to rent cementing equipment					
and furnish cementer and helper to assist owner or			@		
contractor to do work as is listed. The above work was					
done to satisfaction and supervision of owner agent or			TOTAL	48.00	
contractor. I have read & understand the "TERMS AND	7T A 32				
CONDITIONS" listed on the reverse side.					
	TOTAL CHA	RGE			
	DISCOUNT		IE DAI	D IN 30 DAVS	
$\sim$ $\sim$ $\sim$ $\sim$ $\sim$ $\sim$ $\sim$ $\sim$	PISCOUNT -		—— п'гА	D IN JU DAIS	
SIGNATURE ELLENNE E-SUPER		4			
SIGNATURE (MY)		PRINT	ED NAME		

#### Federal Tax I.D.# 48-0727860

P.O. BOX 31 SERVICE POINT: RUSSELL, KANSAS 67665 Russell CALLED OUT ON LOCATION JOB START **RANGE** COUNTY COUNTY 10% OLD OR (NEW) (Circle one) **CONTRACTOR OWNER** TYPE OF JOB Production HOLE SIZE **CEMENT** AMOUNT ORDERED 160 500 Oa/ WFR-**CASING SIZE DEPTH TUBING SIZE DEPTH** DRILL PIPE **DEPTH** TOOL PRES. MAX **COMMON** MEAS. LINE **POZMIX** CEMENT LEFT IN CSG. GEL PERFS. CHLORIDE 55/2 DISPLACEMENT **EQUIPMENT** (a) @ (a) CEMENTER Shane **PUMP TRUCK** (a) 366 HELPER Mark @ **BULK TRUCK** @ 213 DRIVER (a) **BULK TRUCK** @ **DRIVER** HANDLING (a) MILEAGE <u>4</u> **REMARKS:** TOTAL \_ SERVICE DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE (a) (a) (a) @ CHARGE TO: Tri United Inc RECEIVED SEP 16 2005 TOTAL \_ KCC WICHITA PLUG & FLOAT EQUIPMENT MANIFOLD 2 To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was TOTAL \_834° done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND TAX-CONDITIONS" listed on the reverse side. TOTAL CHARGE \_ IF PAID IN 30 DAYS PRINTED NAME