

CONFIDENTIAL

Operator Name: McCoy Petroleum Corp. Lease Name: Isaac Trust B Unit Well #: 1-35
Sec. 35 Twp. 33 S. R. 28 East West County: Meade

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Attempted Yes No (Attach additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No (Submit Copy)

List All E. Logs Run: Dual Induction, Neutron-Density

KCC

SEP 17 2003

Log Formation (Top), Depth and Datum Sample

Table with columns: Name, Top, Datum. Rows include Herington, Krider, Winfield, Towanda, Wreford, Council Grove A.

CONFIDENTIAL

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Table with columns: Purpose of String, Size Hole Drilled, Size Casing Set, Weight Lbs./Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives.

ADDITIONAL CEMENTING / SQUEEZE RECORD

Table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives.

RECEIVED SEP 18 2003 KCC WICHITA

Table with columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record, Depth.

Table with columns: TUBING RECORD, Date of First, Resumed Production, SWD or Enhr., Producing Method, Estimated Production Per 24 Hours, Disposition of Gas, METHOD OF COMPLETION, Production Interval.

Disposition of Gas: Vented, Sold, Used on Lease. METHOD OF COMPLETION: Open Hole, Perf., Dually Comp., Commingled, Other (Specify). Production Interval.

CONFIDENTIAL

ORIGINAL



| | | | | | |
|-------------|---------|-------------------------|----------------------|-------------------------|--------|
| INVOICE NO. | | Subject to Correction | | FIELD ORDER 6930 | |
| Date | 8-22-03 | Lease | ISSAC TRUST B | Well # | 1-35 |
| Customer ID | | County | MEADE | State | Ks |
| | | Depth | 23 1/2 | Formation | |
| | | Casing | 8 5/8 | Casing Depth | 94.8 |
| | | Customer Representative | | Treater | T-SB2A |
| | | Shoe Joint | 42.37 | ISPV | |
| | | Job Type | 8 5/8 setaco NEWWELL | | |

CHARGE

McCoy Petroleum KCC

SEP 17 2003

CONFIDENTIAL

| | | | |
|------------|-----------|-----------------------|------------|
| AFE Number | PO Number | Materials Received by | X Ron Moon |
|------------|-----------|-----------------------|------------|

| Product Code | QUANTITY | MATERIAL, EQUIPMENT and SERVICES USED | UNIT PRICE | AMOUNT | ACCOUNTING | |
|--------------|----------|---------------------------------------|------------|----------|------------|--------|
| | | | | | CORRECTION | AMOUNT |
| D-200 | 150 SKS | Common | ✓ | | | |
| D-201 | 225 SKS | A-CON | ✓ | | | |
| C-310 | 1057 lbs | Calcium CHLORIDE | ✓ | | | |
| C-194 | 89 lbs | CELLULOSE | ✓ | | | |
| C-320 | 282 lbs | CEMENT GEL | ✓ | | | |
| F-123 | 1 EA | CMT BSKT 8 5/8 | ✓ | | | |
| F-103 | 1 EA | CENTRALIZER " | ✓ | | | |
| F-193 | 1 EA | G.SHOE REG. " | ✓ | | | |
| F-233 | 1 EA | ISPV FLAPPER TYPE " | ✓ | | | |
| F-145 | 1 EA | TOP RUBBER PLUG " | ✓ | | | |
| E-107 | 375 SKS | CMT SERV. CHARGE | | | | |
| E-100 | 45 MS | UNITS 1WAY MILES 45 | | | | |
| E-104 | 794 TM | TONS MILES | | | | |
| R-202 | 1 EA | EA. 948 PUMP CHARGE | | | | |
| R-701 | 1 EA | CMT HEAD RENTAL | | | | |
| | | DISCOUNTED PRICE = | | 6,394.57 | | |
| | | + TAXES | | | | |

10244 NE Hiway 61 - P.O. Box 8613 - Pratt, KS 67124-8613 - Phone (620) 672-1201 - Fax (620) 672-5383

TOTAL

Taylor Printing, Inc.

White - Accounting • Canary - Customer • Pink - Field Office