

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONFIDENTIAL

ORIGINAL

Operator: License # 9408
Name: Trans Pacific Oil Corporation
Address: 100 S. Main, Suite 200
City/State/Zip: Wichita, KS 67202
Purchaser: n/a
Operator Contact Person: Gary Sharp
Phone: (316) 262-3596
Contractor: Name: Andy Anderson dba: A & A Production
License: 30076
Wellsite Geologist: _____

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>2/14/04</u>	<u>2/24/04</u>	<u>2/24/04</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 051-25277-0000
County: Ellis
SW NW NW Sec. 12 Twp. 11 S. R. 19 East West
825 feet from S / (circle one) Line of Section
330 feet from E / (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Gladys Well #: 1-12
Field Name: Gassaway SE
Producing Formation: n/a
Elevation: Ground: 2102' Kelly Bushing: 2107'
Total Depth: 3725' Plug Back Total Depth: 3700'
Amount of Surface Pipe Set and Cemented at 209' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan Alt II P/A with
(Data must be collected from the Reserve Pit) 2-12-07
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No. _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____
County: _____ Docket No.: _____

RECEIVED
KANSAS CORPORATION COMMISSION
MAR 18 2004

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Gary Sharp
Title: engineer Date: 3/8/04
Subscribed and sworn to before me this 8th day of March,
2004.
Notary Public: Glenna E. Lane
Date Commission Expires: 12-21-07

KCC Office Use ONLY

Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

GLENN E. LOWE
NOTARY PUBLIC
STATE OF KANSAS
My Appt. Exp. 12-21-07

CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: Trans Pacific Oil Corporation Lease Name: Gladys Well #: 1-12
Sec. 12 Twp. 11 S. R. 19 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No (Submit Copy)

List All E. Logs Run:

Dual Induction Micro Log Sonic Log

Log Formation (Top), Depth and Datum Sample Name Top Datum

(SEE ATTACHED SHEET)

KCC MAR 08 2004 CONFIDENTIAL

Table with 8 columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Row 1: Surface, 12-1/4", 8-5/8", 23#, 209', Common, 150, 3% CC, 2% gel

Table with 5 columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives. Purpose options: Perforate, Protect Casing, Plug Back TD, Plug Off Zone

Table with 3 columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated, Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth. Includes stamp: RECEIVED KANSAS CORPORATION COMMISSION MAR 18 2004 CONSERVATION DIVISION WICHITA, KS

Table with 4 columns: Tubing Record (Size, Set At, Packer At, Liner Run Yes/No), Date of First, Resumerd Production, SWD or Enh., Producing Method (Flowing, Pumping, Gas Lift, Other), Estimated Production Per 24 Hours (Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity)

Disposition of Gas METHOD OF COMPLETION Production Interval
Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
Other (Specify)

CONFIDENTIAL

KCC

MAR 08 2004

CONFIDENTIAL

ORIGINAL

RECEIVED

LANSING CORPORATION COMPANY

MAR 18 2004

CONSERVATION DIVISION
WICHITA, KS

#1-12 Gladys
Section 12-11S-19W
Ellis Co., KS

Tops:

Anhydrite
Base/Anhydrite
Topeka
Heebner
Toronto
Lansing
BKC
Arbuckle
RTD

Log Tops:

1448' (+659) +3'
1479' (+628) +2'
3080' (-973) +5'
3303' (-1196) +4'
3321' (-1214) +2'
3345' (-1238) +3'
3569' (-1462) +5'
3667' (-1560) +6'
3725'

ALLIED CEMENTING CO., INC. 16091

CONFIDENTIAL

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT

12

DATE <u>2-24-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START <u>6:30am</u>	JOB FINISH <u>9:45am</u>
LEASE <u>GLADYS</u>	WELL # <u>1-12</u>		LOCATION <u>183 E REVER RD SW 34N</u>	KCC		COUNTY <u>ELLIS</u>	STATE <u>KS</u>
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR <u>AJA</u>	OWNER <u>MAR 08 2004</u>
TYPE OF JOB <u>PTA</u>	
HOLE SIZE <u>7 7/8</u>	T.D. <u>3725</u>
CASING SIZE	DEPTH
TUBING SIZE	DEPTH
DRILL PIPE <u>4 1/2</u>	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS.	
DISPLACEMENT	

CEMENT **CONFIDENTIAL**

AMOUNT ORDERED 215 6 1/4 6.70 GEL

1/4 LB FLO 5500 / SK

COMMON	<u>129</u>	@	<u>715</u>	<u>922.35</u>
POZMIX	<u>86</u>	@	<u>380</u>	<u>326.80</u>
GEL	<u>11</u>	@	<u>10.00</u>	<u>110.00</u>
CHLORIDE		@		
ASC		@		
<u>Flocon 1</u>	<u>5A#</u>	@	<u>140</u>	<u>75.60</u>
RECEIVED				
<small>KANSAS CORPORATION COMMISSION</small>				
MAR 18 2004				
<small>CONSERVATION DIVISION</small>				
<small>WICHITA, KS</small>				
HANDLING	<u>226</u>	@	<u>115</u>	<u>259.90</u>
MILEAGE	<u>54/SK</u>	@	<u>1 Mile</u>	<u>508.50</u>
				TOTAL <u>2203.15</u>

EQUIPMENT

PUMP TRUCK	CEMENTER <u>MARK</u>
# <u>366</u>	HELPER <u>SHANE</u>
BULK TRUCK	
# <u>222</u>	DRIVER <u>CRAIG</u>
BULK TRUCK	
#	DRIVER

REMARKS:

- 25 SK @ 72.3
- 25 SK @ 1450
- 100 SK @ 7.50
- 40 SK @ 2.40
- 10 SK @ 40
- 15 SK @ 2.11

CHARGE TO: TRANS PACIFIC

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

[Signature]

SIGNATURE

PRINTED NAME

SERVICE

DEPTH OF JOB	
PUMP TRUCK CHARGE	<u>650.00</u>
EXTRA FOOTAGE	@
MILEAGE	<u>45</u>
<u>8 5/8 DRY HOLE</u>	@
	<u>23.00</u>
	@
	@
TOTAL <u>830.50</u>	

PLUG & FLOAT EQUIPMENT

MANIFOLD	@	
	@	
	@	
	@	
	@	

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., INC.

16962

CONFIDENTIAL

KCC

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

MAR 08 2004

SERVICE POINT:

Russell

CONFIDENTIAL

DATE <i>02/14/04</i>	SEC.	TWP.	RANGE	CALLED OUT <i>SiCUPM</i>	ON LOCATION <i>6:30 PM</i>	JOB START	JOB FINISH <i>8:00 PM</i>
LEASE <i>Gladys</i>	WELL # <i>1-12</i>	LOCATION <i>HAYS N TO RD. 4W 1/2 N</i>			COUNTY <i>Ellis</i>	STATE <i>K</i>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR *A 9A*

TYPE OF JOB *Surface*

HOLE SIZE *12 1/4* T.D. *218*

CASING SIZE *8 5/8* DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. *15'*

PERFS.

DISPLACEMENT *12.6 bbls*

EQUIPMENT

PUMP TRUCK CEMENTER *Bill*

366 HELPER *Shane*

BULK TRUCK

213 DRIVER *Gary*

BULK TRUCK

DRIVER

REMARKS:

Ran 5 ft of 8 5/8 size 214

Cement 14 150 lb 3-2

pump plus 12.6 bbls

Cement did cure

CHARGE TO: *Trans Pacific Oil*

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE

[Signature]

OWNER _____

CEMENT AMOUNT ORDERED *150 lb Cem 3% CC 2% CC*

COMMON	<i>150</i>	@	<i>7.15</i>	<i>1072.50</i>
POZMIX		@		
GEL	<i>3</i>	@	<i>10.00</i>	<i>30.00</i>
CHLORIDE	<i>5</i>	@	<i>30.00</i>	<i>150.00</i>
ASC		@		
RECEIVED				
<small>KANSAS CORPORATION COMMISSION</small>				
MAR 18 2004				
<small>CONSERVATION DIVISION</small>				
<small>WICHITA, KS</small>				
HANDLING	<i>158</i>	@	<i>1.15</i>	<i>181.70</i>
MILEAGE	<i>54 / 51</i>	@	<i>1/mile</i>	<i>355.50</i>
				TOTAL <i>1789.70</i>

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<i>526.00</i>
EXTRA FOOTAGE		@		
MILEAGE	<i>AS</i>	@	<i>3.50</i>	<i>157.50</i>
<i>188 wood</i>		@		<i>45.00</i>
				TOTAL <i>722.50</i>

PLUG & FLOAT EQUIPMENT

MANIFOLD		@		
		@		
		@		
		@		
				TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____