For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Section Sect	Must be approved by KCC five	(5) days prior to commencing well	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. CNZ REAL NEW S. B.C. 26 Two T.Z. 3 S.R. 20 West Means Sept of Company LLC	August 11, 2007	Snot App. 30' South & 130' East of East	
Section Sect	Expected Spud Date	C N/2 NE/4 NE/4 Sec 26 Two 7S S.B. 20 West	
Section Sect	20040		
Section Require Irregular Irregular Irregular Reductes Forest Reductes	OPERATOR: Licenser		
Moter Locale well on the Section Flat on reverse side)	IVALUE	· · · · · · · · · · · · · · · · · · ·	
County: Rooks County: Rook			
Lease Name Millota M	Lary/State//in:		
ContractOr: Licenses 33575	Contact Person: Andrew C. Noone	⊔арсар и и Z-Z0	
South Filter Sout	Phone: 785-689-7456	Lease Nation	
Notify the appropriate district office prior to spudding of well; 2 according minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. Accord that the following minimum requirements will be met. 1. Notify the appropriate district office will be appropriate office will be appropriated offic	33575	Figit Name.	
Nearest Lease or unit boundary: 3950 Section Secti	Nome W W Drilling, LLC	Is this a Prorated / Spaced Field? Lansing Kansas City/ Arbuckle	
Ground Surface Elevation: 2014	ivanie,	Negroet Legge of unit boundary: 360	
Seasmic Seas	Well Drijled For: Well Class: Type Equipment:	Cround Surface Floration: 2014 feet MSL	
Gas Slorage Poo Ext Ar Rolary Cable Other Other Cable Other Other Cable Other	✓ Oil Enh Rec Infield ✓ Mud Rotary		_
Depth to bottom of fresh water: 100 Depth to bottom of stesh water: 100 Depth to bottom of usable water: 100 Depth to bottom of	Gas Storage Pool Ext. Air Rotary		
Seisanic; # of Holes Other Ot	OWO Disposal Wildcat Cable		
Converted to the description of the description o		Depth to bottom of usable water: 900"	
Length of Surface Pipe Planned to be set: 200	Other	Surface Pine by Alternate: 1 2 2	
Length of Conductor Pipe required		Length of Surface Pipe Planned to be set: 200'	
Projected Total Depth: 3600 South 3600 So		Length of Conductor Pipe required: N/A	
Original Completion Date:Original Total Depth:		Projected Total Depth: 3600'	
Water Source for Drilling Operations: Wes Tue vertical depth: Bottom Hole Location: Water Source for Drilling Operations: Wes The Part Wes Th			
DWR Permit #: DWR Permit #: DWR Permit with DWR	Original Completion Date:Original lotal Depth:		
Note: Apply for Permit with DWR State Note: Note: Apply for Permit with DWR Note: Apply for Permit with DWR Note:	Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other	
Note: Apply for Permit with DWR State Note: Note: Apply for Permit with DWR Note: Apply for Permit with DWR Note:	If Yes, true vertical depth:	DWR Permit #:	
If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. JUL 2 6 2007 JUL 2 6 2007 JUL 2 6 2007 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be cemented from below and usable water to surface within 120 days of spud date. Or pursuant to Appendix "5" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Poate:Iudy 23, 2007	Bottom Hole Location:	(Note: Apply for Permit with DWR	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig. 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be with through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. 8. Per KCC Use ONLY API # 15	KCC DKT #:	Will Cores be taken?	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating coment to the top; in all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be the through all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be cased by circulating coment to the top; in all cases surface pipe shall be through all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be shall be set by circulating coment to the top; in all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be set by circulating coment to the top; in all cases surface pipe shall be shall be set by circulating coment to the top; in all cases surface pipe shall be shall be set by circulating coment to the top; in all cases surface pipe shall be shall be set by circulating coment to the top; in all cases surface pipe shall be shall be shall be shall be set by circulating coment to the top; in all cases surface pipe shall be shall be sha		If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circul	<u></u>	XANSAS CORPORATION OF	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be cemented from below any usable water to surface within 120 days of spud date. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,881-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my lowering and belief. Date:July 23, 2007			MINIOSIC
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be shall be set by circulating cement to the top; in all cases surface pipe shall be shall be set by circulating cement to the top; in all cases surface pipe shall be shall be set by circulating cement to the top; in all cases surface pipe shall be shall be set by circulating cement to the top; in all cases surface pipe shall be shall be set by circulating cement to the top; in all cases surface pipe shall be shall be set by circulating cement to the top; in all cases surface pipe shall be shall be shall be shall be shall be pipeling that pipeling shall be cases and production casing is cemented in; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. 7. If an alternate II COMPLETION, production pipe shall be plugged or production casing is cemented in; 8. If an ALTERNATE II COMPLETION, production pipe shall be plugged or production casing is cemented in; 9. If an ALTERNATE II COMPLETION, production pipe shall be plugged or production casing is cemented in; 9. If an ALTERNATE II COMPLETION, production pipe shall be plugged or production casing is cemented in; 9. If an ALTERNATE II COMPLETION, production pipe shall be plugged or production casing is cemented in; 9. If an ALTERNATE II COMPLETION, production pipe shall be plugged or production casing is cemented in; 9. If an		JUL 2 6 2001	7
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my lowering and belief Date:		3 - 2 - 2 - 2 - 2001	,
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set. XS through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II comenting must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my howard ge and belief Date:July 23, 2007	1. Notify the appropriate district office prior to spudding of well;	ach drilling rig: CONSERVATION DIVIS	ION
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my provided and belief. For KCC Use ONLY API # 15 - 103 - 23631-0000 Conductor pipe required Nove feet per Alt. Approved by: 1-27-07 This authorization expires: 1-27-08 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Spud date:	2. A copy of the approved notice of intent to drill shall be posted on each 2. The minimum amount of surface pine as specified below shall be s		.0.14
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my invalidage and belief Date:July 23, 2007	through all unconsolidated materials plus a minimum of 20 feet into	the underlying formation.	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my individude and belief. Date:duly 23, 2007	4. If the well is dry hole, an agreement between the operator and the	district office on plug length and placement is necessary prior to plugging;	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate il cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my hardledge and belief Date: _July 23, 2007	5. The appropriate district office will be notified before well is either plu	ugged or production casing is cemented in;	
I hereby certify that the statements made herein are true and to the best of my lowledge and belief Date: _July 23, 2007	6. If an ALTERNATE II COMPLETION, production pipe shall be cerner	r #133 891-C which applies to the KCC District 3 area, alternate II cementing	
Date: _July 23, 2007 Signature of Operator or Agent:	must be completed within 30 days of the spud date or the well shall	Il be plugged. In all cases, NOTIFY district office prior to any cementing.	
Date: _July 23, 2007 Signature of Operator or Agent:			
For KCC Use ONLY API # 15	Thereby certify that the statements made notes and the and to the		
For KCC Use ONLY API # 15	Date: July 23, 2007 Signature of Operator or Agent:	Title: President	
For KCC Use ONLY API # 15		Remember to:	
API # 15	T WOO HE ONLY		
Conductor pipe required	11-2-23631-0000		
Conductor pipe required	1 7 1 1 2		
Approved by: 1-27-07	Conductor pipe requiredfeet	Notify appropriate district office 48 hours prior to workover or re-entry;	
Approved by:			
This authorization expires: 1-27-08 (This authorization void if drilling not started within 6 months of approval date.) Spud date:	Approved by: 1-27-07	1 61	
(This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:	1-27-09		
Spud date: Agent: Signature of Operator or Agent: Date:		check the box below and return to the address below.	
Date:	Civing agential said it arrived that arrived the said and arrived the said arrived to	'n	
	Spud date:Agent:		

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced fleid, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 163-23631-2000	Location of Well: County: Rooks
Operator: Baird Oil Company, LLC	360 feet from ✓ N / ☐ S Line of Section
Lease: Hansen	530 feet from 🗸 E / W Line of Section
Well Number: 2-26	Sec. <u>26</u> Twp. <u>7S</u> S. R. <u>20</u> East ✓ West
Field:	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: C N/2 - NE/4 - NE/4	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

		•				366 FNL	
:					•	530' FEL	
			·			FEL	٠.
					• • • • • • • • • • • • • • • • • • •		
	· 		: 	5 ——	•	·	
		•			• .	 	
1							
					• • • · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
			· · · · ·				



NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED

*ANSAS CORPORATION COMMISSION

In plotting the proposed location of the well, you must show:

JUL 2 6 2007

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections.

 ONSERVATION DIVISION
 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Baird Oil Company, LLC			License Number: 32819		
Operator Address: P.O. Box 428 Logan, KS 67646					
Contact Person: Andrew C. Noone			Phone Number: (785) 689 - 7456		
Lease Name & Well No.: Hansen 2-	·26		Pit Location (QQQQ):		
Type of Pit:	Pit is:		App C N/2 _ NE/4 _ NE/4		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec26 _{Twp} _7SR20		
Settling Pit	If Existing, date cor	nstructed:	Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from 🗸 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)	400	(bbls)	Rooks County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l {For Emergency Pits and Settling Pits only}		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓ N		Native Clay		
Pit dimensions (all but working pits):			Width (feet) N/A: Steel Pits		
Depth fr	rom ground level to dec				
If the pit is lined give a brief description of the material, thickness and installation procedure	liner		edures for periodic maintenance and determining ncluding any special monitoring.		
material, another and meaning processing		•			
			<u>\</u>		
Distance to nearest water well within one-mile of pit Depth to shall Source of info			owest fresh water 20feet.		
		ured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY	:	Drilling, Work	over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Fluids		
Producing Formation:			al utilized in drilling/workover: Drilling Fluids		
Number of producing wells on lease: Number of wo			rking pits to be diffized.		
Barrels of fluid produced daily: Abandonment			procedure: Allow contents to evaporate and then back-fill		
Does the slope from the tank battery allow all spilled fluids to			o original condition.		
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.					
i hereby certify that the above state	ements are true and c	orrect to the bes			
July 23, 2007 Jul 2 6 2007					
Date		5	Signature of Applicant or Agent CORNER ATION DIVISION		
KCC OFFICE USE ONLY					
2/ /			2/2/-2		
Date Received: 7/26/07 Permit Num	nber:	Perm	nit Date: 7/26/c/7 Lease Inspection: Yes 🗷 No		