

For KCC Use: Effective Date: District # Yes No SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:07/27/2007	Spot Description: 170'S & 120'W of
month day year	NWNENESec26 Twp13 S. R22
30717	(G/G/G/G) 500 feet from N / S Line of Section
OPERATOR: License#	1,110 feet from XE / W Line of Section
Name: Downing-Nelson Oil Co Inc	Is SECTION: Regular Irregular?
Address 1: PO BOX 372	
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: HAYS State: KS Zip: 67601 + 0372 Contact Person: Ron Nelson	County: Trego
Phone: 785-621-2610	Lease Name: Pearson Well #: 1-26
	Field Name: Wildcat
CONTRACTOR: License# 31548	Is this a Prorated / Spaced Field?
Name: Discovery Drilling	Target Formation(s): LKC & Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 500
X Oil Enh Rec Infield X Mud Rotary	Ground Surface Elevation: 2234 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal XWildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 150
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200
Operator:	Length of Conductor Pipe (if any): 0
Well Name:	Projected Total Depth: 4100
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note : Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. between the excellent combission
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	i de la companya de
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT Iging of this well will comply with K.S.A. 55 et. seq. Market 18 Sec. AT CHARGE COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. In the seq. In
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. A STATE OF A TOTAL COMMISSION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set CONDIVISION underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. In the second commission of this well will comply with K.S.A. 55 et. seq. In the second commission of this well will comply with K.S.A. 55 et. seq. In the second commission of the seco
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ONDAISION underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set CONDITION underlying formation. ct office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. ### 3 1 2007 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ON DAISION underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set OND VISION underlying formation. ct office on plug length and placement is necessary prior to plugging ; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all pases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be computed Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ON DAVISION underlying formation. ct office on plug length and placement is necessary prior to plugging ; ord or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all tases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be computed Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ON DAYSION underlying formation. ct office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. (3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all tases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$1.3 must be completed within 30 days of the spud date or the well shall be in I hereby certify that the statements made herein are true and to the best of my	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ON DVISION underlying formation. ct office on plug length and placement is necessary prior to plugging ; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all tases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements my D	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ON DAYSON underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and to the best of my Date. The production plugged Signature of Operator or Agent: For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ON DAISON underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all tases, NOTIFY district office prior to any cementing. A knowledge and delief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements made herein are true and to the best of my Date: The statements my D	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ON DAISON underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Remember to: - Fite Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be computed Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my Date: Date: JWY ZB ZOOT Signature of Operator or Agent: JWY API # 15 - 195 - 22479 - ODOO	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. If I 3 1 2007 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ON DAVISION underlying formation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Is a 12007 If I DAVISION WAS AS If I DAVISION WAS AS If I DAVIS OF SPUR SHALL BE SET ON DAVISION WAS AS If I DAVIS OF SPUR SHALL BE SET ON DAVIS OF SPUR SHALL B
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be computed Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my Date: Date: JWY ZB ZOOT Signature of Operator or Agent: JWY API # 15 - 195 - 22479 - ODOO	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ON DAYSON underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. (3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plunging report (CP-4) after plunging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and to the best of my Date: Date: 195-22479-0000	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ON DIVISION underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 38,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all tases, NOTIFY district office prior to any cementing. It knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plunging report (CP-4) after plunging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of my Date: The Table 1 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 195 - 22479 - ODOO Conductor pipe required 0 feet per ALT. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set on DAISION underlying formation. Ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all bases, NOTIFY district office prior to any cementing. A knowledge and selief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the plugge of the appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order \$13 must be completed within 30 days of the spud date or the well shall be a likely of the spud date or the shall be a likely of the spud date or the shall be a likely of t	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idia 3 2007 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ion DAISION underlying formation. Ct office on plug length and placement is necessary prior to plugging; Id or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Is 891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all pases, NOTIFY district office prior to any cementing. In all pases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of my Date: The Table 1 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 195 - 22479 - ODOO Conductor pipe required 0 feet per ALT. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Iging of this well will will comply will will be a completed will be a completed will be a completed within 60 days); Iging of this well will will a complete will be a completed will be
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the plugge of the appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order \$13 must be completed within 30 days of the spud date or the well shall be a likely of the spud date or the shall be a likely of the spud date or the shall be a likely of t	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idia 3 2007 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ion DAISION underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all tases, NOTIFY district office prior to any cementing. A knowledge and Selief. Title: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 195-22479-0000				
Operator: Downing-Nelson Oil Co Inc	Location of Well: County: Trego			
Lease: Pearson	500 feet from N / S Line of Section			
Well Number: 1-26	1,110 feet from X E / W Line of Section			
Field: Wildcat	Sec. 26 Twp. 13 S. R. 22 EX W			
Number of Acres attributable to well:	Is Section: 🔀 Regular or 🔲 Irregular			
QTR/QTR/QTR/QTR of acreage: NW _ NE _ NE	13 Obclion. Tregular of Integular			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1010860

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Downing-Nelson Oil Co Inc		License Number: 30717				
Operator Address: PO BOX 372		HAYS KS 67601				
Contact Person: Ron Nelson		Phone Number: 785-621-2610				
Lease Name & Well No.: Pearson	1-26		Pit Location (QQQQ);			
Type of Pit:	Pit is:		<u>NW _ NE _ NE</u>			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 26 Twp. 13 R. 22	East 🔀	West	
Settling Pit	If Existing, date constructed: 500 Feet from North / South Line of Set				of Section	
Workover Pit Haul-Off Pit	Pit canacity:		1,110 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled) 3,000		(bbis)	Trego		County	
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration:		mg/i	
		(For Emergency Pits and Settling Pits only)				
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Lined with clay soil, native and fresh mud.			
Pit dimensions (all but working pits):	'0 Length (fe	eet) 70	Width (feet)	V/A: Steel	Pits	
	om ground level to de	eepest point:	5 (feet)	No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.						
					1519	
• • • • • • • • • • • • • • • • • • • •		1 '	west fresh water 25 feet.		3	
Source of infor 791 feet Depth of water well 29 feet measures						
		cover and Haul-Off Pits ONLY:				
Producing Formation: Type of material		ial utilized in drilling/workover: Fresh Mud				
Number of producing wells on lease: Number of wor		orking pits to be utilized:3				
Barrels of fluid produced daily: Abandonment		t procedure: Haul free fluids, let cuttings dry and backfill.				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		t be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
July 28, 7007 Date Mass J Signature of Applicant or Agent						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 7/31/07 Permit Number: Permit Date: 7/31/07 Lease Inspection: X Yes No						



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

July 23, 2007

Ron Nelson Downing-Nelson Oil Co Inc PO BOX 372 HAYS, KS67601-0372

Re: Drilling Pit Application
Pearson Lease Well No. 1-26
NE/4 Sec.26-13S-22W
Trego County, Kansas

Dear Ron Nelson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.