

For KCC Use:	8-6-07
Effective Date:	8-001
District #4	
SGA? Yes	N₀

# KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 08/03/2007	Spot Description:
month day year	S2 NE SW SE Sec. 14 Twp. 10 S. R. 24 TE W
30606	(ararara) 800 feet from N / X S Line of Section
DPERATOR: License#	1,650 feet from X E / W Line of Section
Name: Murfin Drilling Co., Inc.	
Address 1: 250 N. WATER, STE 300	is SECTION: Kegular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: WICHITA State: KS Zip: 67202 +	County: Graham
Contact Person: Shauna Gunzelman	Lease Name: Gold Trust Well #: 4-14
Phone: 316-267-3241	Field Name: Unknown
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field?
Name: Murfin Drilling Co., Inc.	Target Formation(s): LKC, Arbuckle
	Nearest Lease or unit boundary line (in footage): 800
Well Drilled For: Well Class: Type Equipment:	Around Surface Flevation: 2419 teet MSL
☑Oil ☐ Enh Rec ☑Infield ☑Mud Rotary	G10010 001000 210121011
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300
Operator:	
Well Name:	Projected Total Depth: 4100
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
onginal composition balo.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other: haul
Yes, true vertical depth:	
103, alde voldour dopta.	- DMP Parmit #:
•	DWR Permit #:(Note: Apply for Permit with DWR )
Bottom Hole Location:	(Note: Apply for Permit with DWR )
AF  The undersigned hereby affirms that the drilling, completion and eventual p	— (Note: Apply for Permit with DWR ☐)  — Will Cores be taken? ☐ Yes ☒ No If Yes, proposed zone: ☐  FFIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Solugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  Ich circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Ithe underlying formation.  Ithe underlying formation are to surface or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AF  The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Olugging of this well will comply with K.S.A. 55 et. seq.  In the underlying formation.  In the underlying formation.  In the underlying formation casing is cemented in;  Ited from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AF  The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Olugging of this well will comply with K.S.A. 55 et. seq.  In the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
AF  The undersigned hereby affirms that the drilling, completion and eventual p  t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement  Or pursuant to Appendix "B" - Eastern Kansas surface casing order a  must be completed within 30 days of the spud date or the well shall be  hereby certify that the statements made herein are true and to the best of	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Olugging of this well will comply with K.S.A. 55 et. seq.  In the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
AF  The undersigned hereby affirms that the drilling, completion and eventual p  t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement  Or pursuant to Appendix "B" - Eastern Kansas surface casing order a  must be completed within 30 days of the spud date or the well shall be  hereby certify that the statements made herein are true and to the best of	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Olugging of this well will comply with K.S.A. 55 et. seq.  In the underlying formation.  In the underlying formation.  In the underlying formation casing is cemented in;  Ited from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AF  The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Olugging of this well will comply with K.S.A. 55 et. seq.  In the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
AF The undersigned hereby affirms that the drilling, completion and eventual p Lis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. if my knowledge and belief.  Title:    Title:
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 7-31-07  Signature of Operator or Agent:  **Macular Completed**  Signature of Operator or Agent:  **Diagram Signature of Operator or Agent: **Diagram Signature Operator or Agent: **Diagram Signature Operator or Agent: **Diagram Signature Operator	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; teed from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 7-31-07  Signature of Operator or Agent:  For KCC Use ONLY API # 15	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; teed from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the part of Operator or Agent:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  #Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the conductor pipe required   Signature of Operator or Agent:  For KCC Use ONLY  API # 15	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Con drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  **Remember to:*  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the conductor pipe required   Signature of Operator or Agent:  For KCC Use ONLY  API # 15	Will Cores be taken?  Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Diugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  Ich by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluc 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 7-31-07  Signature of Operator or Agent:  For KCC Use ONLY API # 15	Will Cores be taken?    Yes   No
AF  The undersigned hereby affirms that the drilling, completion and eventual p  t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on eac  3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into ti  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 7-31-07  Signature of Operator or Agent: What  For KCC Use ONLY  API # 15 - 055-233300000  Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. II	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Diugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  ##133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 7-31-07  Signature of Operator or Agent:  For KCC Use ONLY API # 15	Will Cores be taken?  If Yes, proposed zone:  Septimal Proposed zone:  Will Cores be taken?  If Yes, proposed zone:  Septimal Proposed zone:  Sept
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 7-31-07  Signature of Operator or Agent:  For KCC Use ONLY API # 15	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Diugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  ##133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065-23330-0000	
Operator: Murfin Drilling Co., Inc.	Location of Well: County: Graham
Lease: Gotti Trust	800 feet from N / X S Line of Section
Well Number: 4-14	1,650 feet from X E / W Line of Section
Field: Unknown	Sec. <u>14</u> Twp. <u>10</u> S. R. <u>24</u> E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: S2 NE SW SE	is Section: A Hegular of Infregular
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



800 ft.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1011100

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Murfin Drilling Co., Inc.			License Number: 30606		
Operator Address: 250 N. WATER, STE 300			WICHITA KS 67202		
Contact Person: Shauna Gunzelman			Phone Number: 316-267-3241		
Lease Name & Well No.: Goltl Trust 4-14		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>S2NESWSE</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 14 Twp. 10 R. 24 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		800 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:	The Control of the - The SPP AND TAKES AND AREA.	1,650 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	600	(bbls)	Graham County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?			
is the bottom below ground level?  Yes No	Artificial Liner? Yes	No	Bentonite and solids from drilling operations self seal pits.		
Dit dimensions (all but working nits):	00 Longth (fo	not) 100	Width (feet) N/A: Steel Pits		
Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 4 (feet) No Pit					
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
i '''			west fresh water23feet.		
NA feet Depth of water wellfeet		Source of infor			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:			king pits to be utilized:4		
Barrels of fluid produced daily: Abandon		Abandonment	procedure: allow pits to evaporate until dry, then backfill when conditions allow		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
7-31-07 Chauna Bringlinan, agent for Signature of Applicant or Agent					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 7/31/07 Permit Number: Permit Date: 7/31/07 Lease Inspection: Yes XNo					
			RECEIVED		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 KANSAS CORPORE DOM COMMISSION

JUL 3 1 2007

- POST ON DAVISION - PERSON -