RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	8-8-07
Effective Date:	8001
District #	_3
SGA? Yes	X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

AUG 0 3 2007

Form C-1 December 2002 Form must be Typed

NOTICE OF INTENT TO DRILL

CONSERVATION DIVISION Form must be Signed

Expected Spud Date August 8, 2007	Spot V East
month day year	SE NW
OPERATOR: License# 33344	1980 feet from E / V W Line of Section
Name: Quest Cherokee LLC	Is SECTION Regular Irregular?
Address: 9520 North May Avenue, Suite 300	
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho Lease Name: Brazle, Frank K. Well #: 17-1
Phone: (405) 463-6880	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Field Name: Is this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 995 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to hottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water 200-/50
Other Coalbed Methane	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office prior to spudding of well;	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 	th drilling rig;
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be se 	of by circulating cement to the top; in all cases surface pipe shall be set
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 	of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the constant 	et by circulating cement to the top; in all cases surface pipe shall be set no underlying formation. Instrict office on plug length and placement is necessary prior to plugging;
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set of the	If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is included the set of the underlying formation. It is included the set of the underlying formation. It is included the underlying formation casing is cemented in; and the underlying formation and underlying formation in the underlying formation.
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the control of the surface district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order 	If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is instruct office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the control of the set of	In the plugged. In all cases, NOTIFY district office pipe shall be set to be plugged. In all cases, NOTIFY district office pipe shall be set to the underlying formation. It is the underlying formation in all cases, not the underlying formation. It is the underlying formation in all cases, not the underlying formation.
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of	In the proof of the set of the set of the set of the underlying formation. It is the underlying formation and underlying formation. It is the underlying formation and belief. It is the underlying formation and the underlying formation and the underlying formation. It is the underlying formati
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of 	If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set of the se	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Itistrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Itstrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the construction of the second state of the well is either plugically formation of the second state of the second	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Itistrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the construction of the seed of th	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Itistrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second structure of the well is dry hole, an agreement between the operator and the construction of the second structure of th	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through thr	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Itistrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of the set o	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; and placement is necessary prior to plugging; igged or production casing is cemented in; and the set of t
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all through the seed through through the seed through through the seed through through the seed through throug	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed to the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the seed to the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plant of	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of through the set of the	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


Location of Well: County: Neosho
1980 feet from VN / S Line of Section
1980 feet from E / 🗸 W Line of Section
Sec17Twp27 S. R19 ✓ East Wes
Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

AUG 0 3 2007 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

License Number: 33344 Operator Name: Quest Cherokee LLC Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120 Phone Number: (405) 463 - 6880 Contact Person: Richard Marlin Pit Location (QQQQ): Lease Name & Well No.: Brazle, Frank K. #17-1 SE NW Pit is: Type of Pit: Sec. 17 Twp. 27 R. 19 V East West ✓ Proposed Existing Emergency Pit Burn Pit If Existing, date constructed: ✓ Drilling Pit Feet from V North / South Line of Section Settling Pit 1980 Haul-Off Pit Workover Pit Feet from East / 🗸 West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) Neosho 300 (bbls) mg/l Chloride concentration: _ (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? **Artificial Liner?** is the bottom below ground level? Yes √ No Yes ✓ No 10 30 _ N/A: Steel Pits ... Length (feet) _ Width (feet) Pit dimensions (all but working pits): __ (feet) Depth from ground level to deepest point: _ Describe procedures for periodic maintenance and determining If the pit is lined give a brief description of the liner liner integrity, including any special monitoring. material, thickness and installation procedure. 15-133-27099-0000 Air Drilling Operation Lasting Approx 3 Days Depth to shallowest fresh water _____ Distance to nearest water well within one-mile of pit Source of information: __ electric log _ measured well owner ____ Depth of water well _____ feet Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Air Drilled Producing Formation: _ Number of working pits to be utilized: One Number of producing wells on lease: ____ Abandonment procedure: Air Dry, Back Fill and Cover Barrels of fluid produced daily:. Does the slope from the tank battery allow all spilled fluids to Drill pits must be closed within 365 days of spud date. flow into the pit? Yes No I hereby certify that the above statements are true and correct to the best of my knowledge and belief. August 1, 2007 Signature of Applicant or Agent Date KCC OFFICE USE ONLY Permit Date: 8/3/07 Lease Inspection: Yes K No Date Received: 8/3/07 Permit Number:_