

For KCC Use:	010
Effective Date:	8-12-07
District #1	
~~. \\	<b>73</b>

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1011141

November 2005 Form must be Typed

	ITENT TO DRILL  (5) days prior to commencing well
00/40/0007	(a) days prior to commencing well
Expected Spud Date: 08/10/2007 month day year	Spot Description:
	<u>SW SW NE SE Sec. 2 Twp. 34 S. R. 33 </u> ☐ E XW
OPERATOR: License#5278	(G/Q/Q/Q) 1,400 feet from N / S Line of Section
Name: EOG Resources, Inc.	1,250 feet from E E / W Line of Section
Address 1: 3817 NW EXPRESSWAY STE 500	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: OKLAHOMA CITY State: OK Zip: 73112 + 1483	County: Seward
Contact Person: Melissa Sturm Phone: 405-246-3234	Lease Name: Ivan Weli #: 2 #1
	Field Name: EVALYN-CONDIT
CONTRACTOR: License# 30684	Is this a Prorated / Spaced Field?
Name: G & F Resources, Inc.	Target Formation(s): Lansing, Lower Chester Sandstone
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1250
	Ground Surface Elevation: 2843 feet MSL.
	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 620
Other:	Depth to bottom of usable water: 620
	Surface Pipe by Alternate: XII III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1700
Operator:	Length of Conductor Pipe (if any): 40
Well Name:	Projected Total Depth: 6600
Original Completion Date: Original Total Depth:	Formation at Total Depth: St. Louis
·	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	57111 Onk i.
Dottom Fibro Education.	(Note: Apply for Permit with DWR
KCC DKT #:	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes No
KCC DKT #:	Will Cores be taken?
PRORATED & SPACED: HUGOTON  AFF	Will Cores be taken?
PRORATED & SPACED: HUGOTON  AFF	Will Cores be taken?
PRORATED & SPACED: HUGOTON  AFF	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  aging of this well will comply with K.S.A. 55 et ANSAS CORPORATION COMMISSION
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  aging of this well will comply with K.S.A. 55 et ANSAS CORPORATION COMMISSION
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual pluit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  gging of this well will comply with K.S.A. 55 et SAS CORPORATION COMMISSION  AUG 0 7 2007
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual pluit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to the specified below shall be sp	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  gging of this well will comply with K.S.A. 55 et SAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig;  by circulating cement to the top; in all cases surface CONTERNATION SAN ISION
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual pluit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  gging of this well will comply with K.S.A. 55 et SAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig;  by circulating cement to the top; in all cases surface CONSERVATION SAN UNICHITA, KS
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual plusit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set in through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  gging of this well will comply with K.S.A. 55 et SAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig; by circulating cement to the top; in all cases surface CONSERVATION SERVISION underlying formation.  WICHITA, KS ict office on plug length and placement is necessary prior to plugging;
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual pluit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specifie	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  gging of this well will comply with K.S.A. 55 et SAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig;  by circulating cement to the top; in all cases surface CORPORATION WICHITA, KS into office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  gging of this well will comply with K.S.A. 55 et SAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig; by circulating cement to the top; in all cases surface CONSERVATION SAN WICHITA, KS into office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual pluit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the set	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  Re
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  agging of this well will comply with K.S.A. 55 et Section AUG 0 7 2007  AUG 0 7 2007  AUG 17 2007  Audilling rig;  by circulating cement to the top; in all cases surface Audinomy Wichita, KS in the original production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual pluit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the properties of the properties of the properties of the spuddate or the well shall be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum of the properties of the spuddate or the well shall be the properties of the statements made herein are true and to the best of minimum of the properties of the spuddate or the well shall be the properties of the statements made herein are true and to the best of minimum of the properties of the spuddate or the well shall be the properties of the spuddate or the well shall be the properties of the spuddate or the well shall be the properties of the spuddate or the well shall be the properties of the spuddate or the well shall be the properties of the properties of the spuddate or the well shall be the properties of the	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  gging of this well will comply with K.S.A. 55 et SASAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig; by circulating cement to the top; in all cases surface PRIMITANSENISION  underlying formation.  WICHITA, KS  et or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual pluit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the properties of the properties of the properties of the spuddate or the well shall be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum of the properties of the spuddate or the well shall be the properties of the statements made herein are true and to the best of minimum of the properties of the spuddate or the well shall be the properties of the statements made herein are true and to the best of minimum of the properties of the spuddate or the well shall be the properties of the spuddate or the well shall be the properties of the spuddate or the well shall be the properties of the spuddate or the well shall be the properties of the spuddate or the well shall be the properties of the properties of the spuddate or the well shall be the properties of the	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  agging of this well will comply with K.S.A. 55 et Section AUG 0 7 2007  AUG 0 7 2007  AUG 17 2007  Audilling rig;  by circulating cement to the top; in all cases surface Audinomy Wichita, KS in the original production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual pluit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the properties of the properties of the properties of the spuddate or the well shall be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum of the properties of the spuddate or the well shall be the properties of the statements made herein are true and to the best of minimum of the properties of the spuddate or the well shall be the properties of the statements made herein are true and to the best of minimum of the properties of the spuddate or the well shall be the properties of the spuddate or the well shall be the properties of the spuddate or the well shall be the properties of the spuddate or the well shall be the properties of the spuddate or the well shall be the properties of the properties of the spuddate or the well shall be the properties of the	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  gging of this well will comply with K.S.A. 55 et SASAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig; by circulating cement to the top; in all cases surface PRIMITANSENISION  underlying formation.  WICHITA, KS  et or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual pluit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the decent of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugg for the appropriate district office will be notified before well is either plugg for pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be be thereby certify that the statements made herein are true and to the best of more statements.  Signature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  agging of this well will comply with K.S.A. 55 et ANSAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig; by circulating cement to the top; in all cases surface ANSERWATION WICHITA, KS ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Title: Sy. Operation SASSI.
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual plu it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m.  Date: SIGnature of Operator or Agent: Well.	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  gging of this well will comply with K.S.A. 55 et SASAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig; by circulating cement to the top; in all cases surface PASSERMATION SAN ISION underlying formation.  WICHITA, KS  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  by knowledge and belief.  Title: SV. December 1015  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date:
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 175-22098-0000	Wilf Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  aging of this well will comply with K.S.A. 55 et SASAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig; by circulating cement to the top; in all cases surface Composition and entrying formation.  WICHITA, KS  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
PRORATED & SPACED: HUGOTON  AFF The undersigned hereby affirms that the drilling, completion and eventual pluit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and to the best of materials.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 175 - 22098 - DOOD  Conductor pipe required 0 feet	Wilf Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  aging of this well will comply with K.S.A. 55 et ANSAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig; by circulating cement to the top; in all cases surface AUG ERMINIONEW/ISION underlying formation.  WICHITA, KS  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual plusit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of module.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 175-22098-0000  Conductor pipe required 640 feet per ALT. I I III	Wilf Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  AUG 0 7 2007  drilling rig;  by circulating cement to the top; in all cases surface   RICHTA, KS  ict office on plug length and placement is necessary prior to plugging;  do or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Title: SV. DAYS ASST.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plurging report (CP-4) after plugging is completed (within 60 days):
PRORATED & SPACED: HUGOTON  AFF The undersigned hereby affirms that the drilling, completion and eventual pluit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and to the best of materials.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 175 - 22098 - DOOD  Conductor pipe required 0 feet	Wilf Cores be taken?  If Yes, proposed zone:  IDAVIT  RECEIVED  aging of this well will comply with K.S.A. 55 et SASAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig; by circulating cement to the top; in all cases surface Proposed Serumbars VISION underlying formation.  WICHITA, KS  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual plu it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 175 - 22098 - DOOD  Conductor pipe required 0 feet per ALT. I III  Approved by:  Approved by:  Approved by:  Approved by:  This authorization expires:  2 - 7 - 08	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  aging of this well will comply with K.S.A. 55 et SAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig; by circulating cement to the top; in all cases surface CONSERVATION SERVISION with the production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  by knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual pluit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and to the best of materials.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 175 - 22098 - DOOD  Conductor pipe required 0 feet per ALT. I I III  Approved by: 184 - 187 - 197 - 1	Will Cores be taken?  If Yes, proposed zone:  RECEIVED
PRORATED & SPACED: HUGOTON  AFF  The undersigned hereby affirms that the drilling, completion and eventual plu it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 175 - 22098 - DOOD  Conductor pipe required 0 feet per ALT. I III  Approved by:  Approved by:  Approved by:  Approved by:  This authorization expires:  2 - 7 - 08	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  aging of this well will comply with K.S.A. 55 et SAS CORPORATION COMMISSION  AUG 0 7 2007  drilling rig; by circulating cement to the top; in all cases surface CONSERVATION SERVISION with the production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  by knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please



#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 175-22098-0000			
Operator: EOG Resources, Inc.	Location of Well: County: Seward		
Lease: Ivan	1,400 feet from N / X S Line of Section		
Weil Number: 2 #1	1,250 feet from X E / W Line of Section		
Field: EVALYN-CONDIT	Sec. 2 Twp. 34 S. R. 33 E X W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
QTR/QTR/QTR/QTR of acreage: _SW _ SW _ NE _ SE	is Section. A regular or mirregular		
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

1400 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1011141

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: EOG Resources, Inc.		License Number: 5278		
Operator Address: 3817 NW EXPRESSWAY STE 500			OKLAHOMA CITY OK 73112	
Contact Person: Melissa Sturm		Phone Number: 405-246-3234		
Lease Name & Well No.: Ivan	2 #1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SW SW NE SE	
Emergency Pit Burn Pit	Proposed	Existing	Sec2Twp34R33East X West	
Settling Pit Drilling Pit	If Existing, date constructed:		1,400 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:			
	12,500	(bbls)	Seward County	
Is the pit located in a Sensitive Ground Water	Area? XYes	No	Chloride concentration:mg/l	
Is the bottom below ground level?	Artificial Liner?	40.4.400	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
Yes No	Yes X	No	Soil compaction	
Pit dimensions (all but working pits):	25 Length (fe	eet)125	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to de		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
If the pit is lined give a brief description of the liner  Describe procuments of the liner procedure in the line		Describe proce	dures for periodic maintenance and determining and COMMISSION COMMISSION COMPONENTIAL COMMISSION COMPONENTIAL COMPONENTIAL COMPONENTIAL COMPONENTIAL COMPONENTIAL COMPONENTIAL COMPONENTIAL COMPONENTIAL COMPONENTIAL COMP	
material, thickness and installation procedure.		inio integrity, ii	AUG 0 7 2007	
			CONSERVATION DIVISION WICHITA, KS	
, , , , , , , , , , , , , , , , , , ,		Depth to shallo Source of infor	west fresh water215feet.	
3405feet Depth of water well320feet		measu		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover: Gel	
			king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment procedure: Evaporation / dewater and backfilling of reserve pit		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
Slight Signature of Applicant or Agent				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS RFAS				
Date Received: $8/7/07$ Permit Number	per:	Permi	t Date: 8/7/07 Lease Inspection: Yes No	